



Lake County Community Health Improvement Planning (CHIP)

2017 Data Compendium

Mission:

To protect, promote and improve the health of all people
in Florida through integrated state, county, and
community efforts

Vision:

To be the Healthiest State in the Nation

Lake County Community Health Improvement Planning (CHIP) 2017 Data Compendium

Section 1 – County Demographics

- 1.1 U.S. Census Bureau: State and County QuickFacts – Lake County, Florida
- 1.2 State of Florida Legislature’s Office of Economic and Demographic Research - Lake County Profile
- 1.3 FDOH CHARTS Lake County Health Profile 2015 – County Demographics

Section 2 – Health Outcomes

- 2.1 County Health Rankings & Roadmaps 2017 - Lake County
- 2.2 FDOH Lake County Health Status Summary Profile - 2015
- 2.3 Reportable and Infectious Diseases
 - 2.3.1 FDOH Charts – 2015 Reportable and Infectious Diseases
 - 2.3.2 FDOH Communicable Diseases Frequency Report – Lake County, 2015-2016
- 2.4 Chronic Diseases
 - 2.4.1 FDOH Charts – Chronic Disease Profile, Lake County, Florida - 2015
 - 2.4.2 FDOH Lake Healthiest Weight Profile, Lake County, Florida - 2014
- 2.5 Maternal and Child Health
 - 2.5.1 FDOH Pregnancy and Young Child Profile, Lake County, Florida - 2015
 - 2.5.2 FDOH Lake Florida’s Healthy Babies Program - Lake County Data Analysis Report, June 2016
 - 2.5.3 FDOH School-Aged Child and Adolescent Profile, Lake County, Florida - 2015
 - 2.5.4 Florida Youth Tobacco Survey (FYTS), Lake County: 2014 at a Glance
 - 2.5.5 FDOH Birth Defects Profile, Lake County, Florida - 2016
- 2.6 Minority Health
 - 2.6.1 FDOH Minority Health Profile - Black, Lake County, Florida - 2015
 - 2.6.2 FDOH Minority Health Profile - Hispanic, Lake County, Florida - 2015

Section 3 – Health Factors

- 3.1 Health Behaviors
 - 3.1.1 FDOH Florida Behavioral Risk Factor Surveillance System (BRFSS) 2013 Data – Lake County Highlights
- 3.2 Social and Economic Factors
 - 3.2.1 FDLE Annual Crime Report – Lake County 2015
 - 3.2.2 FDOE Student Membership Report – Lake County 2015, FDOE Lunch Status by District, Preliminary Survey 2 2016-17
 - 3.2.3 FDOE District High School Diplomas, District GEDs – Lake County, 2014-2015
 - 3.2.4 FDOE District Discipline Report – Lake County, 2014-2015
 - 3.2.5 United Way Alice Report – Lake County 2012
- 3.3 Clinical Care
 - 3.3.1 FDOH CHARTS Ambulatory Care Sensitive Conditions Profile, Lake County, Florida - 2014
 - 3.3.2 FDOH Florida Access and Functional Needs Profile, Lake County - 2016
- 3.4 Physical Environment
 - 3.4.1 FDOH Community Environmental Health Profile Report, Lake County



QuickFacts

Lake County, Florida

Population	Lake County, Florida	UNITED STATES
Population estimates, July 1, 2016, (V2016)	335,396	323,127,513
Population estimates, July 1, 2015, (V2015)	325,875	321,418,820
Population estimates base, April 1, 2010, (V2016)	297,047	308,758,105
Population estimates base, April 1, 2010, (V2015)	297,046	308,758,105
Population, percent change - April 1, 2010 (estimates base) to July 1, 2016, (V2016)	12.9	4.7
Population, percent change - April 1, 2010 (estimates base) to July 1, 2015, (V2015)	9.7	4.1
Population, Census, April 1, 2010	297,052	308,745,538
Age and Sex	Lake County, Florida	UNITED STATES
Persons under 5 years, percent, July 1, 2015, (V2015)	5	6.2
Persons under 5 years, percent, April 1, 2010	5.5	6.5
Persons under 18 years, percent, July 1, 2015, (V2015)	19.8	22.9
Persons under 18 years, percent, April 1, 2010	20.8	24
Persons 65 years and over, percent, July 1, 2015, (V2015)	26.1	14.9
Persons 65 years and over, percent, April 1, 2010	24.2	13
Female persons, percent, July 1, 2015, (V2015)	51.6	50.8
Female persons, percent, April 1, 2010	51.5	50.8
Race and Hispanic Origin	Lake County, Florida	UNITED STATES
White alone, percent, July 1, 2015, (V2015) (a)	84.3	77.1
White alone, percent, April 1, 2010 (a)	82	72.4
Black or African American alone, percent, July 1, 2015, (V2015) (a)	10.8	13.3
Black or African American alone, percent, April 1, 2010 (a)	9.8	12.6
American Indian and Alaska Native alone, percent, July 1, 2015, (V2015) (a)	0.6	1.2
American Indian and Alaska Native alone, percent, April 1, 2010 (a)	0.5	0.9
Asian alone, percent, July 1, 2015, (V2015) (a)	2.2	5.6
Asian alone, percent, April 1, 2010 (a)	1.7	4.8
Native Hawaiian and Other Pacific Islander alone, percent, July 1, 2015, (V2015) (a)	0.2	0.2
Native Hawaiian and Other Pacific Islander alone, percent, April 1, 2010 (a)	0.1	0.2
Two or More Races, percent, July 1, 2015, (V2015)	1.9	2.6
Two or More Races, percent, April 1, 2010	2.3	2.9
Hispanic or Latino, percent, July 1, 2015, (V2015) (b)	14.4	17.6
Hispanic or Latino, percent, April 1, 2010 (b)	12.1	16.3
White alone, not Hispanic or Latino, percent, July 1, 2015,	71.6	61.6
White alone, not Hispanic or Latino, percent, April 1, 2010	74.5	63.7
Population Characteristics	Lake County, Florida	UNITED STATES
Veterans, 2011-2015	32,903	20,108,332

1.1 U.S. Census Bureau: State and County QuickFacts – Lake County, Florida

Foreign born persons, percent, 2011-2015	8	13.2
Housing	Lake County, Florida	UNITED STATES
Housing units, July 1, 2015, (V2015)	148,706	134,789,944
Housing units, April 1, 2010	144,996	131,704,730
Owner-occupied housing unit rate, 2011-2015	74.8	63.9
Median value of owner-occupied housing units, 2011-2015	\$140,100	\$178,600
Median selected monthly owner costs -with a mortgage, 2011-2015	\$1,256	\$1,492
Median selected monthly owner costs -without a mortgage, 2011-2015	\$417	\$458
Median gross rent, 2011-2015	\$936	\$928
Building permits, 2015	2,778	1,182,582
Families and Living Arrangements	Lake County, Florida	UNITED STATES
Households, 2011-2015	119,251	116,926,305
Persons per household, 2011-2015	2.57	2.64
Living in same house 1 year ago, percent of persons age 1 year+, 2011-2015	84	85.1
Language other than English spoken at home, percent of persons age 5 years+, 2011-2015	13	21
Education	Lake County, Florida	UNITED STATES
High school graduate or higher, percent of persons age 25 years+, 2011-2015	87.4	86.7
Bachelor's degree or higher, percent of persons age 25 years+, 2011-2015	21.5	29.8
Health	Lake County, Florida	UNITED STATES
With a disability, under age 65 years, percent, 2011-2015	9.5	8.6
Persons without health insurance, under age 65 years, percent	14.4	10.5
Economy	Lake County, Florida	UNITED STATES
In civilian labor force, total, percent of population age 16 years+, 2011-2015	52.7	63.3
In civilian labor force, female, percent of population age 16 years+, 2011-2015	49.5	58.5
Total accommodation and food services sales, 2012 (\$1,000) (c)	\$394,919	\$708,138,598
Total health care and social assistance receipts/revenue, 2012 (\$1,000) (c)	\$1,648,723	\$2,040,441,203
Total manufacturers shipments, 2012 (\$1,000) (c)	D	\$5,696,729,632
Total merchant wholesaler sales, 2012 (\$1,000) (c)	\$498,045	\$5,208,023,478
Total retail sales, 2012 (\$1,000) (c)	\$3,761,049	\$4,219,821,871
Total retail sales per capita, 2012 (c)	\$12,405	\$13,443
Transportation	Lake County, Florida	UNITED STATES
Mean travel time to work (minutes), workers age 16 years+, 2011-2015	28.2	25.9
Income and Poverty	Lake County, Florida	UNITED STATES
Median household income (in 2015 dollars), 2011-2015	\$46,403	\$53,889
Per capita income in past 12 months (in 2015 dollars), 2011-2015	\$24,236	\$28,930
Persons in poverty, percent	12.8	13.5

Businesses	Lake County, Florida	UNITED STATES
Total employer establishments, 2014	6,649	7,563,085
Total employment, 2014	73,167	121,079,879
Total annual payroll, 2014 (\$1,000)	2,340,416	5,940,442,637
Total employment, percent change, 2013-2014	3.4	2.4
Total nonemployer establishments, 2014	23,544	23,836,937
All firms, 2012	25,331	27,626,360
Men-owned firms, 2012	13,004	14,844,597
Women-owned firms, 2012	9,390	9,878,397
Minority-owned firms, 2012	6,642	7,952,386
Nonminority-owned firms, 2012	17,973	18,987,918
Veteran-owned firms, 2012	2,735	2,521,682
Nonveteran-owned firms, 2012	21,608	24,070,685
Geography	Lake County, Florida	UNITED STATES
Population per square mile, 2010	316.6	87.4
Land area in square miles, 2010	938.38	3,531,905.43
FIPS Code	"12069"	"00"

This geographic level of poverty and health estimates are not comparable to other geographic levels of these estimates

Some estimates presented here come from sample data, and thus have sampling errors that may render some apparent differences between geographies statistically indistinguishable.

The vintage year (e.g., V2015) refers to the final year of the series (2010 thru 2015). Different vintage years of estimates are not comparable.

(a) Includes persons reporting only one race

(b) Hispanics may be of any race, so also are included in applicable race categories

(c) Economic Census - Puerto Rico data are not comparable to U.S. Economic Census data

D: Suppressed to avoid disclosure of confidential information

F: Fewer than 25 firms

FN: Footnote on this item in place of data

NA: Not available

S: Suppressed; does not meet publication standards

X: Not applicable

Z: Value greater than zero but less than half unit of measure shown

QuickFacts data are derived from: Population Estimates, American Community Survey, Census of Population and Housing, Current Population Survey, Small Area Health Insurance Estimates, Small Area Income and Poverty Estimates, State and County Housing Unit Estimates, County Business Patterns, Nonemployer Statistics, Economic Census, Survey of Business Owners, Building Permits.

Report: U.S. Census Bureau: State and County QuickFacts - Lake County, Florida

Web Address: <https://www.census.gov/quickfacts/table/PST045215/12069>

Date Accessed: April 17, 2017

Lake County

Florida's 18th most populous county
with 1.6% of Florida's population



Population

Census Population	Lake County	Florida
1980 Census	104,870	9,746,961
1990 Census	152,104	12,938,071
% change 1980-90	45.0%	32.7%
2000 Census	210,527	15,982,824
% change 1990-00	38.4%	23.5%
2010 Census	297,047	18,801,332
% change 2000-10	41.1%	17.6%
Age		
% Under 18 years of age	20.8%	21.3%
% 65 years of age and over	24.2%	17.3%
Race & Ethnicity		
% White alone	82.0%	75.0%
% Black or African American alone	9.8%	16.0%
% Hispanic or Latino (of any race)	12.1%	22.5%
Estimates and Projections		
2016 Estimate	323,985	20,148,654
% change 2010-16	9.1%	7.2%
2020 Projection based on 2015 estimate	356,276	21,372,207
% change 2015-20	10.0%	6.1%
2025 Projection based on 2015 estimate	393,989	22,799,508
% change 2020-25	10.6%	6.7%
2015 Median Age	46.8	41.5

Density

Persons per square mile	Lake County	Florida
2000	220.9	296.4
2010	316.6	350.6
2016	345.3	375.7

Households and Family Households

Households	Lake County	Florida
Total households, 2000 Census	88,412	6,338,075
Family households, 2000 Census	62,468	4,210,760
% with own children under 18	33.1%	42.3%
Total households, 2010 Census	121,289	7,420,802
Family households, 2010 Census	83,792	4,835,475
% with own children under 18	34.8%	40.0%
Average Household Size, 2010 Census	2.42	2.48
Average Family Size, 2010 Census	2.86	3.01

According to Census definitions, a household includes all of the people who occupy a housing unit. The occupants may be a single family, one person living alone, two or more families living together, or any other group of related or unrelated people who share living quarters. A family includes a householder and one or more other people living in the same household who are related to the householder by birth, marriage, or adoption. Census counts may be corrected for Census Count Question Resolution (CCR).

Number of Establishments

2015	Lake County	Florida
All industries	7,650	642,518
Natural Resource & Mining	156	5,385
Construction	1,060	61,674
Manufacturing	216	19,590
Trade, Transportation and Utilities	1,651	139,815
Information	82	10,369
Financial Activities	797	67,981
Professional & Business Services	1,292	145,867
Education & Health Services	985	67,833
Leisure and Hospitality	661	53,634
Other Services	592	52,947
Government	108	6,227

Industries may not add to the total due to confidentiality and unclassified.

Housing

Housing Counts	Lake County	Florida
Housing units, 2000 Census	102,830	7,302,947
Occupied	88,413	6,337,929
Owner-occupied	72,047	4,441,799
Renter-occupied	16,366	1,896,130
Vacant	14,417	965,018
Housing units, 2010 Census	144,996	8,989,580
Occupied	121,289	7,420,802
Owner-occupied	92,802	4,998,979
Renter-occupied	28,487	2,421,823
Vacant	23,707	1,568,778
Units Permitted		
1990	2,205	126,384
2000	5,231	155,269
2010	552	38,679
2011	517	42,360
2012	942	64,810
2013	1,730	86,752
2014	2,488	84,075
2015	2,778	109,924

Population Characteristics

	Lake County	Florida
Language spoken at home other than English		
Persons aged 5 and over	13.0% +/- 0.6%	28.1% +/- 0.1%
Place of birth		
Foreign born	8.0% +/- 0.4%	19.7% +/- 0.1%
Veteran status		
Civilian population 18 and over	13.3% +/- 0.5%	9.7% +/- 0.1%

Residence 1 Year Ago

Persons aged 1 and over	Lake County	Florida
Same house	84.0% +/- 1.0%	83.8% +/- 0.1%
Different house in the U.S.	15.7% +/- 1.0%	15.2% +/- 0.1%
Same county in Florida	8.6% +/- 0.8%	9.4% +/- 0.1%
Different county in Florida	4.0% +/- 0.5%	3.1% +/- 0.1%
Different county in another state	3.1% +/- 0.4%	2.8% +/- 0.1%
Abroad	0.4% +/- 0.2%	0.9% +/- 0.1%

+/- = margin of error based on a 90% confidence level.

Employment by Industry

Percent of All Establishments	Lake County	Florida
2015		
All industries	7,650	642,518
Natural Resource & Mining	2.0%	0.8%
Construction	13.9%	9.6%
Manufacturing	2.8%	3.0%
Trade, Transportation and Utilities	21.6%	21.8%
Information	1.1%	1.6%
Financial Activities	10.4%	10.6%
Professional & Business Services	16.9%	22.7%
Education & Health Services	12.9%	10.6%
Leisure and Hospitality	8.6%	8.3%
Other Services	7.7%	8.2%
Government	1.4%	1.0%

Employment by Industry

Average Annual Employment, % of All Industries, 2015	Lake County	Florida	Average Annual Wage 2015	Lake County	Florida
All industries	89,592	8,039,635	All industries	\$35,539	\$46,260
Natural Resource & Mining	2.0%	1.0%	Natural Resource & Mining	\$33,974	\$30,747
Construction	7.7%	5.4%	Construction	\$43,449	\$45,785
Manufacturing	3.8%	4.3%	Manufacturing	\$42,584	\$57,361
Trade, Transportation and Utilities	21.7%	20.9%	Trade, Transportation and Utilities	\$31,064	\$41,448
Information	1.4%	1.7%	Information	\$45,521	\$73,696
Financial Activities	4.0%	6.6%	Financial Activities	\$42,052	\$68,611
Professional & Business Services	8.5%	15.2%	Professional & Business Services	\$37,422	\$55,803
Education & Health Services	19.3%	14.7%	Education & Health Services	\$43,912	\$48,205
Leisure and Hospitality	13.6%	14.1%	Leisure and Hospitality	\$16,664	\$23,909
Other Services	3.5%	3.3%	Other Services	\$26,912	\$33,302
Government	14.2%	12.9%	Government	\$41,324	\$50,984

Industries may not add to the total due to confidentiality and unclassified.

Labor Force

Labor Force as Percent of Population Aged 18 and Older	Lake County	Florida	Unemployment Rate	Lake County	Florida
1990	55.0%	64.3%	1990	8.2%	6.1%
2000	55.6%	63.7%	2000	3.6%	3.7%
2010	57.0%	62.2%	2010	11.8%	11.1%
2015	55.2%	61.7%	2015	5.4%	5.4%

Income and Financial Health

Personal Income (\$000s)	Lake County	Florida	Per Capita Personal Income	Lake County	Florida
1990	\$2,693,422	\$260,093,568	1990	\$17,550	\$19,956
2000	\$5,589,244	\$477,315,998	2000	\$26,321	\$29,744
% change 1990-2000	107.5%	83.5%	% change 1990-00	50.0%	49.0%
2010	\$9,631,536	\$728,063,852	2010	\$32,337	\$38,624
% change 2000-10	72.3%	52.5%	% change 2000-10	22.9%	29.9%
2011	\$10,020,683	\$773,315,948	2011	\$33,423	\$40,476
% change 2010-11	4.0%	6.2%	% change 2010-11	3.4%	4.8%
2012	\$10,377,940	\$793,103,892	2012	\$34,209	\$40,983
% change 2011-12	3.6%	2.6%	% change 2011-12	2.4%	1.3%
2013	\$10,691,435	\$798,885,890	2013	\$34,711	\$40,771
% change 2012-13	3.0%	0.7%	% change 2012-13	1.5%	-0.5%
2014	\$11,469,738	\$853,317,759	2014	\$36,327	\$42,868
% change 2013-14	7.3%	6.8%	% change 2013-14	4.7%	5.1%
2015	\$12,284,994	\$900,636,248	2015	\$37,698	\$44,429
% change 2014-15	7.1%	5.5%	% change 2014-15	3.8%	3.6%

Earnings by Place of Work (\$000s)	Lake County	Florida	Median Income	Lake County	Florida
1990	\$1,146,044	\$161,317,329	Median Household Income	\$46,403 +/- \$1,069	\$47,507 +/- \$202
2000	\$2,385,594	\$313,054,047	Median Family Income	\$55,913 +/- \$1,386	\$57,504 +/- \$300
% change 1990-2000	108.2%	94.1%	+/- = margin of error based on a 90% confidence level.		
2010	\$3,816,888	\$437,064,465	Percent in Poverty, 2015		
% change 2000-10	60.0%	39.6%	All ages in poverty	12.8%	15.8%
2011	\$3,941,431	\$447,731,548	Under age 18 in poverty	20.9%	23.4%
% change 2010-11	3.3%	2.4%	Ages 5-17 in families in poverty	20.1%	22.0%
2012	\$4,180,192	\$465,347,164			
% change 2011-12	6.1%	3.9%			
2013	\$4,292,498	\$479,490,070			
% change 2012-13	2.7%	3.0%			
2014	\$4,532,329	\$508,051,449			
% change 2013-14	5.6%	6.0%			
2015	\$4,925,074	\$544,852,833			
% change 2014-15	8.7%	7.2%			

Education

Personal Bankruptcy Filing Rate (per 1,000 population)	Lake County	Florida	Public Education Schools Traditional Setting (2016-17)	Lake County School District	Florida
12-Month Period Ending Sept. 30, 2015	3.07	2.91	Total (state total includes special districts)	52	3,245
12-Month Period Ending Sept. 30, 2016	2.45	2.31	Elementary	26	1,931
State Rank	9	NA	Middle	10	591
Chapter 7 & Chapter 13			Senior High	10	723
			Combination	6	472

Quality of Life

Crime	Lake County	Florida	Educational attainment Persons aged 25 and older	Lake County	Florida
Crime rate, 2015 (index crimes per 100,000 population)	2,691.4	3,342.7	% HS graduate or higher	87.4% +/- 0.7%	86.9% +/- 0.1%
Admissions to prison FY 2015-16	308	30,289	% bachelor's degree or higher	21.5% +/- 0.8%	27.3% +/- 0.2%
Admissions to prison per 100,000 population FY 2015-16	99.4	155.3	+/- = margin of error based on a 90% confidence level.		

Workers Aged 16 and Over	Lake County	Florida
Place of Work in Florida		
Worked outside county of residence	41.5% +/- 1.3%	17.5% +/- 0.1%
Travel Time to Work		
Mean travel time to work (minutes)	28.2 +/- 0.7	26.4 +/- 0.1
+/- = margin of error based on a 90% confidence level.		

Reported County Government Revenues and Expenditures

Revenue 2013-14	Lake County	Florida*	Expenditures 2013-14	Lake County	Florida*
Total - All Revenue Account Codes (\$000s)	\$288,514.5	\$35,078,190.1	Total - All Expenditure Account Codes (\$000s)	\$303,304.66	\$34,556,603.54
Per Capita \$	\$931.49	\$1,884.17	Per Capita \$	\$979.24	\$1,856.16
% of Total	100.0%	100.0%	% of Total	105.1%	98.5%
Taxes (\$000s)	\$105,920.8	\$11,286,136.6	General Government Services** (\$000s)	\$64,644.15	\$6,044,766.46
Per Capita \$	\$341.97	\$606.22	Per Capita \$	\$208.71	\$324.69
% of Total	36.7%	32.2%	% of Total	22.4%	17.2%
Permits, Fee, and Special Assessments (\$000s)	\$22,886.0	\$1,428,842.6	Public Safety (\$000s)	\$113,278.82	\$8,265,802.04
Per Capita \$	\$73.89	\$76.75	Per Capita \$	\$365.73	\$443.98
% of Total	7.9%	4.1%	% of Total	39.3%	23.6%
Intergovernmental Revenues (\$000s)	\$47,778.5	\$3,867,086.6	Physical Environment (\$000s)	\$17,695.77	\$4,073,625.32
Per Capita \$	\$154.26	\$207.71	Per Capita \$	\$57.13	\$218.81
% of Total	16.6%	11.0%	% of Total	6.1%	11.6%
Charges for Services (\$000s)	\$74,999.6	\$11,657,880.3	Transportation (\$000s)	\$39,860.95	\$4,178,571.49
Per Capita \$	\$242.14	\$626.19	Per Capita \$	\$128.69	\$224.45
% of Total	26.0%	33.2%	% of Total	13.8%	11.9%
Judgments, Fines, and Forfeits (\$000s)	\$3,128.2	\$201,873.9	Economic Environment (\$000s)	\$8,349.25	\$1,255,781.59
Per Capita \$	\$10.10	\$10.84	Per Capita \$	\$26.96	\$67.45
% of Total	1.1%	0.6%	% of Total	2.9%	3.6%
Miscellaneous Revenues (\$000s)	\$5,240.0	\$865,473.4	Human Services (\$000s)	\$9,977.56	\$2,851,675.45
Per Capita \$	\$16.92	\$46.49	Per Capita \$	\$32.21	\$153.17
% of Total	1.8%	2.5%	% of Total	3.5%	8.1%
Other Sources (\$000s)	\$28,561.4	\$5,770,896.6	Culture / Recreation (\$000s)	\$9,742.59	\$1,399,673.23
Per Capita \$	\$92.21	\$309.97	Per Capita \$	\$31.45	\$75.18
% of Total	9.9%	16.5%	% of Total	3.4%	4.0%
			Other Uses and Non-Operating (\$000s)	\$28,574.27	\$5,491,499.16
			Per Capita \$	\$92.25	\$294.97
			% of Total	9.9%	15.7%
			Court-Related Expenditures (\$000s)	\$11,181.30	\$995,208.81
			Per Capita \$	\$36.10	\$53.46
			% of Total	3.9%	2.8%

* All County Governments Except Duval - The consolidated City of Jacksonville / Duval County figures are included in municipal totals rather than county government totals.

** (Not Court-Related)

State Infrastructure

	Lake County	Florida
Transportation		
State Highway		
Centerline Miles	225.8	12,109.9
Lane Miles	766.5	43,819.1
State Bridges		
Number	56	6,783
State Facilities		
Buildings/Facilities (min. 300 Square Feet)		
Number	154	9,319
Square Footage	543,831	63,971,860
State Owned Lands		
State Lands		
Conservation Lands		
Parcels	208	38,326
Acreage	55,073.9	3,140,422.9
Non-Conservation Lands		
Parcels	61	5,880
Acreage	720.1	160,353.7

State and Local Taxation

2015 Ad Valorem Millage Rates	Lake County	
	County-Wide	Not County-Wide*
County	5.4651	0.9674
School	7.1970	
Municipal		2.6200
Special Districts	0.2554	1.2182

*MSTU included in Not County-Wide "County" category



Prepared by:
 Florida Legislature
 Office of Economic and Demographic Research
 111 W. Madison Street, Suite 574
 Tallahassee, FL 32399-6588
 (850) 487-1402 <http://edr.state.fl.us>

December 2016


1.3 FDOH CHARTS Lake County Health Profile 2015 – County Demographics
County Health Profile 2015
 Lake County, Florida



Population by Age and Gender

Age Group	Data Year	COUNTY						STATE		
		Male	Female	Total	Male%	Female%	Total%	Male%	Female%	Total%
< 5	2015	8,630	8,298	16,928	5.6%	5.0%	5.3%	5.8%	5.4%	5.6%
5-14	2015	18,366	17,762	36,128	11.9%	10.8%	11.3%	12.1%	11.1%	11.6%
15-24	2015	17,728	16,869	34,598	11.5%	10.2%	10.8%	13.3%	12.1%	12.7%
25-44	2015	31,852	33,387	65,239	20.6%	20.3%	20.4%	25.0%	23.8%	24.4%
45-64	2015	42,152	45,138	87,290	27.3%	27.4%	27.3%	26.4%	27.0%	26.7%
65-74	2015	19,252	23,045	42,297	12.4%	14.0%	13.2%	9.8%	10.8%	10.3%
> 74	2015	16,655	20,127	36,782	10.8%	12.2%	11.5%	7.7%	9.8%	8.8%


Data Source: The Florida Legislature, Office of Economic and Demographic Research.



Population by Race

Race	COUNTY			STATE
	Data Year	Population	Percentage	Percentage
White	2015	269,120	84.3	77.9
Black	2015	34,863	10.9	16.8
Other	2015	15,276	4.8	5.2


Data Source: The Florida Legislature, Office of Economic and Demographic Research.



Hispanic Population

COUNTY				STATE
Race	Data Year	Population	Percentage	Percentage
Non-Hispanic	2015	273,216	85.6	75.6
Hispanic	2015	46,043	14.4	24.4

Data Source: The Florida Legislature, Office of Economic and Demographic Research.



Socioeconomic Indicators

Indicator	COUNTY	STATE
	2010-2014	2010-2014
Percent of total population below poverty level	14.3	16.7
Percent of families below poverty level	10.1	12.2
Percent of population under 18 below poverty level	22.6	24.1
Percent of civilian labor force unemployed	10.9	10.9
Median household income	\$45,465	\$47,212
Population 5+ that speak English less than very well	4.1	11.7
Median age	46.2	41.2

Data Source: US Bureau of the Census, American Community Survey

Report: FDOH CHARTS Lake County Health Profile 2015
 Web Address: <http://www.flhealthcharts.com/charts/CountyHealthProfile.aspx?county=35&reportYear=2015&tn=23>
 Date Accessed: March 29, 2017

2.1 County Health Rankings & Roadmaps 2017 - Lake County

County Health Rankings & Roadmaps

Building a Culture of Health, County by County

Lake (LA)

	Lake County	Error Margin	Top U.S. Performers [^]	Florida	Rank (of 67)
Health Outcomes					24
Length of Life					27
Premature death	7,200	6,900-7,600	5,200	6,700	
Quality of Life					23
Poor or fair health **	15%	14-15%	12%	17%	
Poor physical health days **	3.9	3.8-4.1	3.0	4.2	
Poor mental health days **	3.9	3.8-4.0	3.0	4.2	
Low birthweight	8%	8-9%	6%	9%	
Additional Health Outcomes (not included in overall ranking)					
Premature age-adjusted mortality	350	340-360	270	330	
Child mortality	60	50-70	40	50	
Infant mortality	7	6-8	5	7	
Frequent physical distress	11%	11-12%	9%	13%	
Frequent mental distress	12%	12-12%	9%	13%	
Diabetes prevalence	15%	13-17%	8%	11%	
HIV prevalence	218		42	606	
Health Factors					22
Health Behaviors					21
Adult smoking **	16%	15-16%	14%	16%	
Adult obesity	29%	26-33%	26%	26%	
Food environment index	6.9		8.4	7.1	
Physical inactivity	25%	23-28%	19%	23%	
Access to exercise opportunities	92%		91%	92%	
Excessive drinking **	16%	15-16%	12%	17%	
Alcohol-impaired driving deaths	30%	27-34%	13%	28%	
Sexually transmitted infections	345.4		145.5	430.6	
Teen births	38	36-40	17	31	
Additional Health Behaviors (not included in overall ranking)					
Food insecurity	15%		10%	16%	
Limited access to healthy foods	9%		2%	7%	
Drug overdose deaths	13	10-15	9	14	
Motor vehicle crash deaths	17	15-18	8	13	
Insufficient sleep	32%	31-33%	28%	35%	
Clinical Care					18
Uninsured	20%	18-22%	8%	20%	
Primary care physicians	1,420:1		1,040:1	1,380:1	
Dentists	2,280:1		1,320:1	1,790:1	
Mental health providers	1,380:1		360:1	750:1	
Preventable hospital stays	59	57-61	36	55	
Diabetes monitoring	87%	85-89%	91%	86%	
Mammography screening	72%	70-75%	71%	68%	
Additional Clinical Care (not included in overall ranking)					
Uninsured adults	24%	21-26%	10%	24%	
Uninsured children	11%	9-13%	4%	10%	
Health care costs	\$10,617			\$10,943	
Other primary care providers	1,502:1		853:1	1,272:1	
Social & Economic Factors					20
High school graduation	76%		95%	78%	
Some college	56%	53-59%	72%	61%	
Unemployment	5.4%		3.3%	5.4%	
Children in poverty	21%	16-26%	12%	23%	
Income inequality	4.1	3.9-4.2	3.7	4.7	
Children in single-parent households	35%	32-38%	21%	38%	
Social associations	9.0		22.1	7.2	
Violent crime	317		62	500	
Injury deaths	93	89-98	53	69	
Additional Social & Economic Factors (not included in overall ranking)					
Disconnected youth	17%		9%	15%	
Median household income	\$49,700	\$46,900-52,500	\$63,300	\$49,400	
Children eligible for free or reduced price lunch	35%		33%	58%	
Residential segregation - black/white	34		22	55	
Residential segregation - non-white/white	28		14	45	
Homicides	4	3-5	2	6	

2.1 County Health Rankings & Roadmaps 2017 - Lake County

	Lake County	Error Margin	Top U.S. Performers [^]	Florida	Rank (of 67)
Firearm fatalities	12	11-14	7	13	
Physical Environment					48
Air pollution - particulate matter **	7.4		6.7	7.4	
Drinking water violations	Yes				
Severe housing problems	17%	17-18%	9%	22%	
Driving alone to work	81%	79-82%	72%	80%	
Long commute - driving alone	44%	42-46%	15%	39%	

Areas to Explore Areas of Strength

[^] 10th/90th percentile, i.e., only 10% are better.
 Note: Blank values reflect unreliable or missing data
 ** Data should not be compared with prior years

2017

Report: County Health Rankings and Roadmaps 2017 - Lake County
 Web Address: <http://www.countyhealthrankings.org/app/florida/2016/rankings/lake/county/outcomes/overall/snapshot>
 Date Accessed: March 29, 2017



County Health Status Summary Profile - 2015

County Health Status Summary Report: Lake vs. Florida

Indicator	Year(s)	Measure	County	State	County Trend	U.S Healthy People 2020 Goal
			Quartile ^A 1=most favorable 4=least favorable			
Socio-Demographics						
Total county population	2015	Count		319,259	19,860,805	
Population under 18 Years Old	2015	Count		63,909	4,134,901	
Population 18-64 Years Old	2015	Count		176,271	11,940,047	
Population 65+ Years Old	2015	Count		79,079	3,785,857	
Population - White	2015	Count		269,120	15,480,568	
Population - Black	2015	Count		34,863	3,343,371	
Population - Other	2015	Count		15,276	1,036,866	
Population - Hispanic	2015	Count		46,043	4,854,383	
Population - Non-Hispanic	2015	Count		273,216	15,006,422	
Median income (in dollars)	2010-14	Dollars	2	\$45,465	\$47,212	
Population below 100% poverty	2010-14	Percent	1	14.3%	16.7%	
Percentage of civilian labor force which is unemployed	2010-14	Percent	2	10.9%	10.9%	
Population 5+ that speak English less than very well	2010-14	Percent	3	4.1%	11.7%	
Population over 25 without high school diploma or equivalency	2010-14	Percent	2	13.1%	13.5%	
Behavioral Risk Factors						
Physical Activity						
Adults who meet moderate physical activity recommendations	2007	Percent	4	30.4%	34.6%	
Adults who meet vigorous physical activity recommendations	2007	Percent	4	22.3%	26%	
Adults who are inactive or insufficiently active	2013	Percent	1	48.1%	52.9%	
Adults who meet aerobic recommendations	2013	Percent	1	53.3%	50.2%	
Adults who meet muscle strengthening recommendations	2013	Percent	3	24%	29.6%	
Overweight and Obesity						
Adults who consume at least five servings of fruits and vegetables a day	2013	Percent	2	17.4%	18.3%	
Adults who are overweight	2013	Percent	4	38%	36.4%	
Adults who are obese	2013	Percent	2	27.5%	26.4%	30.6%

2.2 FDOH Lake County Health Status Summary Profile - 2015

Indicator	Year(s)	Measure	County	County	State	County Trend	U.S Healthy People 2020 Goal
			Quartile ^A 1=most favorable 4=least favorable				
Tobacco Use							
Adults who are current smokers	2013	Percent	1	13.9%	16.8%		12%
Health Status and Access to Care							
Adults who rate their health status as "fair" or "poor"	2013	Percent	2	20.3%	19.5%		
Adults with any type of health care insurance coverage	2013	Percent	2	79.4%	77.1%		
Adults who visited a dentist or a dental clinic in the past year	2010	Percent	2	65.4%	64.7%		
Adults who received a flu shot in the past year	2013	Percent	2	32.4%	30.7%		
Total Licensed Florida Family Practice Physicians (FP - FAMILY PRACTICE)	2013-15	Per 100,000 population	2	19.6	19.6		
Total Licensed Florida Dentists	2013-15	Per 100,000 population	2	44.6	56.2		
Total hospital beds	2013-15	Per 100,000 population	2	246.5	317.3		
County Health Department Full-Time Employees	2013-15	Per 100,000 population	4	44.3	51.1	BETTER ↓	
County Health Department Expenditures Per Person	2013-15	Per person	4	29.4	36.5		
Chronic Diseases							
Coronary Heart Disease							
Coronary heart disease age-adjusted death rate	2013-15	Per 100,000 population	2	105.2	98.7	NO TREND ↔	100.8
Coronary heart disease age-adjusted hospitalization rate	2012-14	Per 100,000 population	4	465.4	315.4	BETTER ↓	
Stroke							
Stroke age-adjusted death rate	2013-15	Per 100,000 population	2	30.9	34.5	NO TREND ↔	33.8
Stroke age-adjusted hospitalization rate	2012-14	Per 100,000 population	3	300.8	258.4	BETTER ↓	
Heart Failure							
Heart failure age-adjusted death rate	2013-15	Per 100,000 population	2	11.2	11.3	NO TREND ↔	
Congestive heart failure age-adjusted hospitalization rate	2012-14	Per 100,000 population	3	71.1	75.2	BETTER ↓	
Adults who have ever been told they had hypertension	2013	Percent	3	39%	34.6%		
Adults who have ever been told they had high blood cholesterol	2013	Percent	4	41.8%	33.4%		13.5%
Adults who had their cholesterol checked in the past two years	2013	Percent	2	74.1%	73.2%		
Lung Cancer							
Lung cancer age-adjusted death rate	2013-15	Per 100,000 population	2	49.7	42.1	NO TREND ↔	45.5
Lung cancer age-adjusted incidence rate	2011-13	Per 100,000 population	2	73.5	54.2	NO TREND ↔	
Colorectal Cancer							

2.2 FDOH Lake County Health Status Summary Profile - 2015

Indicator	Year(s)	Measure	County	County	State	County Trend	U.S Healthy People 2020 Goal
			Quartile ^A 1=most favorable 4=least favorable				
Colorectal cancer age-adjusted death rate	2013-15	Per 100,000 population	 3	14.7	13.6	NO TREND 	14.5
Colorectal cancer age-adjusted incidence rate	2011-13	Per 100,000 population	 2	38.7	32.8	BETTER 	
Adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years	2013	Percent	 1	61.4%	55.3%		
Adults 50 years of age and older who received a blood stool test in the past year	2013	Percent	 2	14.8%	13.9%		
Breast Cancer							
Breast cancer age-adjusted death rate	2013-15	Per 100,000 females	 4	23.4	19.8	NO TREND 	20.6
Breast cancer age-adjusted incidence rate	2011-13	Per 100,000 females	 3	88.1	79.0	NO TREND 	
Women aged 40 to 74 years who received a mammogram in the past year	2013	Percent	 2	57.4%	57.5%		
Prostate Cancer							
Prostate cancer age-adjusted death rate	2013-15	Per 100,000 males	 2	17.8	17.3	WORSE 	21.2
Prostate cancer age-adjusted incidence rate	2011-13	Per 100,000 males	 2	117.2	108.7	NO TREND 	
Cervical Cancer							
Cervical cancer age-adjusted death rate	2013-15	Per 100,000 females	 3	2.7	2.7	NO TREND 	2.2
Cervical cancer age-adjusted incidence rate	2011-13	Per 100,000 females	 1	3.4	4.9	BETTER 	
Women 18 years of age and older who received a Pap test in the past year	2013	Percent	 4	44.3%	51.4%		93%
Melanoma							
Melanoma age-adjusted death rate	2013-15	Per 100,000 population	 3	4.1	2.8	NO TREND 	2.4
Melanoma age-adjusted incidence rate	2011-13	Per 100,000 population	 3	21.6	18.0	NO TREND 	
Chronic Lower Respiratory Diseases							
Chronic lower respiratory diseases (CLRD) age-adjusted death rate	2013-15	Per 100,000 population	 2	41.4	39.9	WORSE 	
CLRD age-adjusted hospitalization rate	2012-14	Per 100,000 population	 3	404.5	356.1	NO TREND 	50.1
Adults who currently have asthma	2013	Percent	 2	8.7%	8.3%		
Asthma age-adjusted hospitalization rate	2012-14	Per 100,000 population	 3	812.4	805.8	WORSE 	
Diabetes							
Diabetes age-adjusted death rate	2013-15	Per 100,000 population	 2	21.2	19.5	NO TREND 	65.8
Diabetes age-adjusted hospitalization rate	2012-14	Per 100,000 population	 3	2,648.0	2,308.7	NO TREND 	

2.2 FDOH Lake County Health Status Summary Profile - 2015

Indicator	Year(s)	Measure	County Quartile ^A	County	State	County Trend	U.S Healthy People 2020 Goal
			1=most favorable 4=least favorable				
Amputation due to diabetes age-adjusted hospitalization rate	2012-14	Per 100,000 population	 3	30.1	28.2	NO TREND 	
Adults who have ever been told they had diabetes	2013	Percent	 4	15.2%	11.2%		
Reportable & Infectious Diseases							
AIDS cases	2013-15	Per 100,000 population	 2	7.4	12.7	NO TREND 	
Campylobacteriosis	2013-15	Per 100,000 population	 2	11.2	12.9	NO TREND 	
Chlamydia cases	2013-15	Per 100,000 population	 2	323.7	433.8	NO TREND 	
Cryptosporidiosis	2013-15	Per 100,000 population	 3	7.7	5.4	NO TREND 	
Cyclosporiasis	2013-15	Per 100,000 population	 4	0.3	0.2	NO TREND 	
Giardiasis, acute	2013-15	Per 100,000 population	 3	6.8	5.6	NO TREND 	
Gonorrhea cases	2013-15	Per 100,000 population	 2	59.1	112.1	NO TREND 	
Haemophilus influenzae in people <5	2013-15	Count	 3	1	91		
Hepatitis A	2013-15	Per 100,000 population	 3	0.5	0.6	NO TREND 	
Hepatitis B, acute	2013-15	Per 100,000 population	 2	1.6	2.2	NO TREND 	
Hepatitis B, chronic	2013-15	Count	 3	121	14,012		
HIV cases	2013-15	Per 100,000 population	 2	10.3	23.6	NO TREND 	
HIV/AIDS age-adjusted death rate	2013-15	Per 100,000 population	 3	4.1	4.2	NO TREND 	3.7
Infectious syphilis cases	2013-15	Per 100,000 population	 3	4.1	9.1	NO TREND 	
Legionellosis	2013-15	Per 100,000 population	 3	1.3	1.4	NO TREND 	
Listeriosis	2013-15	Per 100,000 population	 4	0.4	0.2	NO TREND 	
Measles (rubeola)	2013-15	Count	 1	0	12		
Meningococcal disease in people <24	2013-15	Per 100,000 population	 1	0.0	0.3		
Pertussis	2013-15	Per 100,000 population	 1	1.5	3.0	NO TREND 	
Rubella	2013-15	Count	 1	0	0		

2.2 FDOH Lake County Health Status Summary Profile - 2015

Indicator	Year(s)	Measure	County	County	State	County Trend	U.S Healthy People 2020 Goal
			Quartile ^A 1=most favorable 4=least favorable				
Salmonellosis	2013-15	Per 100,000 population		44.0	30.8	NO TREND 	
Shiga toxin-producing Escherichia coli (STEC) infection	2013-15	Per 100,000 population		0.6	0.6	NO TREND 	
Shigellosis	2013-15	Per 100,000 population		8.0	8.8	NO TREND 	
Streptococcus pneumoniae in people <6	2013-15	Count		3	279		
Tetanus	2013-15	Count		0	11		
Tuberculosis cases	2013-15	Per 100,000 population		1.1	3.1	NO TREND 	1.0
Varicella	2013-15	Per 100,000 population		1.5	3.4	NO TREND 	
Vibriosis (excluding cholera)	2013-15	Per 100,000 population		0.6	0.9	NO TREND 	
Maternal, Infant & Young Child Health							
Early prenatal care (care began 1st trimester)	2013-15	Percent		83.8%	79.5%	NO TREND 	77.9%
Low birth weight births (births < 2500 grams)	2013-15	Percent		8.8%	8.6%	NO TREND 	
Preterm births (births < 37 weeks gestation)	2013-15	Percent		10.6%	10%	NO TREND 	11.4%
Multiple births	2013-15	Percent		3.4%	3.3%	NO TREND 	
Births to teens 15-19	2013-15	Per 1,000 females 15-19		29.2	22.0	BETTER 	
Repeat births to mothers 15-19	2013-15	Percent		17.2%	16.2%	NO TREND 	
Infant death rate	2013-15	Per 1,000 live births		8.3	6.1	NO TREND 	6.0
Neonatal death rate	2013-15	Per 1,000 live births		5.1	4.1	NO TREND 	4.1
Postneonatal death rate	2013-15	Per 1,000 live births		3.2	2.0	NO TREND 	2.0
Fetal death ratio	2013-15	Per 1,000 deliveries		7.2	7.1	NO TREND 	5.6
Mothers initiating breastfeeding at birth	2013-15	Percent		81.4%	84%	WORSE 	
Kindergarten children fully immunized	2014-16	Percent		94.4%	93.4%	NO TREND 	
Unintentional Injuries							
Unintentional injuries age-adjusted death rate	2013-15	Per 100,000 population		57.9	42.1	NO TREND 	36.0

2.2 FDOH Lake County Health Status Summary Profile - 2015

Indicator	Year(s)	Measure	County Quartile ^A	County	State	County Trend	U.S Healthy People 2020 Goal
			1=most favorable 4=least favorable				
Motor vehicle crash age-adjusted death rate	2013-15	Per 100,000 population	3	16.3	12.9	NO TREND ↔	12.4
Social and Physical Environment							
Criminal homicide (Murder)	2013-15	Per 100,000 population	2	2.2	5.1	NO TREND ↔	
Domestic violence offenses	2013-15	Per 100,000 population	2	500.8	549.3	BETTER ↓	
Suicide age-adjusted death rate	2013-15	Per 100,000 population	2	13.4	14.1	NO TREND ↔	10.2

Data Note(s)

¹Florida Department of Health, Bureau of Community Health Assessment, Florida Legislature's Office of Economic and Demographic Research (EDR)

²US Census Bureau

³Florida Department of Health Division of Community Health Promotion

⁴Florida Department of Health, Division of Medical Quality Assurance

⁵Florida Agency for Health Care Administration, Certificate of Need Office

⁶Florida Department of Health, Bureau of Vital Statistics

⁷Florida Agency for Health Care Administration (AHCA)

⁸University of Miami (FL) Medical School, Florida Cancer Data System

⁹Florida Department of Health, Division of Disease Control

¹⁰Florida Department of Health, Bureau of Immunization

¹¹Florida Department of Law Enforcement

¹²Florida Department of Health, Contract Management System

All age-adjusted rates on this report are 3-year rates per 100,000 and are calculated using the 2000 Standard US Population and July 1 population estimates from the Florida Legislature, Office of Economic and Demographic Research. The population data for 2001-2010, along with rates affected by the population data, have been updated on FLHealthCHARTS. Following a census, it is customary to revise population projections for the intercensal years based on information from the latest census. Revising the population data from what was predicted to actual estimates ensures accurate accounting of the racial, ethnic, and gender distribution of the population. These changes affect the population data and rates calculated for your community.

[View ICD Codes for death, cancer, and hospitalization indicators](#)

^ACounty Quartiles

Most favorable situation	Average	Least favorable situation
1	2 or 3	4
(Lightest color on maps)		(Darkest color on maps)

Quartiles in this report allow you to compare your county's data with other counties.

Calculation of quartiles require several steps to create the final results.

First, the county values are sorted from most favorable to least favorable.

Second, a rank is assigned based on the value for each county in relation to the preceding county. If a county has the same value as the preceding county, then the same rank is assigned.

Third, the ranking is divided into 4 groups. The number of counties in each group depends on how many counties had the same rank.

^BCounty Trends

Trends over time are used to see if an indicator has improved or worsened. Statistical testing of the trend provides evidence that the trend is "better" or "worse" and did not occur due to random variation.

Trends are only calculated when 5 or more consecutive years of data are available.

NA indicates the trend is not calculated.

[Click here for more information about trends](#)

Trend Values

Getting better Trend is getting better and the improvement is statistically significant

Getting worse Trend is getting worse and the change is statistically significant

No trend Trend is not statistically significant

Blank cell - Not enough data to compute a trend

No trend is available for entry into prenatal care due to a change in the measurement of this indicator in 2004.

^CU.S Healthy People 2020 Goal

U.S Healthy People 2020 is a national health promotion and disease prevention initiative. Its' goals are to increase the quality and years of healthy life and eliminate health disparities. More information available at: <http://www.healthypeople.gov>. Goals are not available for every indicator.





County Health Profile 2015
Lake County, Florida

Reportable and Infectious Diseases



COUNTY			STATE	
Diseases	Data Year	Number of Cases(annual avg)	3-Yr Rate Per 100,000	3-Yr Rate Per 100,000
Sexually Transmitted Diseases (STD)				
Total Gonorrhea, Chlamydia & Infectious Syphilis	2013-15	1,206	386.9	555.0
Infectious Syphilis Cases	2013-15	12	4.1	9.1
Gonorrhea Cases	2013-15	184	59.1	112.1
Chlamydia Cases	2013-15	1,009	323.7	433.8
Vaccine Preventable Disease				
Diphtheria	2013-15	0		
Haemophilus influenzae in people <5	2013-15	0		
Hepatitis B, acute	2013-15	5	1.6	2.2
Hepatitis B, acute in people <19	2013-15	0		
Hepatitis B, chronic	2013-15	40		
Measles (rubeola)	2013-15	0		
Measles in people <5	2013-15	0		
Meningococcal disease	2013-15	0	0.0	0.2
Meningococcal disease in people <24	2013-15	0		
Mumps	2013-15	0		
Pertussis	2013-15	5	1.5	3.0
Poliomyelitis	2013-15	0		
Rubella	2013-15	0		
Streptococcus pneumoniae in people <6	2013-15	1		
Tetanus	2013-15	0		
Varicella (Chickenpox)	2013-15	5	1.5	3.4
AIDS and Other Diseases				
AIDS Cases	2013-15	96	10.3	23.6
Tuberculosis Cases	2013-15	3	1.1	3.1
Enteric, Food and Waterborne Diseases				
Campylobacteriosis	2013-15	35	11.2	12.9
Cryptosporidiosis	2013-15	24	7.7	5.4
Cyclosporiasis	2013-15	1	0.3	0.2
Giardiasis, acute	2013-15	21	6.8	5.6
Hepatitis A	2013-15	2	0.5	0.6
Legionellosis	2013-15	4	1.3	1.4
Listeriosis	2013-15	1	0.4	0.2
Salmonellosis	2013-15	137	44.0	30.8
Shiga toxin-producing Escherichia coli (STEC) infection	2013-15	2	0.6	0.6
Shigellosis	2013-15	25	8.0	8.8
Vibriosis (excluding cholera)	2013-15	2	0.6	0.9

Data Source: Division of Disease Control, Florida Department Of Health

2.3.1 FDOH Charts – 2015 Reportable and Infectious Diseases



2.3.1 FDOH Charts – 2015 Reportable and Infectious Diseases



Report: FDOH CHARTS Lake County Health Profile - Reportable and Infectious Diseases
 Web Address: <http://www.flhealthcharts.com/charts/CountyHealthProfile.aspx?county=35&reportYear=2015&tn=23>
 Date Accessed: March 29, 2017

FLORIDA DEPARTMENT OF HEALTH
Communicable Disease Frequency Report
 Date Range 01/01/2015 - 12/31/2016

Page 1 of 2
 Date: 3/20/2017
 Time: 10:56AM

DISEASE	FREQUENCY	PERCENT	Cumulative %
Campylobacteriosis - 03840	69	4.4%	4.4
Carbon Monoxide Poisoning - 98600	25	1.6%	5.9
Chikungunya Fever - 06540	4	0.3%	6.2
Ciguatera Fish Poisoning - 98809	2	0.1%	6.3
Cryptosporidiosis - 13680	35	2.2%	8.5
Ehrlichiosis, HME (Ehrlichia chaffeensis) - 08382	1	0.1%	8.6
Escherichia coli, Shiga Toxin-Producing (STEC) Inf - 00800	2	0.1%	8.7
Giardiasis, Acute - 00710	48	3.0%	11.8
Haemophilus influenzae Invasive Disease - 03841	8	0.5%	12.3
Hansen's Disease (Leprosy) - 03090	1	0.1%	12.3
Hepatitis A - 07010	2	0.1%	12.5
Hepatitis B, Acute - 07030	19	1.2%	13.7
Hepatitis B, Chronic - 07032	82	5.2%	18.8
Hepatitis B, Surface Antigen in Pregnant Women - 07039	4	0.3%	19.1
Hepatitis C, Acute - 07051	9	0.6%	19.7
Hepatitis C, Chronic - 07054	795	50.3%	69.9
Lead Poisoning - 94890	9	0.6%	70.5
Legionellosis - 48280	12	0.8%	71.2
Listeriosis - 02700	3	0.2%	71.4
Lyme Disease - 06959	9	0.6%	72.0
Malaria - 08460	2	0.1%	72.1
Meningitis, Bacterial or Mycotic - 32090	9	0.6%	72.7
Pertussis - 03390	5	0.3%	73.0
Rabies, Animal - 07102	1	0.1%	73.1
Rabies, Possible Exposure - 07101	116	7.3%	80.4
Ricin Toxin Poisoning - 98830	1	0.1%	80.5
Salmonellosis - 00300	225	14.2%	94.7
Shigellosis - 00490	57	3.6%	98.3

FLORIDA DEPARTMENT OF HEALTH
Communicable Disease Frequency Report
 Date Range 01/01/2015 - 12/31/2016

Page 2 of 2
 Date: 3/20/2017
 Time: 10:56AM

DISEASE	FREQUENCY	PERCENT	Cumulative %
Staphylococcus aureus Infection, Intermediate Resi - 38100	1	0.1%	98.4
Strep pneumoniae Invasive Disease, Drug-Resistant - 04823	4	0.3%	98.6
Strep pneumoniae Invasive Disease, Drug-Susceptibl - 04830	5	0.3%	98.9
Varicella (Chickenpox) - 05290	11	0.7%	99.6
Vibriosis (Other Vibrio Species) - 00193	1	0.1%	99.7
Vibriosis (Vibrio alginolyticus) - 00195	1	0.1%	99.7
Vibriosis (Vibrio parahaemolyticus) - 00540	1	0.1%	99.8
Vibriosis (Vibrio vulnificus) - 00199	3	0.2%	100.0
Total:	1,582	100	

Selected Criteria :

County: 'LAKE'

ICD9-DX:

Report: FDOH Communicable Disease Frequency Report - January 1, 2015 to December 31, 2016

Web Address: <http://www.floridacharts.com/merlin/viewreport.aspx?>

Date Accessed: March 20, 2017



County Chronic Disease Profile, Lake County, Florida - 2015

Indicator	Measure	Year(s)	Avg. Annual Number of Events	County	County Quartile 1=most favorable 4=least favorable	State	U.S. Healthy People 2020 Goal
Socio-Demographics							
Total Population	Count	2015		319,259		19,860,805	
Population under 18 Years Old	Count	2015		63,909		4,134,901	
Population 18-64 Years Old	Count	2015		176,271		11,940,047	
Population 65+ Years Old	Count	2015		79,079		3,785,857	
Population - White	Count	2015		269,120		15,480,568	
Population - Black	Count	2015		34,863		3,343,371	
Population - Other	Count	2015		15,276		1,036,866	
Population - Hispanic	Count	2015		46,043		4,854,383	
Population - Non-Hispanic	Count	2015		273,216		15,006,422	
Population below 100% poverty	Percent	2011-15		13.9%	1st Quartile	16.5%	
Percentage of civilian labor force which is unemployed	Percent	2011-15		9.7%	2nd Quartile	9.7%	
Population 5+ that speak English less than very well	Percent	2011-15		4.3%	3rd Quartile	11.7%	
Coronary Heart Disease							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2013-15	589	105.2	2nd Quartile	98.7	100.8
Hospitalizations: Age-adjusted hospitalization rate per 100,000 total population	Per 100,000 Total Population	2012-14	2,299	465.4	4th Quartile	315.4	
Stroke							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2013-15	172	30.9	2nd Quartile	34.5	33.8
Hospitalizations: Age-adjusted hospitalization rate per 100,000 total population	Per 100,000 Total Population	2012-14	1,143	300.8	3rd Quartile	258.4	
Heart Failure							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2013-15	67	11.2	2nd Quartile	11.3	
Hospitalizations: Age-adjusted congestive heart failure hospitalization rate per 100,000 total population	Per 100,000 Total Population	2012-14	370	71.1	3rd Quartile	75.2	

2.4.1 FDOH Charts – Chronic Disease Profile, Lake County, Florida - 2015

Indicator	Measure	Year(s)	Avg. Annual Number of Events	County	County Quartile 1=most favorable 4=least favorable	State	U.S. Healthy People 2020 Goal
Lung Cancer							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2013-15	273	49.7	2nd Quartile	42.1	45.5
Incidence (new cases): Age-adjusted incidence rate per 100,000 total population ¹	Per 100,000 Total Population	2011-13	424	73.5	2nd Quartile	54.2	
Adults who are current smokers	Percent	2013		13.9%	1st Quartile	16.8%	12%
Colorectal Cancer							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2013-15	77	14.7	3rd Quartile	13.6	14.5
Incidence (new cases): Age-adjusted incidence rate per 100,000 total population ¹	Per 100,000 Total Population	2011-13	223	38.7	2nd Quartile	32.8	
Adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years	Percent	2013		61.4%	1st Quartile	55.3%	
Adults 50 years of age and older who received a stool blood test in the past year	Percent	2013		14.8%	2nd Quartile	13.9%	
Breast Cancer							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2013-15	63	23.4	4th Quartile	19.8	20.6
Incidence (new cases): Age-adjusted incidence rate per 100,000 total population ¹	Per 100,000 Total Population	2011-13	307	88.1	3rd Quartile	79.0	
Prostate Cancer							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2013-15	46	17.8	2nd Quartile	17.3	21.2
Incidence (new cases): Age-adjusted incidence rate per 100,000 total population ¹	Per 100,000 Total Population	2011-13	268	117.2	2nd Quartile	108.7	
Cervical Cancer							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2013-15	6	2.7	3rd Quartile	2.7	2.2
Incidence (new cases): Age-adjusted incidence rate per 100,000 total population ¹	Per 100,000 Total Population	2011-13	12	3.4	1st Quartile	4.9	
Women 18 years of age and older who received a Pap test in the past year	Percent	2013		44.3%	4th Quartile	51.4%	93%
Melanoma							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2013-15	19	4.1	3rd Quartile	2.8	2.4
Incidence (new cases): Age-adjusted incidence rate per 100,000 total population ¹	Per 100,000 Total Population	2011-13	124	21.6	3rd Quartile	18.0	

2.4.1 FDOH Charts – Chronic Disease Profile, Lake County, Florida - 2015

Indicator	Measure	Year(s)	Avg. Annual Number of Events	County	County Quartile 1=most favorable 4=least favorable	State	U.S. Healthy People 2020 Goal
Chronic Lower Respiratory Diseases (CLRD)							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2013-15	239	41.4	2nd Quartile	39.9	50.1
Hospitalizations: Age-adjusted hospitalization rate per 100,000 total population	Per 100,000 Total Population	2012-14	1,830	404.5	3rd Quartile	356.1	
Asthma							
Adults who currently have asthma	Percent	2013		8.7%	2nd Quartile	8.3%	
Hospitalizations: Age-adjusted hospitalization rate per 100,000 total population ⁴	Per 100,000 Total Population	2012-14	2,907	812.4	3rd Quartile	805.8	
Adults who have ever been told they had asthma	Percent	2013		12.3%	1st Quartile	13.5%	
Diabetes							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2013-15	114	21.2	2nd Quartile	19.5	65.8
Hospitalizations: Age-adjusted hospitalization rate per 100,000 total population ⁴	Per 100,000 Total Population	2012-14	12,356	2,648.0	3rd Quartile	2,308.7	
Hospitalizations: Age-adjusted hospitalization rate for amputation of a lower extremity due to diabetes ⁴	Per 100,000 Total Population	2012-14	130	30.1	3rd Quartile	28.2	
Adults who have ever been told they had diabetes	Percent	2013		15.2%	4th Quartile	11.2%	
Behavioral Risk Factor Surveillance System (BRFSS) Indicators							
Adults who have ever been told they had hypertension	Percent	2013		39%	3rd Quartile	34.6%	
Adults who have ever been told they had high blood cholesterol	Percent	2013		41.8%	4th Quartile	33.4%	13.5%
Adults who had their cholesterol checked in the past five years	Percent	2013		78.8%	3rd Quartile	79.5%	
Adults who are inactive or insufficiently active	Percent	2013		48.1%	1st Quartile	52.9%	
Adults who meet aerobic recommendations	Percent	2013		53.3%	1st Quartile	50.2%	
Adults who are sedentary	Percent	2013		28.2%	2nd Quartile	27.7%	
Adults who consumed five or more servings of fruits or vegetables per day	Percent	2013		17.4%	2nd Quartile	18.3%	
Adults who are overweight	Percent	2013		38%	4th Quartile	36.4%	
Adults who are obese	Percent	2013		27.5%	2nd Quartile	26.4%	30.6%
Adults who meet moderate physical activity recommendations	Percent	2007		30.4%	4th Quartile	34.6%	
Adults who meet vigorous physical activity recommendations	Percent	2007		22.3%	4th Quartile	26%	
Adults who meet muscle strengthening recommendations	Percent	2013		24%	3rd Quartile	29.6%	

Data Note(s)

¹Cancer incidence counts are not displayed when less than 10 cases have occurred in three years.

²County Quartiles

Most favorable situation 1 (Lightest color on maps)	Average 2 or 3	Least favorable situation 4 (Darkest color on maps)
--	--------------------------	--

Quartiles in this report allow you to compare your county's data with other counties.

Calculation of quartiles require several steps to create the final results.

First, the county values are sorted from most favorable to least favorable.

Second, a rank is assigned based on the value for each county in relation to the preceding county. If a county has the same value as the preceding county, then the same rank is assigned.

Third, the ranking is divided into 4 groups. The number of counties in each group depends on how many counties had the same rank.

³Healthy People 2020 goals are single-year rates per 100,000 population (or percentages) at the national level. Goals are not available for all indicators.

⁴Includes primary and contributing diagnoses.

Data Sources

Deaths - Florida Department of Health, Bureau of Vital Statistics

Behavioral Risk Factor Surveillance System (BRFSS) - Florida Department of Health, Bureau of Community Health Promotion

Hospitalizations - Florida Agency for Health Care Administration (AHCA)

Cancer Incidence - University of Miami (FL) Medical School, Florida Cancer Data System



Healthiest Weight Profile, Lake County, Florida - 2014

Indicator	Year(s)	Rate Type	County Count	County Rate	County Quartile 1=most favorable 4=least favorable	State Count	State Rate
Socio-Demographic Characteristics							
Total county population ¹	2014	Count	311,196			19,548,031	
Population under 18 Years Old ¹	2014	Percent of Total Population	62,420	20.1		4,098,223	21.0
Population 18-64 Years Old ¹	2014	Percent of Total Population	173,822	55.9		11,858,052	60.7
Population 65+ Years Old ¹	2014	Percent of Total Population	74,954	24.1		3,591,756	18.4
Population - White ¹	2014	Percent of Total Population	262,926	84.5		15,286,521	78.2
Population - Black ¹	2014	Percent of Total Population	33,691	10.8		3,263,817	16.7
Population - Other ¹	2014	Percent of Total Population	14,579	4.7		997,693	5.1
Population - Hispanic ¹	2014	Percent of Total Population	43,177	13.9		4,686,032	24.0
Population - Non-Hispanic ¹	2014	Percent of Total Population	268,019	86.1		14,861,999	76.0
Population below 100% poverty ²	2013 5-yr est	Percent	42,945	13.8	1st Quartile	3,186,329	16.3
Population 5+ that speak English less than very well ³	2013 5-yr est	Percent		10.0	4th Quartile		11.7
Adults 18-64 with any health care coverage ⁴	2013	Percent		79.4	2nd Quartile		77.1
Adults reporting a personal doctor or health care provider ⁴	2013	Percent		75.1	3rd Quartile		73.2
Weight, Activity, and Eating Habits among Adults							
Adults who are at a healthy weight ⁴	2013	Percent		33.5	2nd Quartile		35.0
Adults who are underweight ⁴	2013	Percent		0.9	1st Quartile		2.3
Adults who are overweight or obese ⁴	2013	Percent		65.5	3rd Quartile		62.8

2.4.2 FDOH Lake Healthiest Weight Profile, Lake County, Florida - 2014

Indicator	Year(s)	Rate Type	County Count	County Rate	County Quartile 1=most favorable 4=least favorable	State Count	State Rate
Adults who are overweight ⁴	2013	Percent		38.0	4th Quartile		36.4
Adults who are obese ⁴	2013	Percent		27.5	2nd Quartile		26.4
Adults who participated in 150 minutes or more (or vigorous equivalent minutes) of aerobic physical activity per week ⁴	2013	Percent		53.3	2nd Quartile		50.2
Adults who participated in muscle strengthening exercises two or more times per week ⁴	2013	Percent		24.0	3rd Quartile		29.6
Adults who participated in enough aerobic and muscle strengthening exercises to meet guidelines ⁴	2013	Percent		18.2	3rd Quartile		19.9
Adults who are sedentary ⁴	2013	Percent		28.2	2nd Quartile		27.7
Adults who consume at least 5 servings of fruits and vegetables a day ⁴	2013	Percent		17.4	2nd Quartile		18.3
Weight, Activity, and Eating Habits among Children and Teens							
Middle and high school students who are at a healthy weight ⁵	2014	Percent		66.5	2nd Quartile		67.6
Middle and high school students who are underweight ⁵	2014	Percent		5.2	4th Quartile		4.2
Middle and high school students who are overweight or obese ⁵	2014	Percent		28.3	2nd Quartile		28.2
Middle and high school students who are overweight ⁵	2014	Percent		14.6	1st Quartile		15.8
Middle and high school students who are obese ⁵	2014	Percent		13.7	2nd Quartile		12.4
Middle and high school students who were physically active for at least 60 minutes per day on all 7 of the past days ⁵	2014	Percent		23.9	3rd Quartile		22.9
Maternal Weight and Breastfeeding among Mothers							
Live births to mothers who are at a healthy weight (BMI 18.5-24.9) at time pregnancy occurred ⁶	2014	Percent of Live Births	1,317	41.6	2nd Quartile	97,364	44.3
Births to Underweight Mothers at time Pregnancy Occurred	2014	Percent of Live Births	346	10.9	3rd Quartile	23,594	10.7
Live births to mothers who are overweight (BMI 25.0-29.9) at time pregnancy occurred ⁶	2014	Percent of Live Births	751	23.7	2nd Quartile	53,059	24.1
Live births to mothers who are obese (BMI>=30) at time pregnancy occurred ⁶	2014	Percent of Live Births	790	25.0	3rd Quartile	47,243	21.5
Live births to mothers who initiate breastfeeding ⁶	2014	Percent of Live Births	2,580	81.5	2nd Quartile	185,186	84.2
Built Environment							
Population that live within a 1/2 mile of healthy food source ⁷	2013	Percent		13.2	3rd Quartile		31.8

2.4.2 FDOH Lake Healthiest Weight Profile, Lake County, Florida - 2014

Indicator	Year(s)	Rate Type	County Count	County Rate	County Quartile 1=most favorable 4=least favorable	State Count	State Rate
Population that live within a 1/2 mile of a fast food restaurant ⁷	2013	Percent		14.5			33.5
Population that live within a ten minute walk (1/2 mile) of an off-street trail system ⁸	2013	Percent		4.5	3rd Quartile		10.6
Workers who drive alone to work ⁹	2013 5-yr est	Percent		81.2	3rd Quartile		79.5
Workers who ride a bicycle to work ⁹	2013 5-yr est	Percent		0.3	3rd Quartile		0.7
Workers who walk to work ⁹	2013 5-yr est	Percent		1.2	3rd Quartile		1.6

Data Note(s):

Where rates are based on a sample, no number (count) is available.

Blanks are shown if there is no count or rate available for the indicator.

Quartiles

Most favorable situation 1 (Lightest color on maps)	Average 2 or 3	Least favorable situation 4 (Darkest color on maps)
--	--------------------------	--

Calculation of quartiles require several steps to create the final results.

First, the county values are sorted from most favorable to least favorable.

Second, a rank is assigned based on the value for each county in relation to the preceding county. If a county has the same value as the preceding county, then the same rank is assigned.

Third, the ranking is divided into 4 groups. The number of counties in each group depends on how many counties had the same rank.

¹Florida Legislature's Office of Economic and Demographic Research (EDR)

²U.S. Census Bureau, 2012 5-year estimate

³Behavioral Risk Factor Surveillance System (BRFSS)

⁴Florida Youth Tobacco Survey (FYTS)

⁵Youth Risk Behavior Survey (YRBS)

⁶Middle School Health Behavior Survey (MSHBS)

⁷Florida State Office of Vital Statistics

⁸Pregnancy Risk Assessment Monitoring System (PRAMS)

⁹Florida Environmental Public Health Tracking



Pregnancy and Young Child Profile, Lake County, Florida - 2015

Indicator	Rate Type	Year(s)	County	County	County	State
			Quartile			
			1=most favorable 4=least favorable			
Community Characteristics						
Population	Count	2015		319,258		19,860,805
Median household income (in dollars)	Dollars	2011-15		\$46,403		\$47,507
Population below 100% poverty	Percent	2011-15	1		13.9	16.5
Civilian labor force which is unemployed	Percent	2011-15	2		9.7	9.7
Individuals living in owner-occupied housing	Percent	2015	2		74.8	65.3
Domestic violence offenses	Per 100,000 population	2013-15	2	4,686	500.8	549.3
Population 5+ that speak English less than very well	Percent	2011-15	3		4.3	11.7
Births covered by emergency Medicaid	Percent of births	2013-15	3	238	2.5	4.5
Women of Childbearing Age						
Socio-Demographic Characteristics						
Total female population ages 15-44	Count	2015		50,255		3,644,269
White female population ages 15-44	Count	2015		39,832		2,672,870
Black female population ages 15-44	Count	2015		7,284		741,017
Other female population ages 15-44	Count	2015		3,137		230,382
Hispanic female population ages 15-44	Count	2015		9,819		1,045,242
Non-Hispanic female population ages 15-44	Count	2015		40,435		2,599,027
Birth Family Characteristics						
Births to mothers ages 15-19	Per 1,000 females 15-19	2013-15	2	720	29.2	22.0
Repeat births to mothers ages 15-19	Percent of births 15-19	2013-15	3	124	17.2	16.2
Births to mothers >35	Per 1,000 females > 35	2013-15	2	957	3.1	4.7
Total births to unwed mothers	Percent of births	2013-15	2	4,511	47.9	47.9
Births among unwed mothers ages 15-19	Percent of births 15-19	2013-15	3	655	91.0	91.3
Births among unwed mothers ages 20-54	Percent of births 20-54	2013-15	2	3,849	44.2	45.1
Births with father acknowledged on birth certificate	Percent of births	2013-15	2	8,246	87.5	86.5
Births to mothers >18 without high school education	Percent of births > 18	2013-15	2	1,098	12.2	11.7

2.5.1 FDOH Pregnancy and Young Child Profile, Lake County, Florida - 2015

Indicator	Rate Type	Year(s)	County Quartile	County Number	County Rate	State Comparison
			1=most favorable 4=least favorable			
Births to mothers born in other countries	Percent of births	2013-15	2	1,517	16.1	30.7
Pre-conception Health and Behaviors						
Females >17 who engage in heavy or binge drinking	Percent of females > 17	2013	3		12.4	12.2
Women 15-34 with sexually transmitted diseases	Per 100,000 females 15-34	2015	2	832	2,546.1	2,752.1
Females >17 who are current smokers	Percent of females > 17	2013	2		14.8	14.4
Births to underweight mothers at time pregnancy occurred	Percent of births	2013-15	4	455	4.8	4.1
Births to overweight mothers at time pregnancy occurred	Percent of births	2013-15	2	2,240	23.8	24.3
Births to obese mothers at time pregnancy occurred	Percent of births	2013-15	2	2,370	25.1	21.5
Births with inter-pregnancy interval <18 months	Percent of births	2013-15	2	1,980	35.5	34.4
Listeriosis in women 15-44	Per 100,000 Female Population 15-44	2013-15		0	0.0	0.2
Varicella in women 15-44	Per 100,000 Females 15-44	2013-15		1	0.7	2.0
Pregnancy and Health Behaviors						
Births to mothers who report smoking during pregnancy	Percent of births	2013-15	2	991	10.5	6.2
Hepatitis B, surface antigen in pregnant women	Per 100,000 Females 15-44	2013-15		2	1.3	13.5
Access to Services						
Well-Woman/Pre-conception care						
Females >17 with pap smear in preceding year	Percent of females > 17	2013	4		44.3	51.4
Females >17 who have a personal doctor	Percent of females > 17	2013	2		82.1	78.4
Females >17 who have any type of health care insurance coverage	Percent of females > 17	2013	2		84.5	79.6
Pregnancy						
Births with 1st trimester prenatal care	Percent of births w/ known PNC status	2013-15	1	7,267	83.8	79.5
Births with late or no prenatal care	Percent of births w/ known PNC status	2013-15	1	367	4.2	5.2
Births with adequate prenatal care (Kotelchuck index)	Percent of births w/ known PNC status	2013-15	3	5,343	56.7	63.9
Births to uninsured women ("self-pay" checked on birth certificate)	Percent of births	2013-15	3	333	3.5	6.6
Births covered by Medicaid	Percent of births	2013-15	2	5,288	56.1	50.1
C-section births	Percent of births	2013-15	4	3,531	37.5	37.4
Very low birthweight infants born in subspecialty perinatal centers	Percent of VLBW births	2013-15	3	96	70.6	78.5
Infants (Under 1)						
Socio-Demographic Characteristics						
Total births	Per 1,000 population	2015		3,184	10.0	11.3

2.5.1 FDOH Pregnancy and Young Child Profile, Lake County, Florida - 2015

Indicator	Rate Type	Year(s)	County Quartile	County Number	County Rate	State Comparison
			1=most favorable 4=least favorable			
White births	Per 1,000 white population	2015		2,518	9.4	10.4
Black births	Per 1,000 black population	2015		463	13.3	14.7
Other nonwhite births	Per 1,000 other nonwhite population	2015		197	12.9	12.7
Hispanic births	Per 1,000 hispanic population	2015		612	13.3	13.2
Non-Hispanic births	Per 1,000 non-hispanic population	2015		2,567	9.4	10.6
Social-emotional Development						
Infants in foster care	Per 100,000 population < 1	2013-15	2	93	998.2	1,246.7
Poor Birth Outcomes						
Births <1500 grams (very low birth weight)	Percent of births	2013-15	2	136	1.4	1.6
Births <2500 grams (low birth weight)	Percent of births	2013-15	3	830	8.8	8.6
Births <37 weeks gestation (preterm)	Percent of births	2013-15	3	1,003	10.6	10.0
Congenital heart defects	Per 10,000 births	2009-2013	3	40	26.3	20.8
Multiple births (twins, triplets, or more)	Percent of births	2013-15	3	320	3.4	3.3
Trisomy 21 (Down syndrome)	Per 10,000 births	2009-2013	4	29	19.1	13.6
Health and Safety						
Mothers who initiate breastfeeding	Percent	2013-15	2	7,673	81.4	84.0
Salmonellosis in people <1	Per 100,000 Population Under 1	2013-15		93	998.2	529.9
Injuries and Injury-related Deaths						
Hospitalizations for all non-fatal unintentional injuries <1	Per 100,000 population < 1	2012-14	1	15	163.2	284.8
Hospital/ER treated non-fatal unintentional falls <1	Per 100,000 population < 1	2012-14	3	397	4,319.0	4,439.7
Hospitalizations for non-fatal traumatic brain injuries <1	Per 100,000 population < 1	2012-14	1	11	119.7	180.5
Child passengers <1 injured or killed in motor vehicle crashes	Per 100,000 population < 1	2013-15	2	30	322.0	404.4
Other Deaths						
Fetal deaths	Per 1,000 deliveries	2013-15	3	68	7.2	7.0
Neonatal deaths (<28 days)	Per 1,000 live births	2013-15	3	48	5.1	4.1
Post-Neonatal deaths (28-364 days)	Per 1,000 live births	2013-15	3	30	3.2	2.0
Infant deaths (0-364 days)	Per 1,000 live births	2013-15	4	78	8.3	6.1
Deaths from SUID (sudden unexpected infant death)	Per 1,000 live births	2013-15	4	19	2.0	1.0
Children Ages 1-5						
Socio-Demographic Characteristics						
Population by Race/Ethnicity						
Total population ages 1-5	Count	2015		17,331		1,120,039
White population ages 1-5	Count	2015		13,042		768,314
Black population ages 1-5	Count	2015		2,753		255,617
Other population ages 1-5	Count	2015		1,534		96,108

2.5.1 FDOH Pregnancy and Young Child Profile, Lake County, Florida - 2015

Indicator	Rate Type	Year(s)	County Quartile	County Number	County Rate	State Comparison
			1=most favorable 4=least favorable			
Hispanic population ages 1-5	Count	2015		4,494		351,607
Non-Hispanic population ages 1-5	Count	2015		12,836		768,432
Poverty						
Kindergarten children eligible for free/reduced lunch	Percent of KG students	2015	1	993	31.8	61.2
Children in school-readiness programs eligible for free/reduced lunch	Percent of kids in programs	2013-15	1	1,298	18.4	25.8
Social-emotional Development						
Children ages 1-5 in foster care	Per 100,000 population 1-5	2013-15	2	273	532.8	612.1
Access to Services						
Health Care						
Children <5 covered by KidCare (Medikids)	Percent of population < 5	2013-15	2	1,275	2.5	2.7
Potentially Avoidable Hospitalizations						
Asthma hospitalizations ages 1-5	Per 100,000 population 1-5	2012-14	3	389	768.8	851.5
Immunizations and Vaccine Preventable Diseases						
Haemophilus influenzae in people <5	Per 100,000 Population Under 5	2013-15		1	2.0	2.8
Hepatitis B, acute in people <1	Count	2013-15		0	0.0	0
Kindergarten children fully immunized	Percent of KG students	2015	3	3,390	93.0	93.3
Measles (rubeola)	Count	2013-15		0		12
Measles in people <5	Count	2013-15		0		1
Meningococcal disease in people <5	Count	2013-15		0	0.0	27
Mumps in people <5	Count	2013-15		0	0.0	0
Pertussis in people <1	Per 100,000 Population Under 1	2013-15		6	64.4	75.0
Pertussis in people 1-5	Per 100,000 Population 1-5	2013-15		2	3.9	10.3
Rubella	Count	2013-15		0		0
Rubella, congenital	Count	2013-15		0	0.0	0
Streptococcus pneumoniae in people <6	Per 100,000 Population Under 6	2013-15		3	5.0	7.0
Two-year olds fully immunized	Percent of 2-yr olds	2015				85.5
Varicella	Per 100,000 Population	2013-15		14	1.5	3.4
Varicella in people <5	Per 100,000 Population Under 5	2013-15		4	8.0	18.5
Early Learning						
Children in School Readiness programs (subsidized child care)	Per 1,000 population < 13	2012-14	2	10,664	79.8	77.7
Children participating in voluntary pre-K programs	Percent of 4-yr olds	2015	3	779	22.6	26.3
Children ages 3-5 with disabilities receiving pre-K services	Per 1,000 population 3-5	2015	4	261	25.0	34.0
Health and Safety						

2.5.1 FDOH Pregnancy and Young Child Profile, Lake County, Florida - 2015

Indicator	Rate Type	Year(s)	County Quartile	County Number	County Rate	State Comparison
			1=most favorable 4=least favorable			
WIC children >=2 who are overweight or obese	Percent of WIC children >= 2	2015	2		26.3	26.4
Cryptosporidiosis in people <6	Per 100,000 Population Under 6	2013-15		12	19.8	19.8
Overall cancer incidence rate ages 1-5	Per 100,000 population 1-5	2011-13	3	13	26.1	23.4
Shigellosis in people <6	Per 100,000 Population Under 6	2013-15		25	41.3	52.2
Injuries and Injury-related Deaths						
Unintentional injury deaths ages 1-5	Per 100,000 population 1-5	2013-15	4	9	17.6	10.4
Hospitalizations ages 1-5 for all non fatal unintentional injuries	Per 100,000 population 1-5	2012-14	2	69	136.4	150.8
...Near drownings	Per 100,000 population 1-5	2012-14		0	0.0	13.1
...Traumatic brain injuries	Per 100,000 population 1-5	2012-14	3	20	39.5	37.8
Hospital/ER treated non fatal unintentional poisonings ages 1-5	Per 100,000 population 1-5	2012-14	1	182	359.7	400.4
...Unintentional falls	Per 100,000 population 1-5	2012-14	2	2616	5,169.9	5,031.8
...Motor vehicle related injuries	Per 100,000 population 1-5	2012-14	2	227	448.6	505.4
Child passengers ages 1-5 injured or killed in motor vehicle crashes	Per 100,000 population 1-5	2013-15	2	138	269.4	297.3

Data Note(s)

Population - Rates calculated using July 1 population estimates from the Florida Legislature, Office of Economic and Demographic Research. The population data for 2001-2010, along with rates affected by the population data, has been updated on Florida CHARTS. Following a census, it is customary to revise population projections for the intercensal years based on information from the latest census. Revising the population data from what was predicted to actual estimates ensures accurate accounting of the racial, ethnic, and gender distribution of the population. These changes affect the population data and rates calculated for your community.

Year - Time periods include single calendar years (ex. 2015) and three-year averages (ex. 2013-15).

County Quartiles - Quartiles in this report allow you to compare health data from one county to another in the state. Quartiles are calculated by ordering a rate from most favorable to least favorable by county and dividing the list into 4 groups. In this report, a low quartile number (1) always represents more favorable health situations while fours (4) represent less favorable situations. Blanks in this column indicate that not enough data was available to calculate a quartile or that a quartile calculation was not appropriate (i.e. population counts).

Counts - Counts for indicators displaying a 3-year rate are an average count of events over 3 years, NOT a sum. Blank spaces in this column indicate that no count is available for the indicator. A count of less than 2 indicates an average of less than 2 events per year over a 3 year period. Hospitalization counts are suppressed if there are between 1-4 cases.

Rates - Rates are frequently used when numbers are too small to use percent (per 100). For example, Florida's birth rate of 4.8 per 1000 females over age 35 would be the same as saying that 0.48% of females over age 35 had babies. Rates are typically expressed per 1000, per 10,000 or per 100,000, depending on how rare an event is. Rates based on fewer than 5 events over a 3 year period are marked as unstable (U). When the rates are based on only a few cases or deaths, it is almost impossible to distinguish random fluctuation from true changes in the underlying risk of disease or injury. Therefore comparisons over time or between communities that are based on unstable rates can lead to erroneous conclusions about differences in risk which may or may not be valid. All age-adjusted rates utilize the Year 2000 Standard Population Proportion.

Blanks indicate that data is not available for the specified time period.

Report: FDOH CHARTS Pregnancy and Young Child Profile, Lake County, Florida - 2015

Web Address: <http://www.flhealthcharts.com/ChartsReports/rdDownload/rdExport-70af6bf4-c791-4bcd-aa6f-f6594d019cbd/PregnancyandYoungChildProfile.pdf>



Date Accessed: March 29, 2017

Infant Mortality Map and Accompanying Mapped Census Tract Table, 2009-2014

The GIS Map only labels infant death counts for mapped census tracts.

Infant Mortality in Lake County, FL by Census Tract, 2012-2014

Infant Deaths by Counts





School-aged Child and Adolescent Profile, Lake County, Florida - 2015

Indicator	Rate Type	Year(s)	County Quartile	County Number	County Rate	State Comparison
			1=most favorable 4=least favorable			
Socio-Demographic Characteristics						
Population Data¹						
Total Population	Count	2015		319,259		19,860,805
Population 5-11	Count	2015		25,121		1,604,950
White	Count	2015		19,222		1,126,221
Black	Count	2015		3,920		357,420
Hispanic	Count	2015		6,085		493,290
Non-Hispanic	Count	2015		19,036		1,111,659
Population 12-18	Count	2015		24,970		1,655,332
White	Count	2015		19,154		1,183,318
Black	Count	2015		4,014		361,425
Hispanic	Count	2015		5,671		492,886
Non-Hispanic	Count	2015		19,299		1,162,446
Socio-Economic Data						
Median household income	Dollars	2015	1st Quartile	\$46,403		\$47,507
Percentage of total population below poverty level	Percent	2015	1st Quartile		13.9%	16.5%
Unemployment rate	Percent	2015	2nd Quartile		5.4%	5.4%
Percentage of Population 25 years and Over with No High School Diploma	Percent	2015	2nd Quartile		12.6%	13.1%
Population 5+ that speak English less than very well	Percent	2015	3rd Quartile		4.3%	11.7%
Percent of students eligible for free/reduced lunch						
Elementary school	Percent	2015	1st Quartile	7,469	38.5%	61.7%
Middle school	Percent	2015	1st Quartile	3,324	34.8%	59.2%
Modifiable Behaviors Leading to Premature Death³						
Insufficient Physical Activity						
Percent of students without sufficient vigorous physical activity						
Middle school	Percent	2012	4th Quartile		34.7%	29.9%
High school	Percent	2012	2nd Quartile		35.4%	37.3%
Obesity						
Percent of students reporting BMI at or above 95th percentile						

2.5.3 FDOH School-Aged Child and Adolescent Profile, Lake County, Florida - 2015

Indicator	Rate Type	Year(s)	County Quartile	County Number	County Rate	State Comparison
			1=most favorable 4=least favorable			
Middle school	Percent	2012	3rd Quartile		13.7%	11.1%
High school	Percent	2012	3rd Quartile		14.8%	14.3%
Tobacco Use						
Percent of students smoking cigarettes in the past 30 days						
Middle school	Percent	2012	2nd Quartile		4.3%	3.3%
High school	Percent	2012	3rd Quartile		14.4%	10.1%
High Risk Behaviors						
Sexual Activity						
Births to teenage mothers per 1,000 females (3-year rate)						
15-19	Per 1,000	2013-15	2nd Quartile	720	29.2	22.0
15-17	Per 1,000	2013-15	2nd Quartile	163	10.3	9.5
18-19	Per 1,000	2013-15	3rd Quartile	557	62.8	40.9
Percent of repeat births to teenage mothers (3-year rate)						
15-19	Percent	2013-15	3rd Quartile	124	17.2%	16.2%
15-17	Percent	2013-15	4th Quartile	17	10.4%	7.6%
18-19	Percent	2013-15	3rd Quartile	107	19.2%	19.3%
HIV Infection cases ages 13-19 (3-Year Rate) ⁴	Per 100,000	2013-15		2	2.8	10.5
Bacterial STDs 15-19	Per 100,000	2013-15	2nd Quartile	917	1,810.1	2,123.3
Substance Abuse						
Percent of students who used alcohol in past 30 days						
Middle school	Percent	2012	1st Quartile		11.2%	12.3%
High school	Percent	2012	3rd Quartile		37.2%	33.9%
Percent of students reporting binge drinking						
Middle school	Percent	2012	1st Quartile		3.5%	4.7%
High school	Percent	2012	2nd Quartile		17%	16.4%
Percent of students using marijuana/hashish in past 30 days						
Middle school	Percent	2012	2nd Quartile		4.6%	4.2%
High school	Percent	2012	4th Quartile		22.1%	18.5%
Injuries and Violence (3-Year rates)						
Licensed drivers in motor vehicle crashes per 1,000 licensed drivers						
15-18	Per 1,000	2015	1st Quartile		36.0	51.6
19-21	Per 1,000	2015	2nd Quartile		45.0	69.2
Child Passengers injured/killed in motor vehicle crashes per 100,000 pop.						
5-11	Per 100,000	2013-15	1st Quartile	239	321.4	439.2
12-18	Per 100,000	2013-15	2nd Quartile	397	536.8	569.3
Motor vehicle deaths per 100,000 population						
5-11	Per 100,000	2013-15		3	4.0	1.8
12-18	Per 100,000	2013-15	2nd Quartile	3	4.1	7.0
19-21	Per 100,000	2013-15	3rd Quartile	9	30.7	22.5

2.5.3 FDOH School-Aged Child and Adolescent Profile, Lake County, Florida - 2015

Indicator	Rate Type	Year(s)	County Quartile	County Number	County Rate	State Comparison
			1=most favorable 4=least favorable			
Non-fatal motor vehicle related hospitalizations per 100,000 pop. (MV occupants only)						
5-11	Per 100,000	2012-14		9	12.2	11.3
12-18	Per 100,000	2012-14		29	39.5	33.1
19-21	Per 100,000	2012-14	3rd Quartile	30	106.1	90.4
Traumatic brain injury deaths per 100,000 population						
5-11	Per 100,000	2013-15		1	1.3	1.3
12-18	Per 100,000	2013-15		0	0.0	6.6
19-21	Per 100,000	2013-15		4	13.6	15.8
Non-fatal traumatic brain injury hospitalizations per 100,000 population						
5-11	Per 100,000	2012-14		17	23.1	24.8
12-18	Per 100,000	2012-14	3rd Quartile	50	68.1	55.5
19-21	Per 100,000	2012-14		21	74.3	92.7
Unintentional Injury Deaths Other than Motor Vehicle Accidents per 100,000 population						
5-11	Per 100,000	2013-15		0	0.0	1.7
12-18	Per 100,000	2013-15		3	4.1	3.1
19-21	Per 100,000	2013-15		1	3.4	9.2
Other non-fatal unintentional injury hospitalizations per 100,000 pop.						
5-11	Per 100,000	2012-14	3rd Quartile	126	171.4	164.5
12-18	Per 100,000	2012-14	3rd Quartile	195	265.5	289.3
19-21	Per 100,000	2012-14	4th Quartile	123	435.2	373.3
Violent Acts Per 1,000 Students in School Activities Grades K-12 ⁵	Per 1,000	2010-12	2nd Quartile	827	6.5	13.3
Homicide deaths per 100,000 population						
5-11	Per 100,000	2013-15		0	0.0	0.9
12-18	Per 100,000	2013-15		1	1.4	4.8
19-21	Per 100,000	2013-15		2	6.8	13.1
Social-emotional Development						
Mental Health						
Non-fatal hospitalizations for self-inflicted injuries per 100,000 pop. (3-yr rate)						
12-18	Per 100,000	2012-14	1st Quartile	31	42.2	92.2
19-21	Per 100,000	2012-14		18	63.7	79.4
Non-fatal hospitalizations for eating disorders per 100,000 pop. (3-yr rate)						
12-18	Per 100,000	2012-14		12	16.3	28.7
19-21	Per 100,000	2012-14		<5		13.5
Suicide deaths per 100,000 population (3-year rate)						
12-18	Per 100,000	2013-15		0	0.0	4.8
19-21	Per 100,000	2013-15		2	6.8	11.2

2.5.3 FDOH School-Aged Child and Adolescent Profile, Lake County, Florida - 2015

Indicator	Rate Type	Year(s)	County Quartile	County Number	County Rate	State Comparison
			1=most favorable 4=least favorable			
Percent of Children in Schools Grades K-12 Who Are Emotionally Handicapped	Percent	2014	4th Quartile	412	1%	0.7%
Referrals to Department of Juvenile Justice	Per 10,000	2011-13	3rd Quartile	4443	521.1	514.6
Learning Environment						
Percentage of students absent 21+ days						
K-12 Students	Percent	2015	2nd Quartile		10.9%	9.7%
Percent of children not promoted						
Elementary school	Percent	2015	3rd Quartile	706	3.6%	2.6%
Middle school	Percent	2015	2nd Quartile	184	1.9%	2.7%
Social-emotional Development						
Learning Environment						
High school graduation rate ⁶	Percent	2015	3rd Quartile		75.8%	77.9%
Out of School Suspensions K-12	Per 100,000	2012-14	3rd Quartile	10571	8,269.8	5,944.5
Percent of students feeling safe at school						
Middle school	Percent	2012	4th Quartile		74.8%	79.1%
High school	Percent	2012	3rd Quartile		78.8%	79.8%
School Readiness at Kindergarten Entry	Percent	2014	2nd Quartile		93.4%	91.4%
Social Environment						
Children in foster care per 100,000 population						
5-11	Per 100,000	2015	1st Quartile	63	250.8	401.4
12-17	Per 100,000	2015	1st Quartile	48	219.6	396.3
Children Experiencing Child Abuse Ages 5-11	Per 100,000	2013-15	1st Quartile	598	804.3	1,045.8
Children Experiencing Sexual Violence Ages 5-11	Per 100,000	2013-15	2nd Quartile	59	79.4	60.5
Access to Care						
Potentially Avoidable Hospitalizations⁷						
Asthma hospitalizations per 100,000 population (3-year rate)						
5-11	Per 100,000	2012-14	2nd Quartile	283	384.9	470.5
12-18	Per 100,000	2012-14	2nd Quartile	214	291.4	389.9
Percent of students who report having asthma						
Middle school	Percent	2012	2nd Quartile		19.9%	20.1%
High school	Percent	2012	2nd Quartile		19.3%	20.8%
Diabetes hospitalizations per 100,000 population (3-year rate)						
5-11	Per 100,000	2012-14		52	70.7	40.8
12-18	Per 100,000	2012-14	3rd Quartile	88	119.8	121.3
Availability of Services						
Nurse-Student Ratio in Schools Grades K-12 ⁸	Ratio	2015	2nd Quartile		3,536.5	2,405.9
Vaccine Preventable Diseases						
Hepatitis A in people 5-21	Count	2013-15	1st Quartile	1		34
Hepatitis B, acute in people 5-21	Count	2013-15	1st Quartile	0		13

2.5.3 FDOH School-Aged Child and Adolescent Profile, Lake County, Florida - 2015

Indicator	Rate Type	Year(s)	County Quartile	County Number	County Rate	State Comparison
			1=most favorable 4=least favorable			
Hepatitis B, chronic in people 5-21	Per 100,000 Population 5-21	2013-15		1	0.6	3.9
Measles (rubeola) in people 5-21	Count	2013-15	1st Quartile	0		7
Meningococcal disease in people 5-21	Count	2013-15	1st Quartile	0		16
Mumps in people 5-21	Count	2013-15	1st Quartile	0		2
Pertussis in people 5-21	Per 100,000 Population 5-21	2013-15	1st Quartile	14	1.5	3.0
Varicella in people 5-21	Per 100,000 Population 5-21	2013-15	2nd Quartile	8	4.5	7.3
Varicella in women 15-21	Per 100,000 Females 15-21	2013-15		0	0.0	2.7
Enteric, Food and Waterborne Diseases						
Hemolytic Uremic Syndrome (HUS) in people <10	Count	2013-15	1st Quartile	1		18
Shiga toxin-producing Escherichia coli (STEC) infection in people <10	Per 100,000 Population < 10	2013-15		2	1.9	2.5

Data Note(s)

Population - Rates calculated using July 1 population estimates from the Florida Legislature, Office of Economic and Demographic Research. The population data for 2001-2010, along with rates affected by the population data, has been updated on Florida CHARTS. Following a census, it is customary to revise population projections for the intercensal years based on information from the latest census. Revising the population data from what was predicted to actual estimates ensures accurate accounting of the racial, ethnic, and gender distribution of the population. These changes affect the population data and rates calculated for your community.

Year - Time periods include single calendar years (ex. 2015) and three-year counts (ex. 2013-15).

County Quartiles - Quartiles in this report allow you to compare health data from one county to another in the state. Quartiles are calculated by ordering a rate from most favorable to least favorable by county and dividing the list into 4 groups. In this report, a low quartile number (1) always represents more favorable health situations while fours (4) represent less favorable situations. Blanks in this column indicate that not enough data was available to calculate a quartile or that a quartile calculation was not appropriate (i.e. population counts).

Counts - Counts for indicators displaying a 3-year rate are the count of events over 3 years. Blank spaces in this column indicate that no count is available for the indicator. A count of less than 2 indicates, less than 2 events per year over a 3 year period. A count of less than 1 indicates a count of less than 1 event per year over a 3 year period. Hospitalization counts are suppressed if there are between 1-4 cases.

Rates - Rates are frequently used when numbers are too small to use percent (per 100). For example, Florida's birth rate of 4.8 per 1000 females over age 35 would be the same as saying that 0.48% of females over age 35 had babies. Rates are typically expressed per 1000, per 10,000 or per 100,000, depending on how rare an event is. Rates based on fewer than 5 events over a 3 year period are marked as unstable (U). When the rates are based on only a few cases or deaths, it is almost impossible to distinguish random fluctuation from true changes in the underlying risk of disease or injury. Therefore comparisons over time or between communities that are based on unstable rates can lead to erroneous conclusions about differences in risk which may or may not be valid. All age-adjusted rates utilize the Year 2000 Standard Population Proportion.

Blanks indicate that data is not available for the specified time period.

U = Unstable rate (based on fewer than 5 events). When the rates are based on only a few cases or deaths, it is almost impossible to distinguish random fluctuation from true changes in the underlying risk of disease or injury. Therefore comparisons over time or between communities that are based on unstable rates can lead to erroneous conclusions about differences in risk which may or may not be valid.

¹Total population minus the sum total of white and black populations results in the other nonwhite population count. TOTAL - (WHITE+BLACK) = OTHER NONWHITE.

³Modifiable behaviors leading to premature death are the major external (nongenetic) factors that contribute to death in the US, first identified as "Actual Causes of Death" by McGinnis and Foege in 1993. These three sets of behaviors each contribute to approximately half of the deaths annually in addition to their impact on morbidity, quality of life, and public health burden.

2.5.3 FDOH School-Aged Child and Adolescent Profile, Lake County, Florida - 2015

⁴Counties with greater than 10 HIV cases ages 13-19 do not have counts or rates available.

⁵Includes sexual battery, battery, homicide and kidnapping.

⁶Florida's high school graduation rate is the percentage of students who graduated within four years of their initial enrollment in ninth grade, not counting deceased students or students who transferred out to attend another public school outside the system, a private school, a home education program, or an adult education program. Incoming transfer students are included in the appropriate cohort (the group whose progress is tracked) based on their grade level and year of entry.

⁷Potentially avoidable hospitalizations are those for which good outpatient care can potentially prevent complications or more severe disease.

⁸ n/a - For school districts with no nurses a nurse-student ratio cannot be calculated.

Report: FDOH CHARTS School-aged Child and Adolescent Profile, Lake County, Florida - 2015
Web Address: <http://www.flhealthcharts.com/ChartsReports/rdDownload/rdExport-187070c6-93da-4854-8312-350c4cffcbb4/rdDLsrueck55zcyjrie55becd3255-3005188f8a3649898e7c97f571ec314f.pdf>
Date Accessed: March 29, 2017

Lake County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Lake County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Smoked cigarettes on one or more of the past 30 days	5.6	(4.1-7.1)	4.3	(4.1-4.6)			+
Smoked cigars on one or more of the past 30 days	6.1	(4.6-7.6)	5.4	(5.2-5.7)			+
Used smokeless tobacco on one or more of the past 30 days	4.2	(2.9-5.4)	3.3	(3.1-3.5)			+
Used electronic cigarettes on one or more of the past 30 days	7.2	(5.4-8.9)	7.2	(6.8-7.5)			+
Used hookah on one or more of the past 30 days	5.8	(4.5-7.2)	7.1	(6.7-7.5)			+
Used any form of tobacco on one or more of the past 30 days*	11.3	(9.1-13.6)	9.2	(8.8-9.6)			+
Used any form of tobacco (excluding cigarettes) on one or more of the past 30 days	15.3	(12.8-17.9)	14.8	(14.2-15.3)			+
Thought using electronic cigarettes is less harmful than smoking cigarettes	70.0	(65.7-74.4)	69.4	(68.4-70.3)			+
Thought using hookah is less harmful than smoking cigarettes	46.4	(39.9-52.9)	52.8	(51.7-54.0)			+
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	66.6	(63.3-69.9)	67.1	(66.4-67.7)			+
Exposed to secondhand smoke during the past seven days (in a room or car)	42.2	(38.5-45.9)	37.5	(36.9-38.2)	+		
Smoking is allowed in the home	9.9	(7.8-11.9)	8.4	(8.0-8.7)			+

*This excludes specialty tobacco products, which include bidis, kreteks, pipe tobacco, snus, e-cigarettes, flavored cigarettes, flavored cigars, and flavored smokeless tobacco.

Lake County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Lake County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Students who were taught about tobacco use in any classes this year	39.6	(34.2-44.9)	38.0	(37.1-39.0)			+
Parent or guardian has talked about the dangers of tobacco in the past year	58.6	(55.1-62.0)	62.4	(61.8-63.0)			+
Served as an active member of Students Working Against Tobacco (SWAT)	1.8	(0.9-2.8)	2.8	(2.7- 3.0)			+
Definitely did not think that smokers have more friends	28.3	(25.6-31.0)	28.2	(27.6-28.8)			+
Definitely did not think that smoking helps young people "look cool" or "fit in"	72.2	(69.1-75.3)	68.8	(68.2-69.3)			+
Lifetime asthma	19.8	(17.6-22.1)	20.8	(20.3-21.3)			+
Current asthma	11.6	(9.4-13.8)	11.5	(11.1-11.9)			+
Asthma attack in past year	20.9	(15.1-26.6)	17.7	(16.7-18.7)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	14.0	(11.6-16.3)	12.2	(11.8-12.7)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	14.0	(11.9-16.1)	15.9	(15.4-16.4)			+
Physically active for at least 60 minutes per day during the past seven days	23.7	(21.1-26.3)	22.7	(22.2-23.3)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	44.9	(42.0-47.8)	43.7	(43.1-44.4)			+
Described themselves as slightly or very overweight	32.1	(28.9-35.4)	30.7	(30.2-31.3)			+

Report: Florida Youth Tobacco Survey (FYTS), Lake County: 2014 at a Glance

Web Address: http://www.floridahealth.gov/statistics-and-data/survey-data/fl-youth-tobacco-survey/_documents/2014-county/_documents/Lake.pdf

Date Accessed: March 14, 2017



Birth Defects Profile, Lake County, Florida - 2016

Indicator	Year(s)	County Count	County Rate* (99% CI)	State Count	State Rate* (99% CI)
Cardiovascular Conditions					
Critical Congenital Heart Defects	2009-2013	40	26.3 (15.6-37.0)	2,222	20.8 (19.7-21.9)
Aortic valve stenosis	2009-2013	<5	N/A	131	1.2 (1.0-1.5)
Atrial septal defect	2009-2013	116	76.2 (58.1-94.3)	12,581	117.7 (115.1-120.4)
Atrioventricular septal defect (Endocardial cushion defect)	2009-2013	7	4.6 (0.1-9.1)	460	4.3 (3.8-4.8)
Coarctation of aorta	2009-2013	9	5.9 (0.8-11.0)	760	7.1 (6.5-7.8)
Common truncus (Truncus arteriosus)	2009-2013	<5	N/A	79	0.7 (0.5-1.0)
Double outlet right ventricle	2009-2013	8	5.3 (0.5-10.0)	270	2.5 (2.1-2.9)
Ebstein anomaly	2009-2013	<5	N/A	67	0.6 (0.4-0.8)
Hypoplastic left heart syndrome	2009-2013	7	4.6 (0.1-9.1)	337	3.2 (2.7-3.6)
Interrupted aortic arch	2009-2013	<5	N/A	68	0.6 (0.4-0.8)
Pulmonary valve atresia and stenosis	2009-2013	15	9.9 (3.3-16.4)	1,066	10.0 (9.2-10.8)
Single ventricle (Common ventricle)	2009-2013	<5	N/A	145	1.4 (1.1-1.7)
Tetralogy of Fallot	2009-2013	9	5.9 (0.8-11.0)	543	5.1 (4.5-5.6)
Total anomalous pulmonary venous return	2009-2013	<5	N/A	106	1.0 (0.7-1.2)
Transposition of great arteries	2009-2013	9	5.9 (0.8-11.0)	277	2.6 (2.2-3.0)
Tricuspid valve atresia and stenosis	2009-2013	<5	N/A	114	1.1 (0.8-1.3)
Ventricular septal defect	2009-2013	103	67.7 (50.6-84.8)	6,805	63.7 (61.7-65.7)
Central Nervous System Conditions					
Anencephalus	2009-2013	<5	N/A	80	0.8 (0.5-1.0)
Encephalocele	2009-2013	5	3.3 (0.0-7.1)	94	0.9 (0.7-1.1)
Holoprosencephaly	2009-2013	9	5.9 (0.8-11.0)	505	4.7 (4.2-5.3)
Spina bifida without anencephalus	2009-2013	8	5.3 (0.5-10.0)	315	3.0 (2.5-3.4)
Chromosomal Conditions					
Deletion 22 q11	2009-2013	<5	N/A	33	0.3 (0.2-0.5)
Trisomy 13	2009-2013	<5	N/A	108	1.0 (0.8-1.3)
Trisomy 18	2009-2013	<5	N/A	219	2.1 (1.7-2.4)
Trisomy 21 (Down syndrome)	2009-2013	29	19.1 (10.0-28.2)	1,457	13.6 (12.7-14.6)
Turner syndrome	2009-2013	<5	N/A	73	1.4 (1.0-1.8)
Ear and Eye Conditions					
Aniridia	2009-2013	<5	N/A	5	0.1 (0.0-0.1)
Anophthalmia/micropthalmia	2009-2013	<5	N/A	104	1.0 (0.7-1.2)
Anotia/microtia	2009-2013	<5	N/A	92	0.9 (0.6-1.1)
Congenital cataract	2009-2013	<5	N/A	153	1.4 (1.1-1.7)
Gastrointestinal Conditions					

2.5.5 FDOH Birth Defects Profile, Lake County, Florida - 2016

Indicator	Year(s)	County Count	County Rate* (99% CI)	State Count	State Rate* (99% CI)
Biliary atresia	2009-2013	<5	N/A	97	0.9 (0.7-1.2)
Esophageal atresia/tracheoesophageal fistula	2009-2013	<5	N/A	250	2.3 (2.0-2.7)
Rectal and large intestinal atresia/stenosis	2009-2013	11	7.2 (1.6-12.8)	471	4.4 (3.9-4.9)
Small intestinal atresia/stenosis	2009-2013	7	4.6 (0.1-9.1)	552	5.2 (4.6-5.7)
Genitourinary Conditions					
Bladder exstrophy	2009-2013	<5	N/A	23	0.2 (0.1-0.3)
Cloacal exstrophy	2009-2013	13	8.5 (2.4-14.6)	714	6.7 (6.0-7.3)
Congenital posterior urethral valves	2009-2013	<5	N/A	159	1.5 (1.2-1.8)
Hypospadias	2009-2013	61	77.5 (52.1-103.0)	4,041	73.9 (70.9-76.9)
Renal agenesis/hypoplasia	2009-2013	9	5.9 (0.8-11.0)	582	5.5 (4.9-6.0)
Musculoskeletal Conditions					
All limb deficiencies (Reduction deformities)	2009-2013	10	6.6 (1.2-11.9)	399	3.7 (3.3-4.2)
Clubfoot	2009-2013	26	17.1 (8.5-25.7)	1,451	13.6 (12.7-14.5)
Craniosynostosis	2009-2013	<5	N/A	<5	N/A
Diaphragmatic hernia	2009-2013	<5	N/A	352	3.3 (2.8-3.8)
Gastroschisis	2009-2013	9	5.9 (0.8-11.0)	522	4.9 (4.3-5.4)
Omphalocele	2010-2013	<5	N/A	217	2.0 (1.7-2.4)
Orofacial Conditions					
Choanal atresia	2009-2013	<5	N/A	186	1.7 (1.4-2.1)
Cleft lip with cleft palate	2009-2013	9	5.9 (0.8-11.0)	524	4.9 (4.4-5.5)
Cleft lip without cleft palate	2009-2013	<5	N/A	226	2.1 (1.8-2.5)
Cleft palate without cleft lip	2009-2013	12	7.9 (2.0-13.7)	592	5.5 (5.0-6.1)
Total Birth Defects	2009-2013	377	247.6 (215.2-280.1)	27,463	257.0 (253.1-260.9)

Data Note(s):

[Florida Birth Defects Profile Definitions](#)

Florida Birth Defects Registry: 2009-2013 birth defects data have been revised as of September 26, 2016.

Results have been suppressed when the estimated case count is between 1 and 4.

*Rate = Number of cases per 10,000 live births.

99% CI = The rate is accompanied by the 99% Confidence Interval.

Report: FDOH CHARTS Birth Defects Profile, Lake County, Florida - 2016

Web Address: <http://www.flhealthcharts.com/ChartsReports/rdDownload/rdExport-89fade83-dcb2-48bd-8f9f-d63cb11ae5ea/BirthDefectsProfile.pdf>

Date Accessed: March 29, 2017



Minority Health Profile - Black, Lake County, Florida - 2015

Indicator	Year(s)	Rate Type	COUNTY				STATE			
			Black Number	Black Rate	White Number	White Rate	Black/White Rate Ratio	Black Rate	White Rate	Black/White Rate Ratio
Socio-Demographic Characteristics										
Population	2015	Percent of total pop.	34,863	10.9%	269,120	84.3%	n/a	16.8%	77.9%	n/a
Population under 18 Years Old	2015	Percent of pop. under 18	10,124	15.8%	48,756	76.3%	n/a	22.3%	70.3%	n/a
Population 18-64 Years Old	2015	Percent of pop. 18-64	20,691	11.7%	146,931	83.4%	n/a	17.4%	77.3%	n/a
Population 65 and Over	2015	Percent of pop. 65+	4,048	5.1%	73,433	92.9%	n/a	9.1%	88.4%	n/a
Individuals 25 years and over with no high school diploma	2011-15	Percent		18.4%		11.6%	1.6:1	19.3%	11.5%	1.7:1
Individuals below poverty level	2011-15	Percent		20%		12.9%	1.6:1	27.5%	14%	2:1
Civilian labor force which is unemployed	2011-15	Percent		12.8%		9.6%	1.3:1	15.6%	8.4%	1.9:1
Median household income	2011-15	Dollars		\$38,742		\$47,413	0.8:1	\$34,664	\$50,308	0.7:1
Owner-occupied housing units	2011-15	Percent		5.2%		90.1%	0.1:1	9.5%	85.5%	0.1:1
Access to Care										
Adults who have a personal doctor	2013	Percent		0%		81.6%	n/a	71.8%	79.8%	0.9:1
Adults who said their overall health was good to excellent	2013	Percent		0%		81.8%	n/a	80.3%	82.3%	1:1
Adults with any type of health care insurance coverage	2013	Percent		0%		84.3%	n/a	69.2%	85.5%	0.8:1
Adults who could not see a doctor at least once in the past year due to cost	2013	Percent		0%		12.7%	n/a	25.1%	14.7%	1.7:1
Emergency room visits due to asthma	2012-14	Per 100,000 Population	902	919.8	1,815	233.4	3.9:1	1,242.8	329.7	3.8:1
Age-adjusted asthma hospitalization rate	2012-14	Per 100,000 Population	1,158	1,814.6	6,791	702.7	2.6:1	1,714.7	656.4	2.6:1

2.6.1 FDOH Minority Health Profile - Black, Lake County, Florida - 2015

Indicator	Year(s)	Rate Type	COUNTY					STATE			
			Black Number	Black Rate	White Number	White Rate	Black/White Rate Ratio	Black Rate	White Rate	Black/White Rate Ratio	
Maternal and Child Health											
Births to mothers ages 15-19	2013-15	Per 1,000 Females 15-19	154	38.5	532	28.0	1.4:1	31.9	19.5	1.6:1	
Repeat births to mothers Ages 15-19	2013-15	Percent	27	17.5%	88	16.5%	1.1:1	18.4%	15.2%	1.2:1	
Births to unwed mothers ages 15-19	2013-15	Percent	152	98.7%	475	89.3%	1.1:1	97.9%	88.1%	1.1:1	
Births to unwed mothers ages 20-54	2013-15	Percent	767	66.7%	2,884	41.2%	1.6:1	67.1%	40%	1.7:1	
Births to mothers over 18 without high school education	2013-15	Percent	153	12.6%	883	12.2%	1:1	13.7%	11.4%	1.2:1	
Resident live births to mothers who smoked during pregnancy	2013-15	Percent	70	5.4%	897	11.9%	0.5:1	3.6%	7.4%	0.5:1	
Births to mothers who are underweight (BMI<18.5) at time pregnancy occurred	2013-15	Percent	47	3.6%	377	5%	0.7:1	3.3%	4.2%	0.8:1	
Births to mothers who are overweight (BMI 25.0-29.9) at time pregnancy occurred	2013-15	Percent	325	24.9%	1,778	23.6%	1.1:1	25.9%	23.9%	1.1:1	
Births to mothers who are obese (BMI>=30) at time pregnancy occurred	2013-15	Percent	412	31.5%	1,857	24.6%	1.3:1	29.8%	19.5%	1.5:1	
Mothers who initiate breastfeeding	2013-15	Percent	870	66.6%	6,303	83.6%	0.8:1	74.9%	86.4%	0.9:1	
Births with 1st trimester prenatal care	2013-15	Percent	940	79.5%	5,901	84.7%	0.9:1	73%	81.6%	0.9:1	
Births with no prenatal care	2013-15	Percent	28	2.4%	99	1.4%	1.7:1	2.5%	1.2%	2.1:1	
Fetal deaths	2013-15	Per 1,000 Deliveries	12	9.1	53	7.0	1.3:1	12.0	5.5	2.2:1	
Infant deaths (0-364 days)	2013-15	Per 1,000 Births	20	15.3	54	7.2	2.1:1	11.0	4.5	2.4:1	
Sudden Unexpected Infant Deaths (SUID)	2013-15	Per 1,000 Births	5	3.8	14	1.9	2.1:1	1.7	0.7	2.4:1	
Maternal deaths	2013-15	Per 100,000 Births	1	76.6	0	0.0		38.1	19.3	2:1	
Births with inter-pregnancy interval < 18 months	2013-15	Percent	275	36.1%	1,605	35.8%	1:1	34.9%	34.3%	1:1	
Very low birthweight infants born in subspecialty perinatal centers	2013-15	Percent	37	75.5%	53	67.9%	1.1:1	79.5%	77.8%	1:1	

2.6.1 FDOH Minority Health Profile - Black, Lake County, Florida - 2015

Indicator	Year(s)	Rate Type	COUNTY					STATE			
			Black Number	Black Rate	White Number	White Rate	Black/White Rate Ratio	Black Rate	White Rate	Black/White Rate Ratio	
Births < 37 weeks of gestation	2013-15	Percent	194	14.9%	739	9.8%	1.5:1	13.4%	9%	1.5:1	
Births < 1500 grams (very low birth weight)	2013-15	Percent	49	3.8%	78	1%	3.6:1	2.9%	1.2%	2.4:1	
Births < 2500 grams (low birth weight)	2013-15	Percent	195	14.9%	588	7.8%	1.9:1	13.2%	7.2%	1.8:1	
Injuries and Injury-related Deaths											
Age-adjusted unintentional drowning death rate	2013-15	Per 100,000 Population	4	3.7	20	2.5	1.5:1	2.2	1.9	1.2:1	
Hospitalizations for non-fatal traumatic brain injuries	2012-14	Per 100,000 Population	53	54.0	902	116.0	0.5:1	63.8	101.2	0.6:1	
Age-adjusted Traumatic brain injury death rate	2013-15	Per 100,000 Population	11	11.2	217	19.2	0.6:1	12.7	18.1	0.7:1	
Hospitalizations for non-fatal firearm injuries	2012-14	Per 100,000 Population	13	13.3	22	2.8	4.7:1	29.9	3.8	7.9:1	
Age-adjusted firearms-related death rate	2013-15	Per 100,000 Population	11	11.5	87	9.5	1.2:1	16.9	10.6	1.6:1	
Hospitalizations for non-fatal motor vehicle related injuries	2012-14	Per 100,000 Population	42	42.8	581	74.7	0.6:1	68.7	68.7	1:1	
Age-adjusted motor vehicle crash death rate	2013-15	Per 100,000 Population	10	10.1	140	17.5	0.6:1	12.7	13.3	1:1	
Hospitalizations for non-fatal unintentional fire injuries	2012-14	Per 100,000 Population	1	1.0	29	3.7	0.3:1	2.2	2.7	0.8:1	
Hospitalizations for non-fatal unintentional falls	2012-14	Per 100,000 Population	117	119.3	3,797	488.2	0.2:1	115.1	374.2	0.3:1	
Age-adjusted unintentional fall death rate	2013-15	Per 100,000 Population	7	7.3	347	21.3	0.3:1	3.9	10.1	0.4:1	
Age-adjusted homicide death rate	2013-15	Per 100,000 Population	13	13.3	18	2.8	4.8:1	17.2	3.5	4.9:1	
Age-adjusted suicide death rate	2013-15	Per 100,000 Population	2	1.8	137	14.9	0.1:1	4.8	16.1	0.3:1	
Leading Causes of Death											
Coronary Heart Disease											
Adults who have ever been told they had coronary heart disease, heart attack,	2013	Percent		0%		16.8%	n/a	10%	12.2%	0.8:1	

2.6.1 FDOH Minority Health Profile - Black, Lake County, Florida - 2015

Indicator	Year(s)	Rate Type	COUNTY					STATE			
			Black Number	Black Rate	White Number	White Rate	Black/White Rate Ratio	Black Rate	White Rate	Black/White Rate Ratio	
or stroke											
Age-adjusted hospitalization rate	2012-14	Per 100,000 Population	373	690.7	6,122	450.2	1.5:1	489.6	296.6	1.7:1	
Age-adjusted death rate	2013-15	Per 100,000 Population	88	99.7	1,652	105.6	0.9:1	97.4	99.0	1:1	
Stroke											
Adults who have ever been told they had a stroke	2013	Percent		0%		5.7%	n/a	4.6%	4.3%	1.1:1	
Age-adjusted hospitalization rate	2012-14	Per 100,000 Population	264	540.9	2,965	281.9	1.9:1	530.0	225.1	2.4:1	
Age-adjusted death rate	2013-15	Per 100,000 Population	38	43.8	470	29.8	1.5:1	49.7	32.4	1.5:1	
Congestive Heart Failure											
Age-adjusted hospitalization rate	2012-14	Per 100,000 Population	102	140.8	972	66.5	2.1:1	195.8	60.1	3.3:1	
Age-adjusted death rate	2013-15	Per 100,000 Population	5	5.8	193	11.4	0.5:1	11.0	11.2	1:1	
Cancer											
Cancer cases diagnosed at advanced stage	2012-14	Percent	177	49%	3,168	47.6%	1:1	48.9%	45.6%	1.1:1	
Age-adjusted cancer death rate	2013-15	Per 100,000 Population	149	159.0	2,496	171.2	0.9:1	154.0	157.3	1:1	
Lung Cancer											
Age-adjusted incidence rate	2012-14	Per 100,000 Population	49	54.5	1,208	82.6	0.7:1	46.1	63.2	0.7:1	
Age-adjusted death rate	2013-15	Per 100,000 Population	28	28.4	780	51.3	0.6:1	32.3	43.8	0.7:1	
Colorectal Cancer											
Adults 50 years of age and older who have ever had a sigmoidoscopy or colonoscopy	2013	Percent		0%		77.7%	n/a	66.4%	72.7%	0.9:1	
Adults 50 years of age and older who received a stool blood test in the past year	2013	Percent		0%		15.4%	n/a	14.4%	13.6%	1.1:1	
Age-adjusted incidence rate	2012-14	Per 100,000 Population	32	35.6	598	44.4	0.8:1	41.4	36.1	1.1:1	

2.6.1 FDOH Minority Health Profile - Black, Lake County, Florida - 2015

Indicator	Year(s)	Rate Type	COUNTY					STATE			
			Black Number	Black Rate	White Number	White Rate	Black/White Rate Ratio	Black Rate	White Rate	Black/White Rate Ratio	
Age-adjusted death rate	2013-15	Per 100,000 Population	15	16.1	211	14.9	1.1:1	15.9	13.4	1.2:1	
Breast Cancer											
Women aged 40 to 74 years who received a mammogram in the past year	2013	Percent		0%		57.4%	n/a	61%	56.2%	1.1:1	
Age-adjusted incidence rate	2012-14	Per 100,000 Population	53	98.8	853	129.7	0.8:1	107.4	118.7	0.9:1	
Age-adjusted death rate	2013-15	Per 100,000 Population	18	34.9	167	22.0	1.6:1	24.7	19.1	1.3:1	
Prostate Cancer											
Age-adjusted incidence rate	2012-14	Per 100,000 Population	55	132.6	635	93.3	1.4:1	150.6	82.6	1.8:1	
Age-adjusted death rate	2013-15	Per 100,000 Population	18	52.0	116	15.8	3.3:1	34.3	15.8	2.2:1	
Cervical Cancer											
Women 18 years of age and older who received a Pap test in the past year	2013	Percent		0%		50.7%	n/a	56.3%	49.3%	1.1:1	
Age-adjusted incidence rate	2012-14	Per 100,000 Population	4	9.1	26	6.1	1.5:1	10.2	8.4	1.2:1	
Age-adjusted death rate	2013-15	Per 100,000 Population	4	8.8	12	2.0	4.4:1	3.8	2.6	1.5:1	
Diabetes											
Adults who have ever been told they had diabetes	2013	Percent		0%		16.2%	n/a	12.3%	11.4%	1.1:1	
Emergency room visits due to diabetes	2012-14	Per 100,000 Population	5,242	5,345.4	21,726	2,793.7	1.9:1	4,071.1	1,962.5	2.1:1	
Age-adjusted hospitalization rate	2012-14	Per 100,000 Population	3,931	6,064.4	30,750	2,389.5	2.5:1	5,594.9	1,900.9	2.9:1	
Age-adjusted death rate	2013-15	Per 100,000 Population	37	41.2	292	19.5	2.1:1	38.5	17.3	2.2:1	
HIV/AIDS											
HIV Infection Cases	2013-15	Per 100,000 Population	31	33.1	47	7.0	4.7:1	66.9	10.7	6.3:1	
Reported AIDS Cases	2013-15	Per 100,000 Population	27	28.8	29	4.3	6.7:1	42.5	5.5	7.7:1	

2.6.1 FDOH Minority Health Profile - Black, Lake County, Florida - 2015

Indicator	Year(s)	Rate Type	COUNTY					STATE		
			Black Number	Black Rate	White Number	White Rate	Black/White Rate Ratio	Black Rate	White Rate	Black/White Rate Ratio
Age-adjusted HIV/AIDS death rate	2013-15	Per 100,000 Population	22	22.8	15	2.2	10.4:1	16.4	2.1	7.8:1
Modifiable Behaviors Leading to Premature Deaths										
Adults who are current smokers	2013	Percent		0%		14.6%	n/a	14.4%	18.6%	0.8:1
Adults who are obese	2013	Percent		0%		25.4%	n/a	34.2%	25.1%	1.4:1
Adults who are overweight	2013	Percent		0%		37.5%	n/a	36.9%	35.8%	1:1
Adults who are inactive or insufficiently active	2013	Percent		0%		48.7%	n/a	56.9%	48.8%	1.2:1
Adults who consumed five or more servings of fruits or vegetables per day	2013	Percent		0%		16.7%	n/a	22.4%	16.3%	1.4:1
Adults who had their cholesterol checked in the past two years	2013	Percent		0%		75.8%	n/a	69.1%	78.6%	0.9:1
Adults who meet aerobic recommendations	2013	Percent		0%		52.9%	n/a	46.8%	53.8%	0.9:1

Data Notes:

The rate ratios in this report compare the black rate to the white rate. A ratio of 2:1 would mean that the black rate is two times the white rate. A ratio of 0.5:1 would mean that the black rate is half of the white rate. Ratios are not calculated when either the white or black rate is zero (n/a indicated in the county ratio column).

[Click here](#) for data source document.

(u) Rates based on fewer than 5 events are considered unstable. Use caution when interpreting these rates.

Blanks are shown if there is no white or black count available for the indicator.

Report: FDOH CHARTS Minority Health Profile - Black, Lake County, Florida - 2015
 Web Address: <http://www.flhealthcharts.com/ChartsReports/rdPage.aspx?rdReport=ChartsProfiles.MinorityHealthProfile-Black>
 Date Accessed: March 29, 2017



Department of Health State of Florida

Bureau of Community Health Assessment
Division of Public Health Statistics and Performance Management

Minority Health Profile - Hispanic, Lake County, Florida - 2015

Indicator	Year(s)	Rate Type	COUNTY					STATE			
			Hispanic Number	Hispanic Rate	Non-Hispanic Number	Non-Hispanic Rate	Hisp./NH Rate Ratio	Hispanic Rate	Non-Hispanic Rate	Hisp./NH Rate Ratio	
Socio-Demographic Characteristics											
Population	2015	Percent of total pop.	46,043	14.4%	273,216	85.6%	n/a	24.4%	75.6%	n/a	
Population under 18 Years Old	2015	Percent of pop. under 18	15,190	23.8%	48,719	76.2%	n/a	30.4%	69.6%	n/a	
Population 18-64 Years Old	2015	Percent of pop. 18-64	26,799	15.2%	149,472	84.8%	n/a	25.6%	74.4%	n/a	
Population 65 and Over	2015	Percent of pop. 65+	4,054	5.1%	75,025	94.9%	n/a	14.3%	85.7%	n/a	
Individuals 25 years and over with no high school diploma	2011-15	Percent		26%		10%	2.6:1	23%	8.2%	2.8:1	
Individuals below poverty level	2011-15	Percent		20.9%		11.7%	1.8:1	21.6%	11.5%	1.9:1	
Civilian labor force which is unemployed	2011-15	Percent		9.6%		9.5%	1:1	9.6%	8.1%	1.2:1	
Median household income	2011-15	Dollars		\$42,081		\$47,786	0.9:1	\$40,851	\$52,510	0.8:1	
Owner-occupied housing units	2011-15	Percent		9.7%		79.6%	0.1:1	18.9%	64.3%	0.3:1	
Access to Care											
Adults who have a personal doctor	2013	Percent		53.9%		81.6%	0.7:1	59.7%	79.8%	0.7:1	
Adults who said their overall health was good to excellent	2013	Percent		48.9%		81.8%	0.6:1	76%	82.3%	0.9:1	
Adults with any type of health care insurance coverage	2013	Percent		51.7%		84.3%	0.6:1	64%	85.5%	0.7:1	
Adults who could not see a doctor at least once in the past year due to cost	2013	Percent		43.8%		12.7%	3.4:1	30.9%	14.7%	2.1:1	

2.6.2 FDOH Minority Health Profile - Hispanic, Lake County, Florida - 2015

Indicator	Year(s)	Rate Type	Hispanic Number	Hispanic Rate	Non-Hispanic Number	Non-Hispanic Rate	Hisp./NH Rate Ratio	Hispanic Rate	Non-Hispanic Rate	Hisp./NH Rate Ratio
Emergency room visits due to asthma	2012-14	Per 100,000 Population	613	497.1	2,592	326.0	1.5:1	551.7	509.7	1.1:1
Age-adjusted asthma hospitalization rate	2012-14	Per 100,000 Population	699	647.9	7,923	837.6	0.8:1	734.7	826.1	0.9:1
Maternal and Child Health										
Births to mothers ages 15-19	2013-15	Per 1,000 Females 15-19	152	28.4	566	29.3	1:1	22.4	21.7	1:1
Repeat births to mothers Ages 15-19	2013-15	Percent	36	23.7%	88	15.5%	1.5:1	17.5%	15.7%	1.1:1
Births to unwed mothers ages 15-19	2013-15	Percent	130	85.5%	523	92.4%	0.9:1	88.5%	92.5%	1:1
Births to unwed mothers ages 20-54	2013-15	Percent	756	46.1%	3,087	43.8%	1.1:1	48.8%	43.7%	1.1:1
Births to mothers over 18 without high school education	2013-15	Percent	333	19.4%	763	10.5%	1.9:1	18.6%	9.1%	2:1
Resident live births to mothers who smoked during pregnancy	2013-15	Percent	48	2.7%	941	12.4%	0.2:1	1.5%	8.1%	0.2:1
Births to mothers who are underweight (BMI<18.5) at time pregnancy occurred	2013-15	Percent	66	3.7%	386	5.1%	0.7:1	3.4%	4.3%	0.8:1
Births to mothers who are overweight at time pregnancy occurred	2013-15	Percent	456	25.4%	1,782	23.4%	1.1:1	27.1%	23.2%	1.2:1
Births to mothers who are obese at time pregnancy occurred	2013-15	Percent	492	27.4%	1,876	24.6%	1.1:1	20.3%	22%	0.9:1
Mothers who initiate breastfeeding	2013-15	Percent	1,571	87.6%	6,092	80%	1.1:1	89.5%	81.8%	1.1:1
Births with 1st trimester prenatal care	2013-15	Percent	1,302	78.5%	5,955	85%	0.9:1	80%	79.3%	1:1
Births with no prenatal care	2013-15	Percent	27	1.6%	106	1.5%	1.1:1	1.1%	1.6%	0.7:1
Fetal deaths	2013-15	Per 1,000 Deliveries	12	6.6	56	7.3	0.9:1	5.5	7.3	0.8:1
Infant deaths (0-364 days)	2013-15	Per 1,000 Births	8	4.5	68	8.9	0.5:1	4.7	6.5	0.7:1

2.6.2 FDOH Minority Health Profile - Hispanic, Lake County, Florida - 2015

Indicator	Year(s)	Rate Type	Hispanic Number	Hispanic Rate	Non-Hispanic Number	Non-Hispanic Rate	Hisp./NH Rate Ratio	Hispanic Rate	Non-Hispanic Rate	Hisp./NH Rate Ratio
Sudden Unexpected Infant Deaths (SUID)	2013-15	Per 1,000 Births	4	2.2	14	1.8	1.2:1	0.5	1.1	0.5:1
Maternal deaths	2013-15	Per 100,000 Births	0	0.0	1	13.1		16.8	27.1	0.6:1
Births with inter-pregnancy interval < 18 months	2013-15	Percent	365	31.8%	1,610	36.4%	0.9:1	28.8%	36.6%	0.8:1
Very low birthweight infants born in subspecialty perinatal centers	2013-15	Percent	13	92.9%	83	68%	1.4:1	77.3%	78.7%	1:1
Births < 37 weeks of gestation	2013-15	Percent	151	8.4%	850	11.2%	0.8:1	9%	10.4%	0.9:1
Births < 1500 grams (very low birth weight)	2013-15	Percent	14	0.8%	122	1.6%	0.5:1	1.3%	1.7%	0.8:1
Births < 2500 grams (low birth weight)	2013-15	Percent	114	6.4%	715	9.4%	0.7:1	7.3%	9.1%	0.8:1
Injuries and Injury-related Deaths										
Age-adjusted unintentional drowning death rate	2013-15	Per 100,000 Population	3	2.5	22	3.0	0.8:1	1.3	2.1	0.6:1
Hospitalizations for non-fatal traumatic brain injuries	2012-14	Per 100,000 Population	61	49.5	951	119.6	0.4:1	75.6	104.2	0.7:1
Age-adjusted Traumatic brain injury death rate	2013-15	Per 100,000 Population	7	5.8	226	20.1	0.3:1	11.3	18.9	0.6:1
Hospitalizations for non-fatal firearm injuries	2012-14	Per 100,000 Population	3	2.4	37	4.7	0.5:1	4.9	9.4	0.5:1
Age-adjusted firearms-related death rate	2013-15	Per 100,000 Population	2	1.6	97	11.2	0.1:1	6.1	13.8	0.4:1
Hospitalizations for non-fatal motor vehicle related injuries	2012-14	Per 100,000 Population	51	41.4	606	76.2	0.5:1	62.9	74.4	0.8:1
Age-adjusted motor vehicle crash death rate	2013-15	Per 100,000 Population	18	14.5	133	16.2	0.9:1	11.2	13.4	0.8:1
Hospitalizations for non-fatal unintentional fire injuries	2012-14	Per 100,000 Population	1	0.8	29	3.6	0.2:1	2.1	3.0	0.7:1
Hospitalizations for non-fatal unintentional falls	2012-14	Per 100,000 Population	136	110.3	3,940	495.6	0.2:1	189.9	370.7	0.5:1

2.6.2 FDOH Minority Health Profile - Hispanic, Lake County, Florida - 2015

Indicator	Year(s)	Rate Type	Hispanic Number	Hispanic Rate	Non-Hispanic Number	Non-Hispanic Rate	Hisp./NH Rate Ratio	Hispanic Rate	Non-Hispanic Rate	Hisp./NH Rate Ratio
Age-adjusted unintentional fall death rate	2013-15	Per 100,000 Population	2	2.4	354	21.3	0.1:1	5.4	10.2	0.5:1
Age-adjusted homicide death rate	2013-15	Per 100,000 Population	1	0.8	32	5.3	0.2:1	3.9	7.1	0.5:1
Age-adjusted suicide death rate	2013-15	Per 100,000 Population	8	7.4	134	14.3	0.5:1	7.6	16.0	0.5:1
Leading Causes of Death										
Coronary Heart Disease										
Adults who have ever been told they had coronary heart disease, heart attack, or stroke	2013	Percent		5.3%		16.8%	0.3:1	6.8%	12.2%	0.6:1
Age-adjusted hospitalization rate	2012-14	Per 100,000 Population	290	328.2	6,535	472.8	0.7:1	288.1	315.8	0.9:1
Age-adjusted death rate	2013-15	Per 100,000 Population	64	85.3	1,696	106.8	0.8:1	88.6	100.6	0.9:1
Stroke										
Adults who have ever been told they had a stroke	2013	Percent		0%		5.7%	n/a	2%	4.3%	0.5:1
Age-adjusted hospitalization rate	2012-14	Per 100,000 Population	118	173.7	3,236	303.3	0.6:1	224.4	261.1	0.9:1
Age-adjusted death rate	2013-15	Per 100,000 Population	26	30.1	490	30.6	1:1	32.2	34.9	0.9:1
Congestive Heart Failure										
Age-adjusted hospitalization rate	2012-14	Per 100,000 Population	39	48.6	1,067	72.4	0.7:1	92.3	72.3	1.3:1
Age-adjusted death rate	2013-15	Per 100,000 Population	4	5.8	196	11.4	0.5:1	8.5	11.8	0.7:1
Cancer										
Cancer cases diagnosed at advanced stage	2012-14	Percent	134	49.4%	3,267	47.5%	1:1	47.1%	45.7%	1:1
Age-adjusted cancer death rate	2013-15	Per 100,000 Population	92	106.3	2,594	174.2	0.6:1	119.1	163.3	0.7:1
Lung Cancer										
Age-adjusted incidence rate	2012-14	Per 100,000 Population	31	37.6	1,233	82.7	0.5:1	34.2	65.9	0.5:1
Age-adjusted death rate	2013-15	Per 100,000 Population	12	13.3	805	52.1	0.3:1	23.5	45.6	0.5:1

2.6.2 FDOH Minority Health Profile - Hispanic, Lake County, Florida - 2015

Indicator	Year(s)	Rate Type	Hispanic Number	Hispanic Rate	Non-Hispanic Number	Non-Hispanic Rate	Hisp./NH Rate Ratio	Hispanic Rate	Non-Hispanic Rate	Hisp./NH Rate Ratio
Colorectal Cancer										
Adults 50 years of age and older who have ever had a sigmoidoscopy or colonoscopy	2013	Percent		0%		77.7%	n/a	60.3%	72.7%	0.8:1
Adults 50 years of age and older who received a stool blood test in the past year	2013	Percent		0%		15.4%	n/a	13.9%	13.6%	1:1
Age-adjusted incidence rate	2012-14	Per 100,000 Population	23	25.4	617	45.0	0.6:1	33.8	37.5	0.9:1
Age-adjusted death rate	2013-15	Per 100,000 Population	5	5.8	225	15.4	0.4:1	12.5	13.9	0.9:1
Breast Cancer										
Women aged 40 to 74 years who received a mammogram in the past year	2013	Percent		0%		57.4%	n/a	61%	56.2%	1.1:1
Age-adjusted incidence rate	2012-14	Per 100,000 Population	34	63.5	895	133.4	0.5:1	87.7	124.4	0.7:1
Age-adjusted death rate	2013-15	Per 100,000 Population	12	23.5	178	23.1	1:1	15.6	20.8	0.8:1
Prostate Cancer										
Age-adjusted incidence rate	2012-14	Per 100,000 Population	29	67.0	668	96.7	0.7:1	86.9	90.8	1:1
Age-adjusted death rate	2013-15	Per 100,000 Population	5	16.7	134	18.0	0.9:1	17.3	17.3	1:1
Cervical Cancer										
Women 18 years of age and older who received a Pap test in the past year	2013	Percent		0%		50.7%	n/a	53.5%	49.3%	1.1:1
Age-adjusted incidence rate	2012-14	Per 100,000 Population	2	3.5	29	7.0	0.5:1	8.1	8.7	0.9:1
Diabetes										
Adults who have ever been told they had diabetes	2013	Percent		18%		16.2%	1.1:1	10.8%	11.4%	0.9:1
Emergency room visits due to diabetes	2012-14	Per 100,000 Population	3,027	2,454.9	26,680	3,355.9	0.7:1	2,068.8	2,506.1	0.8:1
Age-adjusted hospitalization rate	2012-14	Per 100,000 Population	2,095	2,273.8	34,644	2,666.3	0.9:1	2,412.1	2,283.8	1.1:1

2.6.2 FDOH Minority Health Profile - Hispanic, Lake County, Florida - 2015

Indicator	Year(s)	Rate Type	Hispanic Number	Hispanic Rate	Non-Hispanic Number	Non-Hispanic Rate	Hisp./NH Rate Ratio	Hispanic Rate	Non-Hispanic Rate	Hisp./NH Rate Ratio
Age-adjusted death rate	2013-15	Per 100,000 Population	19	24.2	321	21.3	1.1:1	18.1	19.9	0.9:1
HIV/AIDS										
HIV Infection Cases	2013-15	Per 100,000 Population	15	11.5	81	10.1	1.1:1	27.9	22.2	1.3:1
AIDS cases	2013-15	Per 100,000 Population	11	8.5	58	7.2	1.2:1	11.2	13.1	0.9:1
Age-adjusted HIV/AIDS death rate	2013-15	Per 100,000 Population	3	2.6	34	4.3	0.6:1	2.5	4.8	0.5:1
Modifiable Behaviors Leading to Premature Deaths										
Adults who are current smokers	2013	Percent		0%		14.6%	n/a	13.9%	18.6%	0.7:1
Adults who are obese	2013	Percent		45.4%		25.4%	1.8:1	26.4%	25.1%	1.1:1
Adults who are overweight	2013	Percent		51.4%		37.5%	1.4:1	38.6%	35.8%	1.1:1
Adults who consumed five or more servings of fruits or vegetables per day	2013	Percent		0%		16.7%	n/a	19.8%	16.3%	1.2:1
Adults who had their cholesterol checked in the past two years	2013	Percent		78.8%		75.8%	1:1	65.2%	78.6%	0.8:1
Adults who meet aerobic recommendations	2013	Percent		0%		52.9%	n/a	45%	53.8%	0.8:1

Data Notes:

Population - Rates calculated using July 1 population estimates from the Florida Legislature, Office of Economic and Demographic Research. The population data for 2001-2010, along with rates affected by the population data, has been updated on Florida CHARTS. Following a census, it is customary to revise population projections for the intercensal years based on information from the latest census. Revising the population data from what was predicted to actual estimates ensures accurate accounting of the racial, ethnic, and gender distribution of the population. These changes affect the population data and rates calculated for your community.

[Click here](#) for data source document.

(u) Rates based on fewer than 5 events are considered unstable. Use caution when interpreting these rates.

Hisp. indicates Hispanic
NH indicates Non-Hispanic

Blanks are shown if there is no hispanic or non-hispanic count available for the indicator.

Rate Ratios

The rate ratios in this report compare the Hispanic rate to the Non-Hispanic rate. A ratio of 2:1 would mean that the Hispanic rate is 2x the Non-Hispanic rate. A ratio of 0.5:1 would mean that the Hispanic rate is half of the Non-Hispanic rate. Ratios are not calculated when either the Hispanic or Non-Hispanic rate is zero (n/a indicated in the county ratio column).

Report: FDOH CHARTS Minority Health Profile - Hispanic, Lake County, Florida - 2015
Web Address: <http://www.flhealthcharts.com/ChartsReports/rdPage.aspx?rdReport=ChartsProfiles.MinorityHealthProfile-Hispanic>
Date Accessed: March 29, 2017

2013 Florida Behavioral Risk Factor Surveillance System Data

County Highlights

Strengths*

Data is not significant compared to state.

Challenges*

- High percentage of adults who have ever been told they had skin cancer
- High percentage of adults who have ever been told they had angina or coronary heart disease
- High percentage of adults who have ever been told they had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia
- High percentage of adults who have ever been told they had high blood cholesterol

Selected Indicators**	Percentage (%)	Estimated affected adult population
Adults who are current smokers	13.9	33,787
Adults who are obese	27.5	67,083
Adults who are physically inactive or insufficiently active	48.1	117,199
Adults who have ever been told they had diabetes	15.2	37,109

* These selected strengths and challenges are significantly different compared with overall state data.

** These four selected indicators were used in the America's Health Rankings Report (2013 Edition).

Source: FDOH Florida Behavioral Risk Factor Surveillance System (BRFSS) 2013 Data – Lake County Highlights
 Web Address: http://www.floridahealth.gov/statistics-and-data/survey-data/behavioral-risk-factor-surveillance-system/reports/_documents/2013county/_documents/Lake.pdf
 Date Accessed: 13 April 2017

CRIME IN FLORIDA



Lake County

January - December 2015



Florida Department of Law Enforcement

The statistics presented in this release are an indication of crime and criminal activities known to, and reported by, law enforcement agencies for 2015. This report reflects data residing in the UCR database as of 4/28/2016.

Offense Totals

INDEX OFFENSES	2014	2015	Percent Change
Murder	7	11	57.1
Firearm	2	10	400.0
Knife/Cutting Instr.	0	0	
Hands/Fists/Feet	1	0	-100.0
Other	4	1	-75.0
Rape	111	108	-2.7
Firearm	1	5	400.0
Knife/Cutting Instr.	1	1	0.0
Hands/Fists/Feet	97	86	-11.3
Other	12	16	33.3
Fondling	40	39	-2.5
Firearm	0	0	
Knife/Cutting Instr.	0	0	
Hands/Fists/Feet	39	38	-2.6
Other	1	1	0.0
Robbery	109	129	18.3
Firearm	56	65	16.1
Knife/Cutting Instr.	7	6	-14.3
Hands/Fists/Feet	36	43	19.4
Other	10	15	50.0
Aggravated Assault	668	745	11.5
Firearm	180	210	16.7
Knife/Cutting Instr.	124	133	7.3
Hands/Fists/Feet	123	90	-26.8
Other	241	312	29.5
Burglary	1,953	1,909	-2.3
Forced Entry	1,060	1,005	-5.2
No Forced Entry	811	800	-1.4
Attempted Entry	82	104	26.8
Larceny	4,691	5,169	10.2
Pocket Picking	4	8	100.0
Purse Snatching	9	9	0.0
Shoplifting	1,079	1,295	20.0
From Motor Vehicle	860	1,231	43.1
Motor Vehicle Parts	311	310	-0.3
Bicycles	204	178	-12.7
From Building	597	536	-10.2
From Coin Oper. Dev.	5	5	0.0
All Other	1,622	1,597	-1.5
Motor Vehicle Theft	376	410	9.0
TOTAL INDEX OFFENSES	7,955	8,520	7.1

Crime Volume

Total Index	8,520
Total Violent	1,032
Total Property	7,488

Property Values

Total Stolen	\$10,687,746
Total Recovered	\$2,748,525

Arrest Data

Total	9,268
Adult	8,567
Juvenile	701
Male	6,668
Female	2,600

Domestic Violence by Offense Type

PRIMARY OFFENSE	2014	2015	Percent Change
Murder	4	1	-75.0
Manslaughter	1	1	0.0
Rape	32	37	15.6
Fondling	17	15	-11.8
Aggravated Assault	224	200	-10.7
Aggravated Stalking	0	4	
Simple Assault	1,254	1,275	1.7
Threat/Intimidation	10	16	60.0
Simple Stalking	4	11	175.0
TOTAL OFFENSES	1,546	1,560	0.9

Property Information Values

TYPE PROPERTY	STOLEN VALUE	RECOVERED VALUE
Currency, Note, Etc.	766,295	21,038
Jewelry, Precious Metals	1,615,301	75,811
Clothing & Furs	162,381	49,933
Motor Vehicles	3,516,389	2,121,299
Office Equipment	393,810	47,280
TVs, Radios, Stereos	423,187	29,168
Firearms	244,746	29,844
Household Goods	349,437	18,362
Consumable Goods	139,287	13,777
Livestock	3,762	0
Miscellaneous	3,073,151	342,013
TOTAL VALUES	10,687,746	2,748,525

CRIME IN FLORIDA**Lake County****January - December 2015****Crime Trends**

Year	Index Total Crimes	% Change	Violent Crime	% Change	Property Crime	% Change	Population	% Change	Crime Rate	% Change
2011	8,914	6.3	1,086	-9.0	7,828	8.9	298,265	0.3	2,988.6	6.0
2012	8,309	-6.8	997	-8.2	7,312	-6.6	299,677	0.5	2,772.7	-7.2
2013	7,755	-6.7	941	-5.6	6,814	-6.8	303,317	1.2	2,556.7	-7.8
2014	7,955	2.6	935	-0.6	7,020	3.0	309,736	2.1	2,568.3	0.5
2015	8,520	7.1	1,032	10.4	7,488	6.7	316,569	2.2	2,691.4	4.8

Domestic Violence**by Offense Type to Victim's Relationship to Offender**

OFFENSES	RELATIONSHIP VICTIM TO OFFENDER								Arrests
	Total	Spouse	Parent	Child	Sibling	Other Family	Cohabitant	Other	
Murder	1	0	0	0	0	1	0	0	0
Manslaughter	1	0	0	0	0	1	0	0	1
Rape	37	2	1	13	7	5	6	3	17
Fondling	15	0	4	5	1	1	3	1	2
Aggravated Assault	200	44	17	17	20	16	76	10	125
Aggravated Stalking	4	1	0	0	0	0	2	1	1
Simple Assault	1,275	291	152	85	99	80	506	62	700
Threat/Intimidation	16	7	2	0	1	0	6	0	7
Simple Stalking	11	5	1	0	0	0	2	3	2
TOTAL OFFENSES	1,560	350	177	120	128	104	601	80	855

ARSON			
STRUCTURE	TOTAL INHABITED	TOTAL ABANDONED	ATTEMPTED
Single Occupied Residence	4	1	2
Other Residence	0	0	0
Storage	0	0	0
Industrial/Manufacturing	0	0	0
Commercial	0	0	0
Community/Public	1	0	0
All Other Structures	0	1	0
Motor Vehicles	0	7	0
Other Mobile	0	0	0
Other	0	3	0
TOTAL	5	12	2

VEHICLE RECOVERY	
	Number
Stolen Locally and Recovered Locally	147
Stolen Locally and Recovered by Other Jurisdictions	96
Stolen Other Jurisdictions and Recovered Locally	69
TOTAL	312

Report: FDLE Crime in Florida Report - Lake County, January-December 2015
 Web Address: <http://www.fdle.state.fl.us/cms/FSAC/UCR/2015/Counties/Lake15.aspx>
 Date Accessed: March 10, 2017



**STUDENT MEMBERSHIP PK-12
NUMBER AND PERCENT BY RACIAL/ETHNIC CATEGORY
SCHOOL YEAR 2015-16, SURVEY 2 as of 12/21/15
DISTRICT TOTALS**

To provide meaningful results and to protect the privacy of individual students, data are displayed only when the total number of students in a group is at least 10 and when the performance of individuals would not be disclosed. Data for groups less than 10 are displayed with an asterisk (). Blank cells indicate no population for that subgroup. Total Minority and Florida totals **do not** include masked cell counts.

DISTRICT #	DISTRICT	White		Black or African American		Hispanic/Latino		Asian		Native Hawaiian or Other Pacific Islander		American Indian or Alaska Native		Two or More Races		Total Minority	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
00	FLORIDA	1,101,574	39.5%	628,560	22.5%	880,660	31.6%	73,709	2.6%	4,138	0.1%	8,931	0.3%	93,672	3.4%	1,689,670	60.5%
35	LAKE	23,044	54.3%	6,402	15.1%	9,779	23.0%	1,106	2.6%	55	0.1%	269	0.6%	1,783	4.2%	19,394	45.7%

Report: FDOE Student Membership by Race, Preliminary Survey 2, 2015-2016
Web Address: <http://www.fdoe.org/core/fileparse.php/7584/urll/MembershipFPS1516.xls>
Date Accessed: April 13, 2017



**Free/Reduced Lunches by District
2016-17 Survey 2 - PRELIMINARY**

District #	District	Total	# Free	# Reduced Price	# Provision 2	CEP # Direct Cert
35	LAKE	42,472	23,185	2,675	0	0

Report: FDOE Lunch Status by District, Preliminary Survey 2, 2016-2017
Web Address: <http://www.fdoe.org/core/fileparse.php/7584/urll/1617-Lunch-Status-by-District.xls>
Date Accessed: April 13, 2017



**District High School Standard Diplomas
2014-15, Survey 5 Data FINAL**

(Standard Diploma includes only diploma codes that meet the Federal Definition of a standard diploma graduate.)

**To provide meaningful results and to protect the privacy of individual students, data are displayed only when the total number of students in a group is at least 10 and when the performance of individuals would not be disclosed. Data for groups less than 10 are displayed with an asterisk (*). Blank cells indicate no data.*

District		White		Black or African American		Hispanic/Latino		Asian		Native Hawaiian or Other Pacific Islander		American Indian or Alaskan Native		Two or More Races		Total		
		Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Total
35	LAKE	714	691	179	181	230	215	53	29		1	7	7	47	26	1,230	1,150	2,380

Report: FDOE Florida Public High School Completers by District, 2014-2015 Report

Web Address: <http://www.fdoe.org/accountability/data-sys/edu-info-accountability-services/pk-12-public-school-data-pubs-reports/students.shtml>

Date Accessed: March 29, 2017



**Student Discipline Data by Race and Gender
School Year 2014-15, Survey 5 Final Data**

To provide meaningful results and to protect the privacy of individual students, data are displayed only when the total number of students in a group is at least 10 and when the performance of individuals would not be disclosed. Data for groups less than 10 are displayed with an asterisk ().

Note: Totals are unduplicated and students are counted only once for each type of action.

District	District Name	Discipline Description	White	Black or African American	Hispanic/Latino	Asian	Native Hawaiian or Other Pacific	American Indian or Alaska Native	Two or More Races	Female	Male	Total
00	FLORIDA	Corporal Punishment	1,088	389	126	3	0	1	60	260	1,407	1,667
00	FLORIDA	Expelled Without Continuing Educational Services	122	145	70	3	0	4	21	85	280	365
00	FLORIDA	Expelled With Continuing Educational Services	131	131	39	0	0	2	21	96	228	324
00	FLORIDA	Suspension Extended Pending Hearing	145	155	79	1	0	0	14	109	285	394
00	FLORIDA	Suspension In-School	64,145	74,505	52,936	1,433	206	665	6,903	68,749	132,044	200,793
00	FLORIDA	Seclusion	144	127	48	3	0	0	16	79	259	338
00	FLORIDA	Mechanical Restraint	105	26	5	0	0	1	2	45	94	139
00	FLORIDA	Suspension Out-of-School	48,686	70,423	38,533	822	142	527	5,860	49,662	115,331	164,993
00	FLORIDA	Placement in Alternative Educational Setting	2,067	2,843	1,371	40	6	21	255	1,913	4,690	6,603
00	FLORIDA	Physical Restraint	324	205	111	1	0	1	38	126	554	680
00	FLORIDA	Other SES IR Defined	2,727	6,753	2,139	71	12	30	349	3,321	8,760	12,081
00	FLORIDA	Change in Placement	47	103	41	0	1	0	9	28	173	201
35	LAKE	Corporal Punishment	*	*	*	*	*	*	*	*	*	*
35	LAKE	Expelled Without Continuing Educational Services	5	2	3	0	0	0	1	0	11	11
35	LAKE	Expelled With Continuing Educational Services	6	9	0	0	0	0	1	7	9	16
35	LAKE	Suspension Extended Pending Hearing	44	36	20	0	0	0	5	31	74	105
35	LAKE	Suspension In-School	675	564	405	27	5	7	99	570	1,212	1,782
35	LAKE	Seclusion	7	4	1	0	0	0	1	3	10	13
35	LAKE	Suspension Out-of-School	1,583	1,247	670	36	2	12	162	1,060	2,652	3,712
35	LAKE	Placement in Alternative Educational Setting	25	16	9	0	0	0	2	17	35	52
35	LAKE	Physical Restraint	15	7	3	0	0	0	3	8	20	28

Report: FDOE District Discipline Report - Lake County, 2014-2015

Web Address: <http://www.fdoe.org/core/fileparse.php/7584/urll/1415DisciplineReport.xls>

Date Accessed: April 13, 2017

Lake County, Florida, 2012

Household SURVIVAL Budget, Lake County, Florida, 2012						
	Single Adult	Married Couple	Adult, One Child	Adult, One Child Care	Two Adults, 2 Children	Two Adults, 2 Child Care
Housing	\$753	\$819	\$819	\$819	\$936	\$936
Childcare	0	0	\$333	\$521	\$667	\$904
Food	\$176	\$365	\$355	\$301	\$609	\$531
Transportation	\$350	\$437	\$437	\$437	\$699	\$699
Healthcare	\$107	\$213	\$267	\$267	\$426	\$426
Miscellaneous	\$157	\$204	\$238	\$252	\$346	\$364
Tax	\$189	\$207	\$165	\$173	\$126	\$141
Monthly Total	\$1,731	\$2,246	\$2,628	\$2,770	\$3,810	\$4,002
Annual Total	\$20,776	\$26,953	\$31,533	\$33,236	\$45,721	\$48,023

Note: One childcare refers to an infant; two childcare refers to one infant and one 4 year old.
For an additional infant add 15 percent; for an additional 4 year old add 6 percent; and for an additional child add 13 percent.
Sources: HUD, NACARRA, USDA, BLS, IRS and state treasury.

Household STABILITY Budget, Lake County, Florida, 2012						
	Single Adult	Married Couple	Adult, One Child	Adult, One Child Care	Two Adults, 2 Children	Two Adults, 2 Child Care
Housing	\$1,024	\$1,170	\$1,170	\$1,170	\$1,089	\$1,089
Childcare	0	0	\$375	\$625	\$750	\$1,083
Food	\$325	\$664	\$671	\$575	\$1,160	\$1,002
Transportation	\$347	\$694	\$694	\$694	\$1,110	\$1,110
Healthcare	\$204	\$461	\$791	\$791	\$951	\$951
Miscellaneous	\$190	\$299	\$370	\$385	\$506	\$524
Savings	\$190	\$299	\$370	\$385	\$506	\$524
Tax	\$211	\$222	\$317	\$315	\$526	\$567
Monthly Total	\$2,492	\$3,808	\$4,758	\$6,849	\$6,599	\$6,849
Annual Total	\$29,901	\$45,699	\$57,100	\$59,285	\$79,187	\$82,186

Note: One childcare refers to an infant; two childcare refers to one infant and one 4 year old.
For an additional infant add 29 percent; for an additional 4 year old add 3 percent; and for an additional child add 4 percent.
Sources: HUD, NACARRA, USDA, BLS, IRS and state treasury.

School of Public Affairs and Administration, Rutgers: <https://spaa.newark.rutgers.edu/united-way-ALICE>

UNITED WAY ALICE REPORT – FLORIDA: <http://www.unitedwayalice.org/index.php>



Ambulatory Care Sensitive Conditions Profile, Lake County, Florida - 2014

Indicator	Year	County Count	County Rate	County Quartile 1=most favorable 4=least favorable	State Rate
Preventable Hospitalizations Under 65 from All Conditions	2014	3,463	1,465.9	4th Quartile	1,179.9
Preventable Hospitalizations from Iron Deficiency Anemia Ages 1-5	2014	<5			0.7
Preventable Hospitalizations Under 65 from Angina	2014	13	5.5	3rd Quartile	4.8
Preventable Hospitalizations Under 65 from Asthma	2014	314	132.9	3rd Quartile	127.2
Preventable Hospitalizations Under 65 from Cellulitis	2014	315	133.3	4th Quartile	115.1
Preventable Hospitalizations Under 65 from Chronic Obstructive Pulmonary Disease (COPD)	2014	408	172.7	3rd Quartile	125.7
Preventable Hospitalizations Under 65 from Congestive Heart Failure	2014	374	158.3	4th Quartile	112.6
Preventable Hospitalizations from Congenital Syphilis Among Infants Less Than 28 Days Old	2014	<5			0.2
Preventable Hospitalizations Under 6 from Convulsions	2014	20	8.5	4th Quartile	6.4
Preventable Hospitalizations from Convulsions Ages 6 Years or Older	2014	69	29.2	3rd Quartile	24.3
Preventable Hospitalizations Under 65 from Grand Mal & Other Epileptic Conditions	2014	232	98.2	4th Quartile	78.6
Preventable Hospitalizations Under 65 from Dehydration - volume depletion	2014	261	110.5	4th Quartile	78.9
Preventable Hospitalizations Under 65 from Dental Conditions	2014	27	11.4	3rd Quartile	11.5
Preventable Hospitalizations Under 65 from Diabetes	2014	437	185.0	4th Quartile	140.5
Preventable Hospitalizations Under 65 from Severe Ear, Nose, & Throat Infections	2014	51	21.6	4th Quartile	18.9
Preventable Hospitalizations Under 1 from Failure to Thrive	2014	<5			109.2
Preventable Hospitalizations Under 65 from Hypertension	2014	88	37.2	3rd Quartile	36.5
Preventable Hospitalizations Under 65 from Gastroenteritis	2014	186	78.7	4th Quartile	55.0
Preventable Hospitalizations Under 65 from Hypoglycemia	2014	<5			1.6
Preventable Hospitalizations Under 65 from Kidney/Urinary Infection	2014	179	75.8	4th Quartile	56.8
Preventable Hospitalizations Under 65 from Nutritional Deficiencies	2014	62	26.2	2nd Quartile	28.3
Preventable Hospitalizations Under 65 from Bacterial Pneumonia	2014	432	182.9	4th Quartile	151.1
Preventable Hospitalizations Under 65 from Skin Grafts with Cellulitis	2014	19	8.0	2nd Quartile	8.3
Preventable Hospitalizations Under 65 from Pelvic Inflammatory Disease	2014	13	10.8	2nd Quartile	16.3
Preventable Hospitalizations Under 65 from Non-Pulmonary Tuberculosis	2014	<5			0.4
Preventable Hospitalizations Under 65 from Pulmonary Tuberculosis	2014	<5			1.7

3.3.1 FDOH CHARTS Ambulatory Care Sensitive Conditions Profile, Lake County, Florida - 2014

Indicator	Year	County Count	County Rate	County Quartile 1=most favorable 4=least favorable	State Rate
Preventable Hospitalizations Under 65 from Vaccine Preventable Conditions	2014	<5			1.0

Data Note(s)

Data Source: Florida Agency for Health Care Administration (AHCA). Click to view [Ambulatory Care Sensitive Conditions Codes](#)

Population:The population data for 2001-2010, along with rates affected by the population data, has been updated on FLHealthCHARTS. Following a census, it is customary to revise population projections for the intercensal years based on information from the latest census. Revising the population data from what was predicted to actual estimates ensures accurate accounting of the racial, ethnic, and gender distribution of the population. These changes affect the population data and rates calculated for your community.

Some counts and conditions using ICD-9-CM diagnostic codes may differ from those published previously on FLHealthCHARTS. In July 2016, a revised, final version of the diagnostic codes for Ambulatory Care Sensitive Conditions was obtained directly from Dr. John Billings, Director, Health Policy and Management Program, Robert F. Wagner School of Public Service, New York University.

County Quartiles:

Most favorable situation 1 (Lightest color on maps)	Average 2 or 3	Least favorable situation 4 (Darkest color on maps)
---	-------------------	---

Quartiles in this report allow you to compare your county's data with other counties.

Calculation of quartiles require several steps to create the final results.

First, the county values are sorted from most favorable to least favorable.

Second, a rank is assigned based on the value for each county in relation to the preceding county. If a county has the same value as the preceding county, then the same rank is assigned.

Third, the ranking is divided into 4 groups. The number of counties in each group depends on how many counties had the same rank.

Data are suppressed in instances in which a county has between 1 and 4 reported hospitalizations for a particular time period. Rates are suppressed in these instances as well.

Report: FDOH CHARTS Ambulatory Care Sensitive Conditions Profile, Lake County, Florida - 2014
 Web Address: <http://www.flhealthcharts.com/ChartsReports/rdDownload/rdExport-a66e655a-5a10-4519-8c5c-5245bc3fab12rdDLvink25vhvfw1k55rjbs2rvn-131eb79aeceb4ca89064f1d07a5381a8.pdf>
 Date Accessed: April 18, 2017



Florida Access and Functional Needs Profile, Lake County - 2016

Indicator	Year(s)	Rate Type	County Count	County Rate	State Count	State Rate
Demographic Data						
Total Population	2016	Count	327,028		20,148,300	
Resident Live Births (3-year)	2015	Per 1000 Population	6,350	6.6	444,178	7.5
Population 65-84 Years Old	2015	Percent of Total Population	68,794	21.5	3,263,892	16.4
Population 85+ Years Old	2015	Percent of Total Population	10,285	3.2	521,965	2.6
Elders Living Alone	2015	Percent of Population 60+	20,514	20.2	1,173,301	23.3
Children under 18 in Foster Care	2015	per 100,000 Population, Under 18	199	311.4	20,948	506.61
Socioeconomic Data						
Census Population Below Poverty Level	2015	Percent of Total Census Population	42,497	13.9	3,180,109	16.5
Households Receiving Food Stamps	2014	Percent of Households	14,964	12.7	1,032,766	14.3
Census Population Uninsured (Under 65)	2014	Percent of Population Under 65	46,893	20.8	3,679,181	23.6
Median Monthly Medicaid Enrollment	2015	per 100,000 Population	59,455	18622.8	3,959,891	19938.22
WIC Eligibles	2016	Percent of Total Population	9,287	2.8	663,786	3.3
WIC Eligibles Served	2016	Percent of WIC Eligibles	7,146	76.9	479,129	72.2
Homeless Estimate	2016	Percent of Total Population	198	0.1	33,502	0.2
Census Population Ages 5+ Who Speak English Less than Very Well	2015	Percent of Census Population 5+	12,746	4.3	2,167,671	11.7
Vulnerability Data						
Census Population with 1 or More Disabilities	2015	Percent of Total Census Population	46,849		2,553,636	
Developmentally Disabled Clients	2015	Count	981		57,056	
Brain and/or Spinal Cord Injured Clients	2015	Count	16		1,903	
Seriously Mentally Ill Adults	2016	Count	1,602		146,968	

3.3.2 FDOH Florida Access and Functional Needs Profile, Lake County - 2016

Percent of Adults Limited in Activities because of Physical, Mental, or Emotional Problems Percent of Adults Limited in Activities because of Physical, Mental, or Emotional Problems	2013	Percent of Surveyed		20.7	6,075	
Percent of Adults Who Use Special Equipment because of a Health Problem Percent of Adults Who Use Special Equipment because of a Health Problem	2013	Percent of Surveyed		7.6	2,981	
Census Population 18-64 with Hearing Difficulty Census Population 18-64 with Hearing Difficulty	2015	Percent of Census Population 18-64	4,023	2.4	206,762	1.7
Census Population 18-64 with Vision Difficulty Census Population 18-64 with Vision Difficulty	2015	Percent of Census Population 18-64	3,807	2.2	212,607	1.8
Census Population 18-64 with Independent Living Difficulty Census Population 18-64 with Independent Living Difficulty	2015	Percent of Census Population 18-64	7,266	4.3	429,945	3.6
Substance Abuse Program Enrollees - Adult Substance Abuse Program Enrollees - Adult	2016	Count	546		63,850	
Medicare Beneficiaries Enrolled in Medical Essential Electric Utility Program Medicare Beneficiaries Enrolled in Medical Essential Electric Utility Program	2016	Count	241		11,062	
Children Through Age 20 Children Through Age 20						
Seriously Emotionally Disturbed Children Seriously Emotionally Disturbed Children	2016	Count	228		34,552	
CMS Clients CMS Clients	2014	Percent of Population Under 21	1,332	1.8	82,071	1.7
Medical Foster Care Children Medical Foster Care Children	2016	Count	0		691	
Census Population Under 18 with Hearing Difficulty Census Population Under 18 with Hearing Difficulty	2015	Percent of Census Population Under 18	372	0.6	21,336	0.5
Census Population Under 18 with Vision Difficulty Census Population Under 18 with Vision Difficulty	2015	Percent of Census Population Under 18	276	0.4	28,087	0.7
Substance Abuse Program Enrollees - Children Substance Abuse Program Enrollees - Children	2016	Count	288		19,960	
Elderly Ages 65+ Elderly Ages 65+						
Probable Alzheimer's Cases (65+) Probable Alzheimer's Cases (65+)	2015	Percent of Population 65+	10,062	12.7	489,003	12.9
Census Population 65+ with Hearing Difficulty Census Population 65+ with Hearing Difficulty	2015	Percent of Census Population 65+	11,412	12.7	495,733	12.3
Census Population 65+ with Vision Difficulty Census Population 65+ with Vision Difficulty	2015	Percent of Census Population 65+	4,486	5	221,959	5.5

Data Note(s)

Population - Rates calculated using July 1 population estimates from the Florida Legislature, Office of Economic and Demographic Research. The population data for 2001-2010, along with rates affected by the population data, has been updated on FLHealthCHARTS. Following a census, it is customary to revise population projections for the intercensal years based on information from the latest census. Revising the population data from what was predicted to actual estimates ensures accurate accounting of the racial, ethnic, and gender distribution of the

3.3.2 FDOH Florida Access and Functional Needs Profile, Lake County - 2016

population. These changes affect the population data and rates calculated for your community.

Blanks are shown if there is no access and functional needs profile count or rate available for the indicator.

[Click here for Florida access and functional needs profile data sources](#)

Report: FDOH CHARTS Florida Access and Functional Needs Profile, Lake County, Florida - 2016
Web Address: <http://www.flhealthcharts.com/ChartsReports/rdDownload/rdExport-a66e655a-5a10-4519-8c5c-5245bc3fab12rdDLvink25vhvfw1k55rjbs2rvn-131eb79aeceb4ca89064f1d07a5381a8.pdf>
Date Accessed: March 29, 2017



Florida Environmental Public Health Tracking

Community Environmental Health Profile Report, Lake County

Measure	Year(s)	Rate Type	Rate	State Rate
Housing units	2008 - 2012	Count	144,786	8,983,414
Housing units built between 1950 and 1979	2008 - 2012	Percent %	22.73	36.11
Housing units that are vacant	2008 - 2012	Percent %	19.01	20.44
Housing units that use wood, fuel oil, kerosene, coal, or coke as heating fuel	2008 - 2012	Percent %	0.59	0.48
Occupied housing units that lack complete plumbing facilities	2008 - 2012	Percent %	0.5	0.44
Pre-1950 housing units	2008 - 2012	Percent %	3.87	4.55
Adults who are obese (over 17 years old)	2010	Percent %	29.8	27.2
Middle and high school students who are obese (10 to 20 years old)	2012	Percent %	13.57	11.13
Adults who classify their overall health as "fair" or "poor" (over 17 years old)	2010	Percent %	17.1	17.1
Population ages 65 and older who live alone (65 or greater years old)	2010	Percent %	7	11
Population under age 5 (0 to 4 years old)	2010	Percent %	5.6	5.8
Population that live within a ten minute walk (1/2 mile) of a park	2010	Percent %	31.39	44.83
Population that live within a ten minute walk (1/2 mile) of an off-street trail system	2013	Percent %	4.45	10.64
Population that lives within a 1/2 mile of a fast food restaurant	2013	Percent %	14.45	33.54
Population that lives within a 1/2 mile of a healthy food source	2013	Percent %	13.21	31.81
Children less than 5 years old living below the poverty level (0 to 4 years old)	2010	Percent %	23.5	22.19
Adults ages 65 and older living below the poverty level (65 or greater years old)	2010	Percent %	5.9	9.9
Pedestrian deaths on public roads	2011	Percent %	3.65	1.29
Travel time to work in minutes	2008 - 2012	Average	27.6	25.57
Workers who carpool	2008 - 2012	Percent %	11.22	10.01

3.4.1 FDOH Community Environmental Health Profile Report, Lake County

Workers who drive alone to work	2008 - 2012	Percent %	80.75	79.48
Workers who use public transportation	2008 - 2012	Percent %	0.32	2.03
Workers who walk to work	2008 - 2012	Percent %	1.09	1.56
Workers who work at home	2008 - 2012	Percent %	4.72	4.67
Dog bite related emergency department visits	2014	Crude Rate per 100,000	108.29	110.81
Dog bite related emergency department visits	2009 - 2013	5 Year Crude Rate per 100,000	95.23	103.38
Dog bite related hospitalizations	2009 - 2013	5 Year Crude Rate per 100,000	6.51	5.05
Dog bite related hospitalizations	2014	Crude Rate per 100,000	7.07	6.32
Days with maximum 8-hour average ozone concentration over the National Ambient Air Quality Standard (Monitor + Modeled)	2008	Count	0	Not Available
Days with PM2.5 levels over the National Ambient Air Quality Standard (Monitor + Modeled)	2008	Percent %	0	Not Available
Population living within 500 feet of a busy roadway	2013	Percent %	2.83	9.18
Schools and day care facilities within 500 feet of a busy roadway	2013	Percent %	11.47	19.94
Middle and high school students who live in homes where smoking is not allowed indoors (10 to 20 years old)	2012	Percent %	88.22	90.1
Middle and high school students who were exposed to secondhand smoke in the past seven days (10 to 20 years old)	2012	Percent %	53.03	44.98
Nonsmoking adults who were exposed to secondhand smoke in the past seven days (over 17 years old)	2007	Percent %	17.5	14.9
Housing units tested for radon	2012	Percent %	42.07	80.14
Homes with a carbon monoxide detector	2010	Percent %	28.34	26.39
Unintentional carbon monoxide exposures	2011	Crude Rate per 100,000	0.33	0.83
Unintentional carbon monoxide exposures with a health effect	2011	Crude Rate per 100,000	0	0.35
Unintentional carbon monoxide exposures with a health effect, where case was treated in a healthcare facility	2011	Crude Rate per 100,000	0	0.31
Asthma hospitalizations	2009 - 2013	5 Year Crude Rate per 10,000	12.88	15.3
Asthma hospitalizations	2014	Age-Adjusted Rate per 10,000	14.72	14.34
Asthma emergency department visits	2014	Age-Adjusted Rate per 10,000	35.61	53.93

3.4.1 FDOH Community Environmental Health Profile Report, Lake County

Asthma emergency department visits	2009 - 2013	5 Year Crude Rate per 10,000	33.42	48.11
Adults who currently have asthma (over 17 years old)	2010	Percent %	6.2	8.3
Middle and high school students who have ever been told they have asthma (10 to 20 years old)	2012	Percent %	19.51	20.59
Heart attack hospitalizations	2014	Age-Adjusted Rate per 10,000	32.69	21.91
Heart attack hospitalizations	2009 - 2013	5 Year Crude Rate per 10,000	32.18	21.62
Preterm live singleton births	2014	Percent %	12.92	12.33
Very preterm live singleton births	2014	Percent %	2.3	1.93
Low birthweight (less than 2500 grams) live singleton term births	2014	Percent %	3.51	3.21
Infant deaths per 1000 live births (Less than one years old)	2014	Crude Rate per 1,000	8.8	5.4
Hospitalizations for employed persons (16 and older years old)	2011	Crude Rate per 100,000	154.19	96.37
Emergency department visits among employed persons (16 and older years old)	2011	Crude Rate per 100,000	1,103.04	883.82
Pesticide exposures	2011	Crude Rate per 100,000	23.08	24.65
Pesticide exposures with a health effect	2011	Crude Rate per 100,000	5.01	5.43
Pesticide exposures with a health effect, where case was treated in a healthcare facility	2011	Crude Rate per 100,000	3.01	2.15
Emergency department visits during summer months (including transfer to hospitals)	2014	Crude Rate per 100,000	32.78	23.19
Heat-related emergency department visits	2009 - 2013	5 Year Crude Rate per 100,000	27.44	19.21
Heat-related hospitalizations during summer months	2014	Crude Rate per 100,000	6.43	3.75
Salmonellosis Incidence	2012	Incidence Rate per 100,000	67.9	34.6
E. Coli O157:H7 Incidence	2012	Incidence Rate per 100,000	0.3	0.5

The data on this report was compiled and presented by the Florida Department of Health, Environmental Public Health Tracking program. More information about this and other data sets can be found at www.FloridaTracking.com

Report: FDOH Community Environmental Health Profile Report, Lake County

Web Address:

<http://floridatracking.com/HealthTrackFL/CommunityProfileReportsDetail.aspx?ReportType=1&ContentType=0&ReportTypeID=2100&Geography=12.069>

Date Accessed: April 19, 2017