



**Lake County Community
Health Improvement Planning (CHIP)
2018 Data Compendium**

Mission

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts

Vision

To be the Healthiest State in the Nation

**Lake County Community Health Improvement Planning (CHIP)
2018 Data Compendium
Volume 1: Lake County Data**

Section 1 - Overview

1.1 Geography

1.1.1 County Map	4
1.1.2 Distinctive Communities	5

1.2 Demographics

1.2.1 U.S. Census Bureau: State and County QuickFacts, 2017	6
1.2.2 FDOH Lake County Health Profile Demographics, 2017	9
1.2.3 State of Florida Legislatures Office of Economic & Demographic Research, 2018	13
1.2.4 US Census Bureau, American FactFinder: Economic Characteristics, 2017	16
1.2.5 US Census Bureau, American FactFinder: Age and Sex, 2017	20

1.3 Overall Health

1.3.1 FDOH Health Status Summary Profile, 2017	22
1.3.2 County Health Rankings & Roadmaps, 2017	30

Section 2 - Health Outcomes

2.1 Mortality

2.1.1 FDOH Leading Causes of Death, 2017	33
2.1.2 FDOH County Death Data Comparison, 2017	34
2.1.3 FDOH Profile of Fatal Injuries, 2017	35

2.2 Reproductive Outcomes

2.2.1 FDOH Birth Data Comparison, 2015-2017	38
2.2.2 FDOH Birth Defects Profile, 2010-2014	41
2.2.3 FDOH Community Reproductive Outcomes Profile Report, 2016	43
2.2.4 FDOH Infant Mortality and Low Birth Weight Comparison, 2016 Update	44

2.3 Reportable and Infectious Diseases

2.3.1 FDOH Reportable and Infectious Diseases, 2015-2017	45
2.3.2 FDOH Communicable Diseases Frequency Report, 2017	48

2.4 Chronic Diseases

2.4.1 FDOH Chronic Disease Profile, 2017	49
2.4.2 FDOH Healthiest Weight Profile, 2017	53

2.4.3	FDOH Oral Health Profile, 2017	56
2.5	Injury	
2.5.1	FDOH Non-Fatal Injury Emergency Department Visits	57
2.5.2	FDOH Non-Fatal Injury Hospitalizations	62

Section 3 - Health Factors

3.1	Social & Economic Factors: Education, Income, Family & Social Support, Community Safety	
3.1.1	US Census Bureau, American FactFinder: Educational Attainment, 2017	67
3.1.2	US Census Bureau, American FactFinder: Income, 2017	69
3.1.3	United Way Alice Report, 2015	70
3.1.4	FDLE Annual Crime Report, 2017	72
3.2	Health Behaviors: Tobacco Use, Diet & Exercise, Alcohol & Drug Use, Sexual Activity	
3.2.1	FDOH Behavioral Risk Factor Surveillance System Data, 2016	74
3.3	Clinical Care: Access to Care, Quality of Care	
3.3.1	FDOH Ambulatory Care Sensitive Conditions Profile, 2016	77
3.4	Physical Environment: Air & Water Quality, Housing & Transit	
3.4.1	FDOH Community Environmental Health Profile Report, 2016	79
3.4.2	FDOH Drinking Water Chemical Limits, 2016	81
3.4.3	US Census Bureau, American FactFinder: Housing, 2017	87
3.4.4	US Census Bureau, American FactFinder: Commuting Characteristics, 2017	91

Acknowledgments


Acronym Key:

FDOH = Florida Department of Health, Division of Public Health Statistics and Performance Management, Bureau of Community Health Assessment, Community Health Assessment Resource Tool Set (CHARTS)*includes cumulative data sets from multiple sources

FDLE = Florida Department of Law Enforcement

FDOE = Florida Department of Education

1.1.1 County Map



Legend

- Turnpike
- Major Highways
- Local Streets
- Township/Range Grid
- Section Grid


Municipalities

- ASTATULA
- CLERMONT
- EUSTIS
- FRUITLAND PARK
- GROVELAND
- HOWEY-IN-THE-HILLS
- LADY LAKE
- LEESBURG
- MASCOTTE
- MINNEOLA
- MONTVERDE
- MOUNT DORA
- TAVARES
- UMATILLA


DATA SOURCES:
Lake County GIS; Municipalities of Lake County

DATE: July 2018 **Produced by Lake County GIS**

This map product was prepared from a Geographic Information System established by the Lake County Board of County Commissioners. Its employees, agents and personnel, make no warranty as to its accuracy, and in particular its accuracy as to labeling, dimensions, contours, property boundaries, or placement of location of any map features thereon. The Lake County Board of County Commissioners, its employees, agents and personnel MAKE NO WARRANTY OF MERCHANTABILITY OR WARRANTY FOR FITNESS OF USE FOR A PARTICULAR PURPOSE EXPRESS OR IMPLIED WITH RESPECT TO THIS MAP PRODUCT. Independent verification of all data contained on this map product should be obtained by any user of this map.



1.1.2 Distinctive Communities



Legend

- Lakes
- City Limits


Distinctive Community Boundary March, 2012

Altoona	Forest Hills	Okahumpka
Astor Park	Fullerville	Orange Bend
Bassville Park	Grand Island	Paisley
Bay Lake	Lake Jem	Shockley
Deerhaven	Lake Kathryn Heights	Sorrento
Emerald Island	Lisbon	Villa City
Ferndale	Mt. Plymouth	Yalaha

DATA SOURCES:
Lake County GIS; Municipalities of Lake County

DATE: July 2018 GIS/Municipalities, March 2012 Distinctive Communities

This map product was prepared from a Geographic Information System established by the Lake County Board of County Commissioners. Its employees, agents and personnel, make no warranty as to its accuracy, and in particular its accuracy as to labeling, dimensions, contours, property boundaries, or placement of location of any map features thereon. The Lake County Board of County Commissioners, its employees, agents and personnel MAKE NO WARRANTY OF MERCHANTABILITY OR WARRANTY FOR FITNESS OF USE FOR A PARTICULAR PURPOSE EXPRESS OR IMPLIED WITH RESPECT TO THIS MAP PRODUCT. Independent verification of all data contained on this map product should be obtained by any user of this map.



Produced by Lake County GIS




QuickFacts

Lake County, Florida

PEOPLE	
Population	
Population estimates, July 1, 2017, (V2017)	346,017
Population estimates base, April 1, 2010, (V2017)	297,047
Population, percent change - April 1, 2010 (estimates base) to July 1, 2017, (V2017)	16.5%
Population, Census, April 1, 2010	297,052
Age and Sex	
Persons under 5 years, percent	⚠ 5.0%
Persons under 18 years, percent	⚠ 19.4%
Persons 65 years and over, percent	⚠ 26.5%
Female persons, percent	⚠ 51.6%
Race and Hispanic Origin	
White alone, percent (a)	⚠ 83.7%
Black or African American alone, percent (a)	⚠ 11.1%
American Indian and Alaska Native alone, percent (a)	⚠ 0.6%
Asian alone, percent (a)	⚠ 2.3%
Native Hawaiian and Other Pacific Islander alone, percent (a)	⚠ 0.2%
Two or More Races, percent	⚠ 2.0%
Hispanic or Latino, percent (b)	⚠ 15.4%
White alone, not Hispanic or Latino, percent	⚠ 70.2%
Population Characteristics	
Veterans, 2012-2016	32,986
Foreign born persons, percent, 2012-2016	8.0%
Housing	
Housing units, July 1, 2017, (V2017)	157,233
Owner-occupied housing unit rate, 2012-2016	74.0%
Median value of owner-occupied housing units, 2012-2016	\$145,100
Median selected monthly owner costs -with a mortgage, 2012-2016	\$1,230
Median selected monthly owner costs -without a mortgage, 2012-2016	\$406
Median gross rent, 2012-2016	\$956
Building permits, 2017	3,360
Families & Living Arrangements	
Households, 2012-2016	122,036

1.2.1 U.S. Census Bureau: State and County QuickFacts, 2017

Persons per household, 2012-2016	2.57
Living in same house 1 year ago, percent of persons age 1 year+, 2012-2016	83.7%
Language other than English spoken at home, percent of persons age 5 years+, 2012-2016	12.9%
Education	
High school graduate or higher, percent of persons age 25 years+, 2012-2016	87.8%
Bachelor's degree or higher, percent of persons age 25 years+, 2012-2016	21.7%
Health	
With a disability, under age 65 years, percent, 2012-2016	10.2%
Persons without health insurance, under age 65 years, percent	⚠ 14.2%
Economy	
In civilian labor force, total, percent of population age 16 years+, 2012-2016	52.2%
In civilian labor force, female, percent of population age 16 years+, 2012-2016	49.4%
Total accommodation and food services sales, 2012 (\$1,000) (c)	394,919
Total health care and social assistance receipts/revenue, 2012 (\$1,000) (c)	1,648,723
Total manufacturers shipments, 2012 (\$1,000) (c)	D
Total merchant wholesaler sales, 2012 (\$1,000) (c)	498,045
Total retail sales, 2012 (\$1,000) (c)	3,761,049
Total retail sales per capita, 2012 (c)	\$12,405
Transportation	
Mean travel time to work (minutes), workers age 16 years+, 2012-2016	28.2
Income & Poverty	
Median household income (in 2016 dollars), 2012-2016	\$47,141
Per capita income in past 12 months (in 2016 dollars), 2012-2016	\$24,760
Persons in poverty, percent	⚠ 11.8%
 BUSINESSES	
Businesses	
Total employer establishments, 2016	7,132
Total employment, 2016	81,265
Total annual payroll, 2016 (\$1,000)	2,718,409
Total employment, percent change, 2015-2016	4.9%
Total nonemployer establishments, 2016	24,468
All firms, 2012	25,331
Men-owned firms, 2012	13,004
Women-owned firms, 2012	9,390
Minority-owned firms, 2012	6,642

1.2.1 U.S. Census Bureau: State and County QuickFacts, 2017

Nonminority-owned firms, 2012	17,973
Veteran-owned firms, 2012	2,735
Nonveteran-owned firms, 2012	21,608

GEOGRAPHY

Geography

Population per square mile, 2010	316.6
Land area in square miles, 2010	938.38
FIPS Code	12069

Value Notes

 Estimates are not comparable to other geographic levels due to methodology differences that may exist between different data sources.

Some estimates presented here come from sample data, and thus have sampling errors that may render some apparent differences between geographies statistically indistinguishable.

The vintage year (e.g., V2017) refers to the final year of the series (2010 thru 2017). *Different vintage years of estimates are not comparable.*

Fact Notes

- (a) Includes persons reporting only one race
- (b) Hispanics may be of any race, so also are included in applicable race categories
- (c) Economic Census - Puerto Rico data are not comparable to U.S. Economic Census data

Value Flags

- D** Suppressed to avoid disclosure of confidential information
- F** Fewer than 25 firms
- FN** Footnote on this item in place of data
- NA** Not available
- S** Suppressed; does not meet publication standards
- X** Not applicable
- Z** Value greater than zero but less than half unit of measure shown
- Either no or too few sample observations were available to compute an estimate, or a ratio of medians cannot be calculated because one or both of the median estimates falls in the lowest or upper interval of an open ended distribution.


QuickFacts data are derived from: Population Estimates, American Community Survey, Census of Population and Housing, Current Population Survey, Small Area Health Insurance Estimates, Small Area Income and Poverty Estimates, State and County Housing Unit Estimates, County Business Patterns, Nonemployer Statistics, Economic Census, Survey of Business Owners, Building Permits.

1.2.2 FDOH Lake County Health Profile Demographics, 2017

Population by Age and Gender, Lake County, Florida - 2017

Age Group	Data Year	County						State		
		Male	Female	Total	Male %	Female %	Total %	Male %	Female %	Total %
< 5	2017	8,579	8,270	16,850	5.3%	4.8%	5.1%	5.7%	5.2%	5.5%
5-14	2017	18,678	18,106	36,784	11.6%	10.5%	11.0%	11.6%	10.7%	11.2%
15-24	2017	17,530	16,686	34,216	10.9%	9.7%	10.3%	12.5%	11.4%	12.0%
25-44	2017	34,675	36,445	71,120	21.5%	21.2%	21.3%	25.6%	24.4%	25.0%
45-64	2017	41,254	45,163	86,417	25.6%	26.2%	25.9%	26.2%	27.0%	26.6%
65-74	2017	22,270	25,905	48,175	13.8%	15.0%	14.4%	10.5%	11.5%	11.0%
> 74	2017	18,359	21,678	40,037	11.4%	12.6%	12.0%	7.8%	9.8%	8.8%


Data Source: The Florida Legislature, Office of Economic and Demographic Research.



1.2.2 FDOH Lake County Health Profile Demographics, 2017

Population by Race, Lake County, Florida - 2017					
County					State
Race	Data Year	Population	Percentage		Percentage
White	2017	280,697	84.1%		77.6%
Black	2017	36,091	10.8%		16.9%
Other	2017	16,810	5.0%		5.6%


Data Source: The Florida Legislature, Office of Economic and Demographic Research.



1.2.2 FDOH Lake County Health Profile Demographics, 2017

Population by Hispanic/Non-Hispanic, Lake County, Florida - 2017				
County				State
Ethnicity	Data Year	Population	Percentage	Percentage
Hispanic	2017	49,205	14.7%	25.0%
Non-Hispanic	2017	284,393	85.3%	75.0%

Data Source: The Florida Legislature, Office of Economic and Demographic Research.




1.2.2 FDOH Lake County Health Profile Demographics, 2017

Socioeconomic Indicators, Lake County, Florida 2012-16

County	State
Socioeconomic Indicators	2012 - 2016
Percentage of individuals below poverty level	13.5
Percentage of families below poverty level	10.0
Percentage of individuals under 18 below poverty level	21.3
Percentage of civilian labor force which is unemployed	8.2
Median household income	\$47,141
Percentage of 25 years and over with no high school diploma	12.2
Percentage of population 5+ that speak English less than very well	4.2
Median age (in years)	46.7
Percentage of adults with health insurance coverage	86.7

Data Source: US Bureau of the Census, American Community Survey



Lake County

Florida's 19th most populous county
with 1.6% of Florida's population



Population

Census Population	Lake County	Florida
1980 Census	104,870	9,746,961
1990 Census	152,104	12,938,071
% change 1980-90	45.0%	32.7%
2000 Census	210,527	15,982,824
% change 1990-00	38.4%	23.5%
2010 Census	297,047	18,801,332
% change 2000-10	41.1%	17.6%
Age		
% Under 18 years of age	20.8%	21.3%
% 65 years of age and over	24.2%	17.3%
Race & Ethnicity		
% White alone	82.0%	75.0%
% Black or African American alone	9.8%	16.0%
% Hispanic or Latino (of any race)	12.1%	22.5%
Estimates and Projections		
2017 Estimate	331,724	20,484,142
% change 2010-17	11.7%	9.0%
2020 Projection based on 2017 estimate	356,017	21,526,547
% change 2017-20	7.3%	5.1%
2025 Projection based on 2017 estimate	392,894	23,061,892
% change 2020-25	10.4%	7.1%
2016 Median Age	46.9	41.6

Housing

Housing Counts	Lake County	Florida
Housing units, 2000 Census	102,830	7,302,947
Occupied	88,413	6,337,929
Owner-occupied	72,047	4,441,799
Renter-occupied	16,366	1,896,130
Vacant	14,417	965,018
Housing units, 2010 Census	144,996	8,989,580
Occupied	121,289	7,420,802
Owner-occupied	92,802	4,998,979
Renter-occupied	28,487	2,421,823
Vacant	23,707	1,568,778
Units Permitted		
1990	2,205	126,384
2000	5,231	155,269
2010	552	38,679
2011	517	42,360
2012	942	64,810
2013	1,730	86,752
2014	2,488	84,075
2015	2,778	109,924
2016	3,966	116,240
2017	3,360	122,719

Density

Persons per square mile	Lake County	Florida
2000	220.9	296.4
2010	316.6	350.6
2017	353.5	382.0

Population Characteristics

Language spoken at home other than English	Lake County	Florida
Persons aged 5 and over	12.9% +/- 0.6%	28.3% +/- 0.1%
Place of birth		
Foreign born	8.0% +/- 0.5%	19.9% +/- 0.1%
Veteran status		
Civilian population 18 and over	13.0% +/- 0.5%	9.4% +/- 0.1%

Households and Family Households

Households	Lake County	Florida
Total households, 2000 Census	88,412	6,338,075
Family households, 2000 Census	62,468	4,210,760
% with own children under 18	33.1%	42.3%
Total households, 2010 Census	121,289	7,420,802
Family households, 2010 Census	83,792	4,835,475
% with own children under 18	34.8%	40.0%
Average Household Size, 2010 Census	2.42	2.48
Average Family Size, 2010 Census	2.86	3.01

Residence 1 Year Ago	Lake County	Florida
Persons aged 1 and over		
Same house	83.7% +/- 0.9%	83.9% +/- 0.1%
Different house in the U.S.	16.0% +/- 0.9%	15.1% +/- 0.1%
Same county in Florida	8.2% +/- 0.7%	9.2% +/- 0.1%
Different county in Florida	4.4% +/- 0.6%	3.1% +/- 0.1%
Different county in another state	3.4% +/- 0.4%	2.8% +/- 0.1%
Abroad	0.3% +/- 0.1%	1.0% +/- 0.1%

According to Census definitions, a household includes all of the people who occupy a housing unit. The occupants may be a single family, one person living alone, two or more families living together, or any other group of related or unrelated people who share living quarters. A family includes a householder and one or more other people living in the same household who are related to the householder by birth, marriage, or adoption. Census counts may be corrected for Census Count Question Resolution (CQR).

Employment by Industry

Number of Establishments	Lake County	Florida	Percent of All Establishments	Lake County	Florida
2016 preliminary			2016 preliminary		
All industries	7,990	670,061	All industries	7,990	670,061
Natural Resource & Mining	150	5,368	Natural Resource & Mining	1.9%	0.8%
Construction	1,101	66,377	Construction	13.8%	9.9%
Manufacturing	220	20,584	Manufacturing	2.8%	3.1%
Trade, Transportation and Utilities	1,682	141,643	Trade, Transportation and Utilities	21.1%	21.1%
Information	90	10,923	Information	1.1%	1.6%
Financial Activities	857	71,938	Financial Activities	10.7%	10.7%
Professional & Business Services	1,392	154,679	Professional & Business Services	17.4%	23.1%
Education & Health Services	1,032	71,153	Education & Health Services	12.9%	10.6%
Leisure and Hospitality	699	55,437	Leisure and Hospitality	8.7%	8.3%
Other Services	596	54,912	Other Services	7.5%	8.2%
Government	106	6,137	Government	1.3%	0.9%

Industries may not add to the total due to confidentiality and unclassified.

Employment by Industry

Average Annual Employment, % of All Industries, 2016 preliminary			Average Annual Wage 2016 preliminary		
	Lake County	Florida		Lake County	Florida
All industries	92,924	8,309,088	All industries	\$36,001	\$47,060
Natural Resource & Mining	1.9%	0.9%	Natural Resource & Mining	\$35,837	\$31,501
Construction	8.2%	5.7%	Construction	\$43,863	\$47,342
Manufacturing	3.5%	4.3%	Manufacturing	\$44,653	\$57,824
Trade, Transportation and Utilities	21.6%	20.6%	Trade, Transportation and Utilities	\$31,901	\$41,939
Information	1.2%	1.6%	Information	\$46,107	\$77,256
Financial Activities	4.0%	6.5%	Financial Activities	\$45,027	\$69,701
Professional & Business Services	8.8%	15.5%	Professional & Business Services	\$37,144	\$56,930
Education & Health Services	19.3%	14.8%	Education & Health Services	\$43,705	\$48,616
Leisure and Hospitality	13.9%	14.1%	Leisure and Hospitality	\$16,981	\$24,399
Other Services	3.5%	3.3%	Other Services	\$26,925	\$33,996
Government	14.1%	12.6%	Government	\$41,898	\$52,022

Industries may not add to the total due to confidentiality and unclassified.

Labor Force

Labor Force as Percent of Population Aged 18 and Older			Unemployment Rate		
	Lake County	Florida		Lake County	Florida
1990	55.0%	64.3%	1990	8.2%	6.1%
2000	55.6%	63.7%	2000	3.6%	3.7%
2010	57.0%	62.2%	2010	11.8%	11.1%
2017	56.7%	62.0%	2017	4.1%	4.2%

Income and Financial Health

Personal Income (\$000s)			Per Capita Personal Income		
	Lake County	Florida		Lake County	Florida
1990	\$2,693,422	\$260,093,568	1990	\$17,550	\$19,956
2000	\$5,589,244	\$477,315,998	2000	\$26,321	\$29,744
% change 1990-2000	107.5%	83.5%	% change 1990-00	50.0%	49.0%
2010	\$9,631,536	\$728,063,852	2010	\$32,336	\$38,626
% change 2000-10	72.3%	52.5%	% change 2000-10	22.9%	29.9%
2011	\$10,020,683	\$773,315,948	2011	\$33,411	\$40,494
% change 2010-11	4.0%	6.2%	% change 2010-11	3.3%	4.8%
2012	\$10,377,940	\$793,103,892	2012	\$34,201	\$41,000
% change 2011-12	3.6%	2.6%	% change 2011-12	2.4%	1.2%
2013	\$10,691,435	\$798,885,890	2013	\$34,721	\$40,797
% change 2012-13	3.0%	0.7%	% change 2012-13	1.5%	-0.5%
2014	\$11,499,944	\$856,491,910	2014	\$36,432	\$43,064
% change 2013-14	7.6%	7.2%	% change 2013-14	4.9%	5.6%
2015	\$12,285,912	\$919,957,986	2015	\$37,743	\$45,441
% change 2014-15	6.8%	7.4%	% change 2014-15	3.6%	5.5%
2016	\$12,834,379	\$947,207,472	2016	\$38,266	\$45,953
% change 2015-16	4.5%	3.0%	% change 2015-16	1.4%	1.1%

Earnings by Place of Work (\$000s)			Median Income		
	Lake County	Florida		Lake County	Florida
1990	\$1,146,044	\$161,317,329	Median Household Income	\$47,141 +/- \$1,136	\$48,900 +/- \$200
2000	\$2,385,594	\$313,054,047	Median Family Income	\$57,655 +/- \$1,628	\$59,139 +/- \$295
% change 1990-2000	108.2%	94.1%	+/- = margin of error based on a 90% confidence level.		
2010	\$3,816,888	\$437,064,465	Percent in Poverty, 2016		
% change 2000-10	60.0%	39.6%	All ages in poverty	11.8%	14.8%
2011	\$3,941,431	\$447,731,548	Under age 18 in poverty	19.3%	21.3%
% change 2010-11	3.3%	2.4%	Ages 5-17 in families in poverty	18.6%	20.1%
2012	\$4,180,192	\$465,347,164	Education		
% change 2011-12	6.1%	3.9%	Public Education Schools		
2013	\$4,292,498	\$479,490,070	Traditional Setting (2017-18)		
% change 2012-13	2.7%	3.0%	Total (state total includes special districts)	Lake County	Florida
2014	\$4,532,686	\$507,928,140	Elementary	School District	Florida
% change 2013-14	5.6%	5.9%	26	53	3,206
2015	\$4,916,586	\$541,836,991	Middle	10	1,906
% change 2014-15	14.5%	13.0%	Senior High	10	586
2016	\$5,117,535	\$564,243,047	Combination	7	714
% change 2015-16	12.9%	11.1%			507

Personal Bankruptcy Filing Rate (per 1,000 population)			Educational attainment Persons aged 25 and older		
	Lake County	Florida		Lake County	Florida
12-Month Period Ending March 31, 2017	2.44	2.10	% HS graduate or higher	87.8% +/- 0.7%	87.2% +/- 0.1%
12-Month Period Ending March 31, 2018	2.32	1.91	% bachelor's degree or higher	21.7% +/- 0.8%	27.9% +/- 0.2%
State Rank	4	NA	+/- = margin of error based on a 90% confidence level.		

Chapter 7 & Chapter 13

Quality of Life

Crime			Workers Aged 16 and Over		
	Lake County	Florida		Lake County	Florida
Crime rate, 2017 (index crimes per 100,000 population)	2,448.4	2,989.5	Place of Work in Florida		
Admissions to prison FY 2016-17	318	28,783	Worked outside county of residence	43.2% +/- 1.3%	17.5% +/- 0.1%
Admissions to prison per 100,000 population FY 2016-17	95.9	140.5	Travel Time to Work		
			Mean travel time to work (minutes)	28.2 +/- 0.7	26.7 +/- 0.1
			+/- = margin of error based on a 90% confidence level.		

Reported County Government Revenues and Expenditures

Revenue 2014-15	Lake County	Florida*	Expenditures 2014-15	Lake County	Florida*
Total - All Revenue Account Codes (\$000s)	\$411,271.4	\$39,173,950.7	Total - All Expenditure Account Codes (\$000s)	\$418,119.52	\$37,648,543.60
Per Capita \$	\$1,299.15	\$2,071.64	Per Capita \$	\$1,320.78	\$1,990.97
% of Total	100.0%	100.0%	% of Total	101.7%	96.1%
Taxes (\$000s)	\$122,680.9	\$12,048,064.2	General Government Services** (\$000s)	\$66,516.45	\$6,826,642.19
Per Capita \$	\$387.53	\$637.14	Per Capita \$	\$210.12	\$361.01
% of Total	29.8%	30.8%	% of Total	16.2%	17.4%
Permits, Fee, and Special Assessments (\$000s)	\$24,288.0	\$1,603,417.1	Public Safety (\$000s)	\$123,099.93	\$8,691,656.62
Per Capita \$	\$76.72	\$84.79	Per Capita \$	\$388.86	\$459.64
% of Total	5.9%	4.1%	% of Total	29.9%	22.2%
Intergovernmental Revenues (\$000s)	\$53,537.8	\$3,997,485.2	Physical Environment (\$000s)	\$18,854.23	\$4,201,869.90
Per Capita \$	\$169.12	\$211.40	Per Capita \$	\$59.56	\$222.21
% of Total	13.0%	10.2%	% of Total	4.6%	10.7%
Charges for Services (\$000s)	\$74,894.7	\$12,014,816.2	Transportation (\$000s)	\$41,632.41	\$4,472,600.28
Per Capita \$	\$236.58	\$635.38	Per Capita \$	\$131.51	\$236.53
% of Total	18.2%	30.7%	% of Total	10.1%	11.4%
Judgments, Fines, and Forfeits (\$000s)	\$2,673.0	\$213,460.3	Economic Environment (\$000s)	\$9,050.76	\$1,274,070.27
Per Capita \$	\$8.44	\$11.29	Per Capita \$	\$28.59	\$67.38
% of Total	0.6%	0.5%	% of Total	2.2%	3.3%
Miscellaneous Revenues (\$000s)	\$3,775.9	\$924,478.7	Human Services (\$000s)	\$8,616.16	\$3,046,122.82
Per Capita \$	\$11.93	\$48.89	Per Capita \$	\$27.22	\$161.09
% of Total	0.9%	2.4%	% of Total	2.1%	7.8%
Other Sources (\$000s)	\$129,421.2	\$8,372,229.2	Culture / Recreation (\$000s)	\$9,868.78	\$1,462,898.42
Per Capita \$	\$408.82	\$442.75	Per Capita \$	\$31.17	\$77.36
% of Total	31.5%	21.4%	% of Total	2.4%	3.7%
			Other Uses and Non-Operating (\$000s)	\$129,473.48	\$6,734,703.84
			Per Capita \$	\$408.99	\$356.15
			% of Total	31.5%	17.2%
			Court-Related Expenditures (\$000s)	\$11,007.33	\$937,979.28
			Per Capita \$	\$34.77	\$49.60
			% of Total	2.7%	2.4%

* All County Governments Except Duval - The consolidated City of Jacksonville / Duval County figures are included in municipal totals rather than county government totals.

** (Not Court-Related)

State Infrastructure

	Lake County	Florida
Transportation		
State Highway		
Centerline Miles	225.8	12,109.9
Lane Miles	766.5	43,819.1
State Bridges		
Number	56	6,783
State Facilities		
Buildings/Facilities (min. 300 Square Feet)		
Number	154	9,319
Square Footage	543,831	63,971,860
State Owned Lands		
State Lands		
Conservation Lands		
Parcels	208	38,326
Acreage	55,073.9	3,140,422.9
Non-Conservation Lands		
Parcels	61	5,880
Acreage	720.1	160,353.7

State and Local Taxation

2017 Ad Valorem Millage Rates	Lake County	
	County-Wide	Not County-Wide*
County	5.2704	0.9452
School	6.6030	
Municipal		2.6992
Special Districts	0.2554	1.1536

*MSTU included in Not County-Wide "County" category



Prepared by:
 Florida Legislature
 Office of Economic and Demographic Research
 111 W. Madison Street, Suite 574
 Tallahassee, FL 32399-6588
 (850) 487-1402 <http://edr.state.fl.us>

May 2018

1.2.4 US Census Bureau, American FactFinder: Economic Characteristics, 2017



AMERICAN
FactFinder



MISSOURI

KENTUCKY

VIRGINIA

NORTH CAROLINA

DP03

SELECTED ECONOMIC CHARACTERISTICS
2017 American Community Survey 1-Year Estimates

Note: This is a modified view of the original table.

Although the American Community Survey (ACS) produces population, demographic and housing unit estimates, it is the Census Bureau's Population Estimates Program that produces and disseminates the official estimates of the population for the nation, states, counties, cities, and towns and estimates of housing units for states and counties.

Supporting documentation on code lists, subject definitions, data accuracy, and statistical testing can be found on the American Community Survey website in the [Technical Documentation](#) section. Sample size and data quality measures (including coverage rates, allocation rates, and response rates) can be found on the American Community Survey website in the [Methodology](#) section.

Subject	Lake County, Florida				Florida	United States
	Estimate	Margin of Error	Percent	Percent Margin of Error	Percent	Percent
EMPLOYMENT STATUS						
Population 16 years and over	287,548	+/-1,080	287,548	(X)	17,280,632	260,564,248
In labor force	154,342	+/-5,124	53.7%	+/-1.8	58.4%	63.2%
Civilian labor force	154,154	+/-5,083	53.6%	+/-1.8	58.1%	62.8%
Employed	144,509	+/-4,836	50.3%	+/-1.7	54.9%	59.5%
Unemployed	9,645	+/-2,247	3.4%	+/-0.8	3.2%	3.3%
Armed Forces	188	+/-304	0.1%	+/-0.1	0.3%	0.4%
Not in labor force	133,206	+/-5,358	46.3%	+/-1.8	41.6%	36.8%
Civilian labor force	154,154	+/-5,083	154,154	(X)	10,040,987	163,703,561
Unemployment Rate	(X)	(X)	6.3%	+/-1.4	5.5%	5.3%
Females 16 years and over	150,207	+/-1,034	150,207	(X)	8,914,426	133,482,879
In labor force	75,404	+/-3,367	50.2%	+/-2.3	53.8%	58.3%
Civilian labor force	75,404	+/-3,367	50.2%	+/-2.3	53.7%	58.2%
Employed	70,234	+/-3,644	46.8%	+/-2.5	50.8%	55.2%
Own children of the householder under 6 years	17,413	+/-1,865	17,413	(X)	1,287,270	22,690,943
All parents in family in labor force	12,808	+/-2,386	73.6%	+/-9.6	65.6%	65.9%
Own children of the householder 6 to 17 years	45,721	+/-2,217	45,721	(X)	2,692,941	47,167,941
All parents in family in labor force	33,821	+/-2,739	74.0%	+/-6.0	71.0%	71.3%
COMMUTING TO WORK						
Workers 16 years and over	141,274	+/-4,738	141,274	(X)	9,355,081	152,802,672
Car, truck, or van -- drove alone	114,033	+/-4,516	80.7%	+/-1.7	79.4%	76.4%
Car, truck, or van -- carpooled	13,921	+/-2,635	9.9%	+/-1.8	9.1%	8.9%
Public transportation (excluding taxicab)	403	+/-298	0.3%	+/-0.2	1.7%	5.0%
Walked	726	+/-529	0.5%	+/-0.4	1.4%	2.7%
Other means	1,983	+/-844	1.4%	+/-0.6	2.3%	1.8%
Worked at home	10,208	+/-2,193	7.2%	+/-1.5	6.1%	5.2%
Mean travel time to work (minutes)	30.5	+/-1.4	(X)	(X)	(X)	(X)
OCCUPATION						
Civilian employed population 16 years and over	144,509	+/-4,836	144,509	(X)	9,488,742	155,058,331
Management, business, science, and arts occupations	45,249	+/-3,701	31.3%	+/-2.5	35.2%	38.2%
Service occupations	32,589	+/-4,720	22.6%	+/-3.0	20.1%	17.9%
Sales and office occupations	39,862	+/-3,936	27.6%	+/-2.5	25.9%	22.9%
Natural resources, construction, and maintenance occupations	12,154	+/-1,948	8.4%	+/-1.4	9.4%	8.9%
Production, transportation, and material moving occupations	14,655	+/-2,810	10.1%	+/-1.9	9.4%	12.2%
INDUSTRY						
Civilian employed population 16 years and over	144,509	+/-4,836	144,509	(X)	9,488,742	155,058,331
Agriculture, forestry, fishing and hunting, and mining	2,052	+/-1,163	1.4%	+/-0.8	1.0%	1.7%
Construction	11,247	+/-2,198	7.8%	+/-1.5	7.7%	6.6%
Manufacturing	7,292	+/-1,769	5.0%	+/-1.3	5.0%	10.1%

Overview

1.2.4 US Census Bureau, American FactFinder: Economic Characteristics, 2017

Subject	Lake County, Florida				Florida	United States
	Estimate	Margin of Error	Percent	Percent Margin of Error	Percent	Percent
Wholesale trade	2,899	+/-1,182	2.0%	+/-0.8	2.6%	2.6%
Retail trade	22,572	+/-3,988	15.6%	+/-2.6	12.8%	11.2%
Transportation and warehousing, and utilities	7,580	+/-1,971	5.2%	+/-1.4	5.6%	5.4%
Information	3,625	+/-1,229	2.5%	+/-0.9	1.7%	2.0%
Finance and insurance, and real estate and rental and leasing	8,224	+/-1,615	5.7%	+/-1.1	7.7%	6.6%
Professional, scientific, and management, and administrative and waste management services	12,475	+/-1,836	8.6%	+/-1.2	13.1%	11.5%
Educational services, and health care and social assistance	29,133	+/-3,007	20.2%	+/-1.9	20.9%	23.1%
Arts, entertainment, and recreation, and accommodation and food services	24,376	+/-4,289	16.9%	+/-2.9	12.4%	9.7%
Other services, except public administration	7,719	+/-1,661	5.3%	+/-1.1	5.4%	4.9%
Public administration	5,315	+/-1,793	3.7%	+/-1.2	4.1%	4.6%
CLASS OF WORKER						
Civilian employed population 16 years and over	144,509	+/-4,836	144,509	(X)	9,488,742	155,058,331
Private wage and salary workers	122,183	+/-4,554	84.6%	+/-2.0	82.6%	80.3%
Government workers	14,493	+/-2,615	10.0%	+/-1.7	11.3%	13.5%
Self-employed in own not incorporated business workers	7,833	+/-1,834	5.4%	+/-1.2	5.9%	6.0%
Unpaid family workers	0	+/-226	0.0%	+/-0.1	0.2%	0.2%
INCOME AND BENEFITS (IN 2017 INFLATION-ADJUSTED DOLLARS)						
Total households	136,255	+/-2,937	136,255	(X)	7,689,964	120,062,818
Less than \$10,000	6,591	+/-1,584	4.8%	+/-1.2	6.9%	6.5%
\$10,000 to \$14,999	7,790	+/-1,555	5.7%	+/-1.1	4.7%	4.5%
\$15,000 to \$24,999	16,085	+/-2,239	11.8%	+/-1.6	10.6%	9.3%
\$25,000 to \$34,999	13,643	+/-2,088	10.0%	+/-1.5	10.4%	9.1%
\$35,000 to \$49,999	22,229	+/-3,294	16.3%	+/-2.4	14.6%	12.7%
\$50,000 to \$74,999	27,191	+/-3,482	20.0%	+/-2.5	18.4%	17.6%
\$75,000 to \$99,999	17,236	+/-2,314	12.6%	+/-1.7	12.0%	12.5%
\$100,000 to \$149,999	16,332	+/-2,205	12.0%	+/-1.6	12.2%	14.6%
\$150,000 to \$199,999	5,463	+/-1,503	4.0%	+/-1.1	4.8%	6.3%
\$200,000 or more	3,695	+/-1,039	2.7%	+/-0.8	5.4%	6.9%
Median household income (dollars)	51,383	+/-2,892	(X)	(X)	(X)	(X)
Mean household income (dollars)	65,443	+/-2,757	(X)	(X)	(X)	(X)
With earnings						
Mean earnings (dollars)	88,503	+/-3,236	65.0%	+/-1.9	72.2%	77.6%
With Social Security	64,924	+/-3,258	(X)	(X)	(X)	(X)
Mean Social Security income (dollars)	65,211	+/-2,375	47.9%	+/-1.5	37.5%	31.2%
With retirement income	20,497	+/-770	(X)	(X)	(X)	(X)
Mean retirement income (dollars)	38,623	+/-2,789	28.3%	+/-2.0	20.1%	18.7%
With Supplemental Security Income	26,746	+/-2,650	(X)	(X)	(X)	(X)
Mean Supplemental Security Income (dollars)	5,818	+/-1,458	4.3%	+/-1.1	5.0%	5.3%
With cash public assistance income	9,365	+/-991	(X)	(X)	(X)	(X)
Mean cash public assistance income (dollars)	2,302	+/-977	1.7%	+/-0.7	2.0%	2.3%
With Food Stamp/SNAP benefits in the past 12 months	1,624	+/-664	(X)	(X)	(X)	(X)
With Food Stamp/SNAP benefits in the past 12 months	16,030	+/-2,391	11.8%	+/-1.8	13.6%	11.7%
Families						
Less than \$10,000	91,096	+/-3,724	91,096	(X)	4,943,506	78,631,163
\$10,000 to \$14,999	3,322	+/-1,245	3.6%	+/-1.3	4.1%	3.8%
\$15,000 to \$24,999	2,520	+/-1,001	2.8%	+/-1.1	2.7%	2.5%
\$25,000 to \$34,999	7,502	+/-1,649	8.2%	+/-1.8	7.8%	6.6%
\$35,000 to \$49,999	9,161	+/-1,906	10.1%	+/-2.1	9.3%	7.8%
\$50,000 to \$74,999	13,956	+/-2,642	15.3%	+/-2.9	14.4%	11.9%
\$75,000 to \$99,999	19,200	+/-2,980	21.1%	+/-3.0	19.3%	18.1%
\$100,000 to \$149,999	14,933	+/-2,282	16.4%	+/-2.5	14.1%	14.3%
\$150,000 to \$199,999	12,550	+/-1,887	13.8%	+/-2.0	15.2%	17.9%
\$200,000 or more	4,521	+/-1,166	5.0%	+/-1.3	6.1%	8.0%
Median family income (dollars)	3,431	+/-987	3.8%	+/-1.1	7.0%	9.0%
Median family income (dollars)	62,040	+/-3,820	(X)	(X)	(X)	(X)

1.2.4 US Census Bureau, American FactFinder: Economic Characteristics, 2017

Subject	Lake County, Florida				Florida	United States
	Estimate	Margin of Error	Percent	Percent Margin of Error	Percent	Percent
Mean family income (dollars)	74,769	+/-3,325	(X)	(X)	(X)	(X)
Per capita income (dollars)	27,156	+/-1,079	(X)	(X)	(X)	(X)
Nonfamily households	45,159	+/-3,799	45,159	(X)	2,746,458	41,431,655
Median nonfamily income (dollars)	32,769	+/-3,402	(X)	(X)	(X)	(X)
Mean nonfamily income (dollars)	42,947	+/-3,196	(X)	(X)	(X)	(X)
Median earnings for workers (dollars)	30,276	+/-1,429	(X)	(X)	(X)	(X)
Median earnings for male full-time, year-round workers (dollars)	41,154	+/-1,294	(X)	(X)	(X)	(X)
Median earnings for female full-time, year-round workers (dollars)	36,696	+/-3,184	(X)	(X)	(X)	(X)
HEALTH INSURANCE COVERAGE						
Civilian noninstitutionalized population	342,638	+/-1,018	342,638	(X)	20,678,704	320,775,014
With health insurance coverage	304,009	+/-6,181	88.7%	+/-1.8	87.1%	91.3%
With private health insurance	224,352	+/-8,686	65.5%	+/-2.5	62.1%	67.6%
With public coverage	140,519	+/-6,045	41.0%	+/-1.8	37.3%	35.5%
No health insurance coverage	38,629	+/-6,227	11.3%	+/-1.8	12.9%	8.7%
Civilian noninstitutionalized population under 19 years	71,234	+/-1,557	71,234	(X)	4,450,443	78,075,324
No health insurance coverage	6,631	+/-3,303	9.3%	+/-4.6	7.3%	5.0%
Civilian noninstitutionalized population 19 to 64 years	180,613	+/-1,954	180,613	(X)	12,081,518	193,199,211
In labor force:	136,277	+/-4,439	136,277	(X)	9,209,616	150,400,364
Employed:	127,592	+/-4,248	127,592	(X)	8,718,106	142,831,346
With health insurance coverage	105,544	+/-4,583	82.7%	+/-2.7	82.8%	89.1%
With private health insurance	102,285	+/-4,542	80.2%	+/-2.7	77.5%	81.0%
With public coverage	7,420	+/-1,762	5.8%	+/-1.4	7.8%	10.7%
No health insurance coverage	22,048	+/-3,610	17.3%	+/-2.7	17.2%	10.9%
Unemployed:	8,685	+/-2,163	8,685	(X)	491,510	7,569,018
With health insurance coverage	6,112	+/-2,024	70.4%	+/-11.3	60.4%	73.0%
With private health insurance	4,528	+/-1,815	52.1%	+/-13.1	40.4%	40.0%
With public coverage	2,787	+/-1,443	32.1%	+/-12.1	23.5%	36.1%
No health insurance coverage	2,573	+/-989	29.6%	+/-11.3	39.6%	27.0%
Not in labor force:	44,336	+/-4,779	44,336	(X)	2,871,902	42,798,847
With health insurance coverage	37,191	+/-4,685	83.9%	+/-4.0	78.8%	85.7%
With private health insurance	27,950	+/-4,583	63.0%	+/-6.1	50.2%	51.2%
With public coverage	12,549	+/-1,820	28.3%	+/-4.1	35.0%	41.4%
No health insurance coverage	7,145	+/-1,793	16.1%	+/-4.0	21.2%	14.3%
PERCENTAGE OF FAMILIES AND PEOPLE WHOSE INCOME IN THE PAST 12 MONTHS IS BELOW THE POVERTY LEVEL						
All families	(X)	(X)	8.8%	+/-2.1	10.1%	9.5%
With related children of the householder under 18 years	(X)	(X)	14.8%	+/-4.5	16.3%	15.0%
With related children of the householder under 5 years only	(X)	(X)	18.4%	+/-13.9	14.0%	14.2%
Married couple families	(X)	(X)	4.5%	+/-1.4	6.0%	4.8%
With related children of the householder under 18 years	(X)	(X)	5.3%	+/-3.0	8.0%	6.6%
With related children of the householder under 5 years only	(X)	(X)	0.0%	+/-10.2	6.5%	5.1%
Families with female householder, no husband present	(X)	(X)	27.8%	+/-8.0	24.0%	26.2%
With related children of the householder under 18 years	(X)	(X)	42.1%	+/-12.3	34.0%	35.7%
With related children of the householder under 5 years only	(X)	(X)	38.0%	+/-27.5	33.6%	40.2%
All people	(X)	(X)	13.0%	+/-2.4	14.0%	13.4%
Under 18 years	(X)	(X)	22.0%	+/-6.8	20.3%	18.4%
Related children of the householder under 18 years	(X)	(X)	21.9%	+/-7.0	20.0%	18.1%
Related children of the householder under 5 years	(X)	(X)	25.1%	+/-10.7	21.7%	20.2%
Related children of the householder 5 to 17 years	(X)	(X)	20.9%	+/-6.7	19.3%	17.3%
18 years and over	(X)	(X)	10.9%	+/-1.8	12.5%	11.9%
18 to 64 years	(X)	(X)	12.6%	+/-2.5	13.2%	12.6%

1.2.4 US Census Bureau, American FactFinder: Economic Characteristics, 2017

Subject	Lake County, Florida				Florida	United States
	Estimate	Margin of Error	Percent	Percent Margin of Error	Percent	Percent
65 years and over	(X)	(X)	7.4%	+/-1.7	10.2%	9.3%
People in families	(X)	(X)	11.4%	+/-2.8	11.3%	10.7%
Unrelated individuals 15 years and over	(X)	(X)	20.4%	+/-3.3	24.9%	24.9%

Source: U.S. Census Bureau, 2017 American Community Survey 1-Year Estimates

Explanation of Symbols:

An '***' entry in the margin of error column indicates that either no sample observations or too few sample observations were available to compute a standard error and thus the margin of error. A statistical test is not appropriate.
 An '-' entry in the estimate column indicates that either no sample observations or too few sample observations were available to compute an estimate, or a ratio of medians cannot be calculated because one or both of the median estimates falls in the lowest interval or upper interval of an open-ended distribution.
 An '-' following a median estimate means the median falls in the lowest interval of an open-ended distribution.
 An '+' following a median estimate means the median falls in the upper interval of an open-ended distribution.
 An '****' entry in the margin of error column indicates that the median falls in the lowest interval or upper interval of an open-ended distribution. A statistical test is not appropriate.
 An '*****' entry in the margin of error column indicates that the estimate is controlled. A statistical test for sampling variability is not appropriate.
 An 'N' entry in the estimate and margin of error columns indicates that data for this geographic area cannot be displayed because the number of sample cases is too small.
 An '(X)' means that the estimate is not applicable or not available.

Data are based on a sample and are subject to sampling variability. The degree of uncertainty for an estimate arising from sampling variability is represented through the use of a margin of error. The value shown here is the 90 percent margin of error. The margin of error can be interpreted roughly as providing a 90 percent probability that the interval defined by the estimate minus the margin of error and the estimate plus the margin of error (the lower and upper confidence bounds) contains the true value. In addition to sampling variability, the ACS estimates are subject to nonsampling error (for a discussion of nonsampling variability, see [Accuracy of the Data](#)). The effect of nonsampling error is not represented in these tables.

Employment and unemployment estimates may vary from the official labor force data released by the Bureau of Labor Statistics because of differences in survey design and data collection. For guidance on differences in employment and unemployment estimates from different sources go to [Labor Force Guidance](#).

Workers include members of the Armed Forces and civilians who were at work last week.

Industry codes are 4-digit codes and are based on the North American Industry Classification System 2012. The Industry categories adhere to the guidelines issued in Clarification Memorandum No. 2, "NAICS Alternate Aggregation Structure for Use By U.S. Statistical Agencies," issued by the Office of Management and Budget.

Occupation codes are 4-digit codes and are based on Standard Occupational Classification 2010.

Logical coverage edits applying a rules-based assignment of Medicaid, Medicare and military health coverage were added as of 2009 -- please see https://www.census.gov/library/working-papers/2010/demo/coverage_edits_final.html for more details. The 2008 data table in American FactFinder does not incorporate these edits. Therefore, the estimates that appear in these tables are not comparable to the estimates in the 2009 and later tables. Select geographies of 2008 data comparable to the 2009 and later tables are available at <https://www.census.gov/data/tables/time-series/acs/1-year-re-run-health-insurance.html>. The health insurance coverage category names were modified in 2010. See https://www.census.gov/topics/health/health-insurance/about/glossary.html#par_textimage_18 for a list of the insurance type definitions.

Beginning in 2017, selected variable categories were updated, including age-categories, income-to-poverty ratio (IPR) categories, and the age universe for certain employment and education variables. See user note entitled "[Health Insurance Table Updates](#)" for further details.

While the 2017 American Community Survey (ACS) data generally reflect the July 2015 Office of Management and Budget (OMB) delineations of metropolitan and micropolitan statistical areas, in certain instances the names, codes, and boundaries of the principal cities shown in ACS tables may differ from the OMB delineations due to differences in the effective dates of the geographic entities.

Estimates of urban and rural populations, housing units, and characteristics reflect boundaries of urban areas defined based on Census 2010 data. As a result, data for urban and rural areas from the ACS do not necessarily reflect the results of ongoing urbanization.



PEPAGESEX

**Annual Estimates of the Resident Population for Selected Age Groups by Sex for the United States, States, Counties, and Puerto Rico Commonwealth and Municipios: April 1, 2010 to July 1, 2017
2017 Population Estimates**

Note: This is a modified view of the original table.

Geography: Lake County, Florida

Age	Population Estimate (as of July 1)		
	2017		
	Both Sexes	Male	Female
Total	346,017	167,475	178,542
Under 5 years	17,216	8,901	8,315
5 to 9 years	18,402	9,343	9,059
10 to 14 years	19,418	9,865	9,553
15 to 19 years	18,353	9,457	8,896
20 to 24 years	16,773	8,500	8,273
25 to 29 years	19,072	9,425	9,647
30 to 34 years	18,147	8,893	9,254
35 to 39 years	18,693	9,164	9,529
40 to 44 years	18,462	8,800	9,662
45 to 49 years	20,957	10,194	10,763
50 to 54 years	21,944	10,700	11,244
55 to 59 years	23,198	11,155	12,043
60 to 64 years	23,613	10,774	12,839
65 to 69 years	25,150	11,467	13,683
70 to 74 years	24,818	11,586	13,232
75 to 79 years	18,346	8,684	9,662
80 to 84 years	12,497	5,953	6,544
85 years and over	10,958	4,614	6,344
Under 18 years	67,047	34,218	32,829
Under 5 years	17,216	8,901	8,315
5 to 13 years	34,170	17,372	16,798
14 to 17 years	15,661	7,945	7,716
18 to 64 years	187,201	90,953	96,248
18 to 24 years	23,115	11,848	11,267
25 to 44 years	74,374	36,282	38,092
45 to 64 years	89,712	42,823	46,889
65 years and over	91,769	42,304	49,465
85 years and over	10,958	4,614	6,344
16 years and over	287,075	137,362	149,713
18 years and over	278,970	133,257	145,713
15 to 44 years	109,500	54,239	55,261
Median age (years)	47.0	45.7	48.2

1.2.5 US Census Bureau, American FactFinder: Age and Sex, 2017

Notes:

The estimates are based on the 2010 Census and reflect changes to the April 1, 2010 population due to the Count Question Resolution program and geographic program revisions. Median age is calculated based on single year of age. For population estimates methodology statements, see <http://www.census.gov/programs-surveys/popest/technical-documentation/methodology.html>.

The 6,222 people in Bedford city, Virginia, which was an independent city as of the 2010 Census, are not included in the April 1, 2010 Census enumerated population presented in the county estimates. In July 2013, the legal status of Bedford changed from a city to a town and it became dependent within (or part of) Bedford County, Virginia. This population of Bedford town is now included in the April 1, 2010 estimates base and all July 1 estimates for Bedford County. Because it is no longer an independent city, Bedford town is not listed in this table. As a result, the sum of the April 1, 2010 census values for Virginia counties and independent cities does not equal the 2010 Census count for Virginia, and the sum of April 1, 2010 census values for all counties and independent cities in the United States does not equal the 2010 Census count for the United States. Substantial geographic changes to counties can be found on the Census Bureau website at <http://www.census.gov/geo/reference/county-changes.html>.

Suggested Citation:

Annual Estimates of the Resident Population for Selected Age Groups by Sex for the United States, States, Counties and Puerto Rico Commonwealth and Municipios: April 1, 2010 to July 1, 2017

Source: U.S. Census Bureau, Population Division

Release Date: June 2018

1.3.1 FDOH Health Status Summary Profile, 2017



Department of Health State of Florida
 Bureau of Community Health Assessment
 Division of Public Health Statistics and Performance Management

County Health Status Summary Report: Lake vs. Florida

Indicator	Year(s)	Measure	County Quartile ^A 1=most favorable 4=least favorable	County	State	County Trend ^B (Statistically Significant)	U.S. Healthy People 2020 Goal ^C
Socio-Demographics							
Total county population ¹	2017	Count		333,598	20,555,728		
Population under 18 Years Old ¹	2017	Count		65,023	4,131,232		
Population 18-64 Years Old ¹	2017	Count		180,363	12,350,641		
Population 65+ Years Old ¹	2017	Count		88,212	4,073,855		
Population - White ¹	2017	Count		280,697	15,944,707		
Population - Black ¹	2017	Count		36,091	3,470,100		
Population - Other ¹	2017	Count		16,810	1,140,921		
Population - Hispanic ¹	2017	Count		49,205	5,135,854		
Population - Non-Hispanic ¹	2017	Count		284,393	15,419,874		
Median income (in dollars) ²	2012-16	Dollars	2	\$47,141	\$48,900		
Population below 100% poverty ²	2012-16	Percent	1	13.5%	16.1%		
Percentage of civilian labor force which is unemployed ²	2012-16	Percent	2	8.2%	8.4%		
Population 5+ that speak English less than very well ²	2012-16	Percent	3	4.2%	11.7%		
Population over 25 without high school diploma or equivalency ²	2012-16	Percent	2	12.2%	12.8%		
Physical Activity							
Adults who are sedentary	2016	Percent	2	29.3%	29.8%		32.6%
Adults who are inactive or insufficiently active ³	2016	Percent	3	58.4%	56.7%		
Adults who meet aerobic recommendations ³	2016	Percent	2	44.5%	44.8%		
Adults who meet muscle strengthening recommendations ³	2016	Percent	2	34.3%	38.2%		
Overweight and Obesity							
Adults who are overweight ³	2016	Percent	1	32.2%	35.8%		
Adults who are obese ³	2016	Percent	3	32.6%	27.4%		30.6%
Adults who have a healthy weight ³	2016	Percent	2	32.5%	34.5%		
Tobacco Use and Exposure							
Adults who are current smokers	2016	Percent	3	19.2%	15.5%		
Adult current smokers who tried to quit smoking at least once in the past year	2016	Percent	2	62.1%	62.1%		
Adults who are former smokers (currently quit smoking)	2016	Percent	1	33%	26.5%		
Adults who have never smoked	2016	Percent	3	47.7%	58%		

































1.3.1 FDOH Health Status Summary Profile, 2017

Indicator	Year(s)	Measure	County Quartile ^A 1=most favorable 4=least favorable	County	State	County Trend ^B (Statistically Significant)	U.S. Healthy People 2020 Goal ^C
Adults who are current e-cigarette users	2016	Percent	2	4.3%	4.7%		
Adults who are former e-cigarette users	2016	Percent	3	15.2%	15.5%		
Adults who have never used e-cigarettes	2016	Percent	3	80.4%	79.8%		
Health Status and Access to Care							
Adults with health insurance coverage ³	2012-16	Percent	1	86.7%	83.6%		
Adults who have a personal doctor ³	2016	Percent	3	75.6%	72%		
Adults who could not see a doctor at least once in the past year due to cost	2016	Percent	3	17.1%	16.6%		
Adults who had a medical checkup in the past year ³	2016	Percent	2	80.4%	76.5%		
Total Licensed Florida Family Practice Physicians (FP - FAMILY PRACTICE) ⁴	2014-16	Per 100,000 population	2	17.5	15.8		
Total Licensed Florida Dentists ⁴	2014-16	Per 100,000 population	2	41.3	57.4		
Total hospital beds ⁵	2015-17	Per 100,000 population	2	246.5	312.9		
County Health Department Full-Time Employees ¹²	2015-17	Per 100,000 population	4	40.4	48.0	WORSE ↓	
Adults who received a flu shot in the past year ³	2016	Percent	2	40.3%	35%		
Adults who have ever received a pneumonia vaccination ³	2016	Percent	1	43.4%	34.6%		13.5%
Women 40 years of age and older who received a mammogram in the past year ³	2016	Percent	2	60.4%	60.8%		
Women 18 years of age and older who received a Pap test in the past year ³	2016	Percent	3	40.9%	48.4%		
Men 50 years of age and older who received a PSA test in the past two years ³	2016	Percent	2	55.5%	54.9%		
Adults ages 50 years and older who received a blood stool test in the past year ³	2016	Percent	2	15%	16%		93%
Adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years ³	2016	Percent	4	51.5%	53.9%		
Adults less than 65 years of age who had an HIV test in the past 12 months ³	2016	Percent	3	13.8%	19.7%		
County Health Department Expenditures Per Person ¹²	2015-17	Per person	4	27.7	36.0		
Adults who have Medicare (Medicare is a coverage plan for people 65 or over and for certain disabled people)	2016	Percent	3	47.5%	37.9%		
Adults who said their overall health was "fair" or "poor"	2016	Percent	1	18.5%	19.5%		
Adults who said their overall health was "good" to "excellent"	2016	Percent	1	81.5%	80.5%		





























1.3.1 FDOH Health Status Summary Profile, 2017

Indicator	Year(s)	Measure	County Quartile ^A 1=most favorable 4=least favorable	County	State	County Trend ^B (Statistically Significant)	U.S. Healthy People 2020 Goal ^C
Adults whose poor physical or mental health kept them from doing usual activities on 14 or more of the past 30 days (Among adults who have had at least one day of poor mental or physical health)	2016	Percent	1	18.8%	18.6%		
Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days (Among adults who have had at least one day of poor mental or physical health)	2016	Percent	1	5.3%	5.7%		
Adults with good physical health	2016	Percent	2	84.6%	87.1%		
Adults who had poor physical health on 14 or more of the past 30 days	2016	Percent	2	15.4%	12.9%		
Average number of unhealthy physical days in the past 30 days	2016	Percent	1	4.3%	4%		
Adults with good mental health	2016	Percent	3	87.5%	88.6%		
Adults who had poor mental health on 14 or more of the past 30 days	2016	Percent	3	12.5%	11.4%		
Average number of unhealthy mental days in the past 30 days	2016	Percent	2	3.9%	3.6%		
Adults who have ever been told they had a depressive disorder	2016	Percent	2	15.4%	14.2%		
Coronary Heart Disease							
Chronic Diseases							
Coronary heart disease age-adjusted death rate ⁶	2015-17	Per 100,000 population	3	105.4	95.2	NO TREND ↔	100.8
Coronary heart disease age-adjusted hospitalization rate ⁷	2014-16	Per 100,000 population	4	439.5	297.3	NO TREND ↔	
Stroke							
Stroke age-adjusted death rate ⁶	2015-17	Per 100,000 population	1	31.4	38.7	NO TREND ↔	33.8
Stroke age-adjusted hospitalization rate ⁷	2014-16	Per 100,000 population	3	276.6	241.0	BETTER ↓	
Heart Failure							
Heart failure age-adjusted death rate ⁶	2015-17	Per 100,000 population	2	12.2	12.1	NO TREND ↔	
Congestive heart failure age-adjusted hospitalization rate ⁷	2014-16	Per 100,000 population	3	300.5	228.2	NO TREND ↔	
Lung Cancer							
Lung cancer age-adjusted death rate ⁶	2015-17	Per 100,000 population	2	45.3	38.6	NO TREND ↔	45.5
Lung cancer age-adjusted incidence rate ⁸	2013-15	Per 100,000 population	3	70.6	58.9	NO TREND ↔	

1.3.1 FDOH Health Status Summary Profile, 2017

Indicator	Year(s)	Measure	County Quartile ^A 1=most favorable 4=least favorable	County	State	County Trend ^B (Statistically Significant)	U.S. Healthy People 2020 Goal ^C
Colorectal Cancer							
Colorectal cancer age-adjusted death rate ⁶	2015-17	Per 100,000 population	 3	15.4	13.5	NO TREND 	14.5
Colorectal cancer age-adjusted incidence rate ⁸	2013-15	Per 100,000 population	 3	40.3	36.6	BETTER 	
Breast Cancer							
Breast cancer age-adjusted death rate ⁶	2015-17	Per 100,000 females	 3	20.1	19.3	NO TREND 	20.6
Breast cancer age-adjusted incidence rate ⁸	2013-15	Per 100,000 females	 4	125.2	118.6	NO TREND 	
Prostate Cancer							
Prostate cancer age-adjusted death rate ⁶	2015-17	Per 100,000 males	 2	16.9	17.0	NO TREND 	21.2
Prostate cancer age-adjusted incidence rate ⁸	2013-15	Per 100,000 males	 3	89.2	86.9	NO TREND 	
Cervical Cancer							
Cervical cancer age-adjusted death rate ⁶	2015-17	Per 100,000 females	 2	2.5	2.6	NO TREND 	2.2
Cervical cancer age-adjusted incidence rate ⁸	2013-15	Per 100,000 females	 3	8.9	8.5	NO TREND 	
Melanoma							
Melanoma age-adjusted death rate ⁶	2015-17	Per 100,000 population	 2	2.6	2.4	NO TREND 	2.4
Melanoma age-adjusted incidence rate ⁸	2013-15	Per 100,000 population	 4	31.8	24.0	WORSE 	
Chronic Lower Respiratory Diseases							
Chronic lower respiratory diseases (CLRD) age-adjusted death rate ⁶	2015-17	Per 100,000 population	 2	42.7	39.6	NO TREND 	
CLRD age-adjusted hospitalization rate ⁷	2014-16	Per 100,000 population	 3	387.3	347.4	NO TREND 	50.1
Asthma age-adjusted hospitalization rate ⁷	2014-16	Per 100,000 population	 3	854.6	835.8	NO TREND 	
Diabetes							
Diabetes age-adjusted death rate ⁶	2015-17	Per 100,000 population	 2	22.8	20.0	NO TREND 	65.8
Diabetes age-adjusted hospitalization rate ⁷	2014-16	Per 100,000 population	 3	2,673.8	2,338.7	NO TREND 	
Amputation due to diabetes age-adjusted hospitalization rate	2012-14	Per 100,000 population	 3	30.1	28.2	NO TREND 	











1.3.1 FDOH Health Status Summary Profile, 2017

Indicator	Year(s)	Measure	County Quartile ^A 1=most favorable 4=least favorable	County	State	County Trend ^B (Statistically Significant)	U.S. Healthy People 2020 Goal ^C
Reportable & Infectious Diseases							
AIDS cases ⁹	2014-16	Per 100,000 population	 2	6.1	10.7	NO TREND 	
Campylobacteriosis	2014-16	Per 100,000 population	 2	11.8	14.8	NO TREND 	
Chlamydia cases ⁹	2014-16	Per 100,000 population	 2	335.0	449.6	NO TREND 	
Cryptosporidiosis	2014-16	Per 100,000 population	 3	7.6	5.6	NO TREND 	
Cyclosporiasis	2014-16	Per 100,000 population	 1	0.0	0.2	NO TREND 	
Giardiasis, acute	2014-16	Per 100,000 population	 3	7.4	5.6	NO TREND 	
Gonorrhea cases ⁹	2014-16	Per 100,000 population	 2	65.3	122.2	NO TREND 	
Haemophilus influenzae in people <5 ⁹	2014-16	Count	 3	1	103		
Hepatitis A ⁹	2014-16	Per 100,000 population	 2	0.4	0.6	NO TREND 	
Hepatitis B, acute ⁹	2014-16	Per 100,000 population	 3	2.4	2.7	NO TREND 	
Hepatitis B, chronic ⁹	2014-16	Count	 3	129	14,713		
HIV cases ⁹	2014-16	Per 100,000 population	 3	10.6	23.9	NO TREND 	
HIV/AIDS age-adjusted death rate ⁶	2015-17	Per 100,000 population	 3	2.8	3.7	NO TREND 	3.7
Infectious syphilis cases ⁹	2014-16	Per 100,000 population	 3	5.1	10.4	NO TREND 	
Legionellosis	2014-16	Per 100,000 population	 3	1.6	1.5	WORSE 	
Listeriosis	2014-16	Per 100,000 population	 4	0.4	0.2	NO TREND 	
Measles (rubeola) ⁹	2014-16	Count	 1	0	10		
Meningococcal disease in people <24 ⁹	2014-16	Per 100,000 population	 1	0.0	0.2		
Pertussis ⁹	2014-16	Per 100,000 population	 2	1.4	2.3	NO TREND 	

1.3.1 FDOH Health Status Summary Profile, 2017

Indicator	Year(s)	Measure	County Quartile ^A 1=most favorable 4=least favorable	County	State	County Trend ^B (Statistically Significant)	U.S. Healthy People 2020 Goal ^C
Rubella ⁹	2014-16	Count	1	0	1		
Salmonellosis	2014-16	Per 100,000 population	3	36.8	29.4	BETTER ↓	
Shiga toxin-producing Escherichia coli (STEC) infection	2014-16	Per 100,000 population	2	0.4	0.6	NO TREND ↔	
Shigellosis	2014-16	Per 100,000 population	4	8.5	8.2	NO TREND ↔	
Streptococcus pneumoniae in people <6 ⁹	2014-16	Count	2	2	252		
Tetanus ⁹	2014-16	Count	1	0	11		
Tuberculosis cases ⁹	2015-17	Per 100,000 population	1	1.0	2.9	NO TREND ↔	1.0
Varicella ⁹	2014-16	Per 100,000 population	1	1.5	3.4	NO TREND ↔	
Vibriosis (excluding cholera)	2014-16	Per 100,000 population	2	0.7	0.9	NO TREND ↔	
Maternal, Infant & Young Child Health							
Early prenatal care (care began 1st trimester) ⁶	2015-17	Percent	1	80.7%	78.3%	NO TREND ↔	77.9%
Preterm with Low Birth Weight	2015-17	Percent	3	6.1%	6%		
Low birth weight births (births < 2500 grams) ⁶	2015-17	Percent	2	8.7%	8.7%	NO TREND ↔	
Preterm births (births < 37 weeks gestation) ⁶	2015-17	Percent	2	10.3%	10.1%	NO TREND ↔	11.4%
Multiple births ⁶	2015-17	Percent	2	3%	3.3%	NO TREND ↔	
Births to teens 15-19 ⁶	2015-17	Per 1,000 females 15-19	2	24.1	19.7	BETTER ↓	
Repeat births to mothers 15-19 ⁶	2015-17	Percent	2	14.6%	15.7%	NO TREND ↔	
Infant death rate ⁶	2015-17	Per 1,000 live births	3	6.8	6.1	NO TREND ↔	6.0
Neonatal death rate ⁶	2015-17	Per 1,000 live births	3	4.4	4.2	NO TREND ↔	4.1
Postneonatal death rate ⁶	2015-17	Per 1,000 live births	3	2.4	2.0	NO TREND ↔	2.0
Fetal death ratio ⁶	2015-17	Per 1,000 deliveries	3	7.1	6.9	NO TREND ↔	5.6
Mothers initiating breastfeeding at birth ⁶	2015-17	Percent	2	83.2%	85.7%	BETTER ↑	
Kindergarten children fully immunized ¹⁰	2015-17	Percent	3	93.6%	93.7%	NO TREND ↔	

1.3.1 FDOH Health Status Summary Profile, 2017

Indicator	Year(s)	Measure	County Quartile ^A 1=most favorable 4=least favorable	County	State	County Trend ^B (Statistically Significant)	U.S. Healthy People 2020 Goal ^C
Unintentional Injuries							
Unintentional injuries age-adjusted death rate ⁶	2015-17	Per 100,000 population	 4	66.1	52.6	WORSE 	36.0
Motor vehicle crash age-adjusted death rate ⁶	2015-17	Per 100,000 population	 2	17.8	14.8	NO TREND 	12.4
Social and Physical Environment							
Criminal homicide (Murder) ¹¹	2014-16	Per 100,000 population	 1	2.5	5.2	NO TREND 	
Domestic violence offenses ¹¹	2014-16	Per 100,000 population	 2	499.0	536.2	NO TREND 	
Suicide age-adjusted death rate ⁶	2015-17	Per 100,000 population	 3	16.7	14.2	NO TREND 	10.2

Data Note(s)

¹Florida Department of Health, Bureau of Community Health Assessment, Florida Legislature's Office of Economic and Demographic Research (EDR)

²US Census Bureau

³Florida Department of Health Division of Community Health Promotion

⁴Florida Department of Health, Division of Medical Quality Assurance

⁵Florida Agency for Health Care Administration, Certificate of Need Office

⁶Florida Department of Health, Bureau of Vital Statistics

⁷Florida Agency for Health Care Administration (AHCA)

⁸University of Miami (FL) Medical School, Florida Cancer Data System

⁹Florida Department of Health, Division of Disease Control

¹⁰Florida Department of Health, Bureau of Immunization

¹¹Florida Department of Law Enforcement

¹²Florida Department of Health, Contract Management System

All age-adjusted rates on this report are 3-year rates per 100,000 and are calculated using the 2000 Standard US Population and July 1 population estimates from the Florida Legislature, Office of Economic and Demographic Research. The population data for 2001-2010, along with rates affected by the population data, have been updated on FLHealthCHARTS. Following a census, it is customary to revise population projections for the intercensal years based on information from the latest census. Revising the population data from what was predicted to actual estimates ensures accurate accounting of the racial, ethnic, and gender distribution of the population. These changes affect the population data and rates calculated for your community.

View ICD Codes for death, cancer, and hospitalization indicators

^ACounty Quartiles

Most favorable situation 1 (Lightest color on maps)	Average 2 or 3	Least favorable situation 4 (Darkest color on maps)
--	--------------------------	--

Quartiles in this report allow you to compare your county's data with other counties.

1.3.1 FDOH Health Status Summary Profile, 2017

Calculation of quartiles require several steps to create the final results.

First, the county values are sorted from most favorable to least favorable.

Second, a rank is assigned based on the value for each county in relation to the preceding county. If a county has the same value as the preceding county, then the same rank is assigned.

Third, the ranking is divided into 4 groups. The number of counties in each group depends on how many counties had the same rank.

^BCounty Trends




Trends over time are used to see if an indicator has improved or worsened. Statistical testing of the trend provides evidence that the trend is "better" or "worse" and did not occur due to random variation.

Trends are only calculated when 5 or more consecutive years of data are available.

Blank in the trend column indicates the trend is not calculated.

[Click here for more information about trends](#)

Trend Values

-  Trend is getting better and the improvement is statistically significant
-  Trend is getting worse and the change is statistically significant
-  Trend is not statistically significant

Blank cell - Not enough data to compute a trend

For the 2007 report, no trend is available for entry into prenatal care due to a change in the measurement of this indicator in 2004.

^CU.S Healthy People 2020 Goal

U.S Healthy People 2020 is a national health promotion and disease prevention initiative. Its' goals are to increase the quality and years of healthy life and eliminate health disparities. More information available at: <http://www.healthypeople.gov>. Goals are not available for every indicator.

County Health Rankings & Roadmaps

Building a Culture of Health, County by County

Lake

Areas to Explore

Areas of Strength

County Demographics

	County	State
Population	335,396	20,612,439
% below 18 years of age	19.6%	20.1%
% 65 and older	26.4%	19.9%
% Non-Hispanic African American	9.9%	15.6%
% American Indian and Alaskan Native	0.6%	0.5%
% Asian	2.3%	2.9%
% Native Hawaiian/Other Pacific Islander	0.2%	0.1%
% Hispanic	14.7%	24.9%
% Non-Hispanic white	71.2%	54.9%
% not proficient in English	2%	6%
% Females	51.6%	51.1%
% Rural	19.3%	8.8%

	Lake County	Error Margin	Top U.S. Performers	Florida	Rank of 67
Health Outcomes					24
Length of Life					26
Premature death	7,500	7,100-7,900	5,300	6,800	
Years of Potential Life Lost Rate	7,500				
Years of Potential Life Lost Rate (Black)	9,400				
Years of Potential Life Lost Rate (Hispanic)	4,100				
Years of Potential Life Lost Rate (White)	8,000				
Quality of Life					20
Poor or fair health **	15%	15-16%	12%	19%	
Poor physical health days **	3.9	3.8-4.0	3.0	3.8	
Poor mental health days **	3.9	3.8-4.1	3.1	3.8	
Low birthweight	9%	8-9%	6%	9%	
% LBW	9%				
% LBW (Black)	15%				
% LBW (Hispanic)	7%				
% LBW (White)	8%				
Additional Health Outcomes (not included in overall ranking)					
Premature age-adjusted mortality	350	340-360	270	330	
Age-Adjusted Mortality	350				
Age-Adjusted Mortality (Black)	410				
Age-Adjusted Mortality (Hispanic)	200				
Age-Adjusted Mortality (White)	380				
Child mortality	60	50-70	40	50	
Child Mortality Rate	60				
Child Mortality Rate (Black)	100				
Child Mortality Rate (Hispanic)	40				
Child Mortality Rate (White)	60				
Infant mortality	7	6-8	4	6	
Infant Mortality Rate	7				
Infant Mortality Rate (Black)	14				
Infant Mortality Rate (Hispanic)	4				
Infant Mortality Rate (White)	6				

1.3.2 County Health Rankings & Roadmaps, 2017

	Lake County	Error Margin	Top U.S. Performers	Florida	Rank of 67
Frequent physical distress	12%	12-13%	9%	12%	
Frequent mental distress	12%	12-13%	10%	12%	
Diabetes prevalence	14%	12-16%	8%	11%	
HIV prevalence	296		49	615	
Health Factors					24
Health Behaviors					21
Adult smoking **	17%	16-17%	14%	15%	
Adult obesity	28%	25-31%	26%	26%	
Food environment index	7.2		8.6	6.7	
Physical inactivity	26%	23-28%	20%	24%	
Access to exercise opportunities	86%		91%	87%	
Excessive drinking **	17%	17-18%	13%	18%	
Alcohol-impaired driving deaths	28%	25-31%	13%	26%	
Sexually transmitted infections	334.5		145.1	454.8	
Teen births	32	30-33	15	25	
Teen Birth Rate	32				
Teen Birth Rate (Black)	46				
Teen Birth Rate (Hispanic)	32				
Teen Birth Rate (White)	29				
Additional Health Behaviors (not included in overall ranking)					
Food insecurity	14%		10%	15%	
Limited access to healthy foods	11%		2%	7%	
Drug overdose deaths	14	11-16	10	17	
Drug overdose deaths - modeled	16-17.9		8-11.9	23.7	
Motor vehicle crash deaths	17	15-19	9	13	
Insufficient sleep	35%	34-35%	27%	34%	
Clinical Care					12
Uninsured	14%	13-16%	6%	16%	
Primary care physicians	1,390:1		1,030:1	1,380:1	
Dentists	2,190:1		1,280:1	1,730:1	
Mental health providers	1,290:1		330:1	700:1	
Preventable hospital stays	56	54-58	35	54	
Diabetes monitoring	87%	85-89%	91%	86%	
% Receiving HbA1c	87%				
% Receiving HbA1c (Black)	87%				
% Receiving HbA1c (White)	87%				
Mammography screening	72%	70-75%	71%	68%	
% Mammography	72%				
% Mammography (Black)	67%				
% Mammography (White)	73%				
Additional Clinical Care (not included in overall ranking)					
Uninsured adults	17%	16-19%	7%	19%	
Uninsured children	6%	5-8%	3%	7%	
Health care costs	\$10,778			\$11,040	
Other primary care providers	1,347:1		782:1	1,139:1	
Social & Economic Factors					21
High school graduation	76%		95%	78%	
Some college	56%	53-59%	72%	62%	
Unemployment	4.9%		3.2%	4.9%	
Children in poverty	19%	15-24%	12%	21%	
% Children in Poverty	19%				
% Children in Poverty (Black)	23%				
% Children in Poverty (Hispanic)	28%				
% Children in Poverty (White)	19%				

1.3.2 County Health Rankings & Roadmaps, 2017

	Lake County	Error Margin	Top U.S. Performers	Florida	Rank of 67
Income inequality	4.1	4.0-4.3	3.7	4.7	
Children in single-parent households	36%	33-39%	20%	38%	
Social associations	8.5		22.1	7.1	
Violent crime	317		62	500	
Injury deaths	96	91-101	55	72	
Additional Social & Economic Factors (not included in overall ranking)					
Disconnected youth	19%		10%	15%	
Median household income	\$50,100	\$47,200-53,100	\$65,100	\$50,900	
Household Income	\$50,100				
Household income (Black)	\$37,400				
Household income (Hispanic)	\$42,700				
Household income (White)	\$48,500				
Children eligible for free or reduced price lunch	68%		33%	59%	
Residential segregation - black/white	33		23	55	
Residential segregation - non-white/white	29		14	45	
Homicides	4	3-5	2	6	
Firearm fatalities	12	10-14	7	13	
Physical Environment					51
Air pollution - particulate matter **	7.4		6.7	7.4	
Drinking water violations	Yes				
Severe housing problems	17%	16-19%	9%	22%	
Driving alone to work	81%	80-83%	72%	79%	
% Drive Alone	81%				
% Drive Alone (Black)	79%				
% Drive Alone (Hispanic)	69%				
% Drive Alone (White)	81%				
Long commute - driving alone	44%	42-47%	15%	40%	
^ 10th/90th percentile, i.e., only 10% are better. Note: Blank values reflect unreliable or missing data ** Data should not be compared with prior years					2018

2.1.1 FDOH Leading Causes of Death, 2017



Department of Health State of Florida

Bureau of Community Health Assessment
Division of Public Health Statistics and Performance Management

Leading Causes of Death - Lake County, Florida 2017

Causes of Death	Deaths	2017 Percent of Total Deaths	2017 Crude Rate Per 100,000	2017 Age-Adjusted Death Rate Per 100,000	2015-17 3-Year Age-Adjusted Death Rate Per 100,000	2017 YPLL < 75 Per 100,000 Under 75
ALL CAUSES	4,367	100.0	1,309.1	763.2	735.8	9,493.6
CANCER	1,019	23.3	305.5	172.6	170.8	2,090.9
HEART DISEASE	967	22.1	289.9	155.2	156.2	1,236.9
UNINTENTIONAL INJURY	299	6.8	89.6	71.6	66.1	1,675.3
CHRONIC LOWER RESPIRATORY DISEASE	287	6.6	86.0	45.1	42.7	383.6
STROKE	196	4.5	58.8	31.0	31.4	205.1
ALZHEIMER'S DISEASE	155	3.5	46.5	22.5	22.4	36.1
DIABETES	146	3.3	43.8	25.4	22.8	334.9
SUICIDE	87	2.0	26.1	23.8	16.7	641.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	65	1.5	19.5	13.8	14.0	291.9
PARKINSON'S DISEASE	58	1.3	17.4	8.5	9.0	26.2
HYPERTENSION	50	1.1	15.0	8.6	8.7	103.6
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS	47	1.1	14.1	8.3	8.6	79.0
INFLUENZA AND PNEUMONIA	47	1.1	14.1	8.4	7.0	109.7
ATHEROSCLEROSIS	37	0.8	11.1	5.5	5.2	17.7
BENIGN NEOPLASM	33	0.8	9.9	5.1	4.4	25.9
SEPTICEMIA	32	0.7	9.6	5.8	6.8	78.5
HOMICIDE	19	0.4	5.7	6.5	5.4	238.1
PNEUMONITIS	19	0.4	5.7	3.1	2.6	33.7
AORTIC ANEURYSM & DISSECTION	19	0.4	5.7	3.0	2.3	17.7
PERINATAL PERIOD CONDITIONS	15	0.3	4.5	6.4	5.2	380.7
HIV/AIDS	12	0.3	3.6	3.6	2.8	104.9
CONGENITAL MALFORMATIONS	11	0.3	3.3	3.4	3.4	125.2
NUTRITIONAL DEFICIENCIES	11	0.3	3.3	1.8	1.2	12.3
CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS	10	0.2	3.0	1.4	1.1	1.4
ANEMIAS	10	0.2	3.0	2.1	1.5	39.9
VIRAL HEPATITIS	9	0.2	2.7	2.3	2.3	63.4
PEPTIC ULCER	8	0.2	2.4	1.5	1.4	26.2
MEDICAL & SURGICAL CARE COMPLICATIONS	5	0.1	1.5	1.0	1.1	16.4
HERNIA	4	0.1	1.2	0.8	0.7	25.2
PREGNANCY, CHILDBIRTH & THE PUERPERIUM	0	0.0	0.0	0.0	0.0	0.0

Data Note(s):

Causes of death listed in this report represent the 30 leading causes among all of Florida's resident deaths. Data for 1999 and subsequent years are not fully comparable to data from 1998 and prior years, due to changes in coding of causes of deaths resulting from the switch from the ninth revision of the International Classification of Diseases (ICD9) to the tenth revision (ICD10). Age-adjusted death rates are computed using the year 2000 standard population. YPLL = Years of Potential Life Lost
Source: Florida Department of Health, Bureau of Vital Statistics

2.1.2 FDOH County Death Data Comparison, 2017



Department of Health State of Florida

Bureau of Community Health Assessment
Division of Public Health Statistics and Performance Management

County Death Data Comparison - 2017

Socio-Demographic Indicators	Measure	State	Lake
Total population	Count	20,555,728	333,598
Population Under 18	Count	4,131,232	65,023
Population 18-64 Years Old	Count	12,350,641	180,363
Population 65 and Older	Count	4,073,855	88,212
Population - White	Count	15,944,707	280,697
Population - Black	Count	3,470,100	36,091
Population - Other	Count	1,140,921	16,810
Population - Hispanic	Count	5,135,854	49,205
Population - Non-Hispanic	Count	15,419,874	284,393
Deaths from All Causes	Count	203,353	4,367
Age Adjusted Death Rate Per 100,000	Per 100,000 Total Population	688.3	763.2
Total Deaths Under 65	Count	100,488	1,938
Percent of Deaths Under 65	Percent of Total Deaths Under 65	49.4	44.4
Infant Deaths	Count	1,355	23
Infant Mortality Rate Per 1,000 live Births	Per 1,000 Live Births	6.1	7.0
HIV/AIDS Deaths	Count	749	12
HIV/AIDS Age Adjusted Death Rate	Per 100,000 Total Population	3.2	3.6
Pneumonia/Influenza Deaths	Count	3,040	47
Pneumonia/Influenza Age Adjusted Death Rate	Per 100,000 Total Population	9.8	8.4
Cancer Deaths	Count	44,862	1,019
Cancer Age Adjusted Death Rate	Per 100,000 Total Population	149.4	172.6
Chronic Liver Disease and Cirrhosis Deaths	Count	3,080	65
Chronic Liver Disease and Cirrhosis Age Adjusted Death Rate	Per 100,000 Total Population	11.4	13.8
Chronic Lower Respiratory Disease Deaths	Count	12,590	287
Chronic Lower Respiratory Disease Age Adjusted Death Rate	Per 100,000 Total Population	40.0	45.1
Diabetes Deaths	Count	6,151	146
Diabetes Age Adjusted Death Rate	Per 100,000 Total Population	20.7	25.4
Heart Disease Deaths	Count	46,159	967
Heart Disease Age Adjusted Death Rate	Per 100,000 Total Population	148.5	155.2
Stroke Deaths	Count	12,557	196
Stroke Age Adjusted Death Rate	Per 100,000 Total Population	39.6	31.0
Homicide Deaths	Count	1,250	19
Homicide Age Adjusted Death Rate	Per 100,000 Total Population	6.5	6.5
Suicide Deaths	Count	3,187	87
Suicide Age Adjusted Death Rate	Per 100,000 Total Population	14.1	23.8
Unintentional Injuries Deaths	Count	12,812	299
Unintentional Injuries Age Adjusted Death Rate	Per 100,000 Total Population	56.0	71.6
Motor Vehicle Crash Deaths	Count	3,184	62
Motor Vehicle Crash Age Adjusted Death Rate	Per 100,000 Total Population	14.8	18.3
Alzheimer's Deaths	Count	6,956	155
Alzheimer's Age-Adjusted Death Rate	Per 100,000 Total Population	21.0	22.5

Data Note(s)

Data for 1999 and subsequent years are not fully comparable to data from 1998 and prior years, due to changes in coding of causes of deaths resulting from t

Data Source: Florida Department of Health, Bureau of Vital Statistics.

2.1.3 FDOH Profile of Fatal Injuries, 2017



Department of Health State of Florida
Bureau of Community Health Assessment
Division of Public Health Statistics and Performance Management

Total Fatal Injuries, By Intent and Age Group - Lake County, Florida 2017

Intent	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown	Total Count	County Age Adj Rate	Florida Age Adj Rate
Homicide	0	1	0	0	2	2	5	3	1	3	0	0	2	0	19	6.50	6.47
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.11
Suicide	0	0	0	1	4	2	6	12	19	16	13	10	4	0	87	23.75	14.07
Undetermined	0	0	0	0	0	1	1	0	0	1	1	0	1	0	5	1.26	0.68
Unintentional	2	0	0	0	3	12	39	31	19	27	29	57	80	0	299	71.56	56.03
Total	2	1	0	1	9	17	51	46	39	47	43	67	87	0	410	103.07	77.36

Total Fatal Injuries, By Mechanism and Age Group - Lake County, Florida 2017

Mechanism	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown	Total Count	County Age Adj Rate	Florida Age Adj Rate
Cut, Pierce	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2	0.52	0.83
Drowning, Submersion	0	1	0	0	1	0	1	1	1	0	2	3	0	0	10	2.71	2.26
Fall	0	0	0	0	0	0	0	1	1	5	14	44	71	0	136	20.58	10.39
Fire, Flame	0	0	0	0	0	0	0	0	0	2	1	1	0	0	4	0.68	0.59
Firearm	0	0	0	1	3	3	7	6	12	13	11	6	4	0	66	17.66	12.52
Hot Object, Substance	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.03
MV Traffic - Motorcyclist	0	0	0	0	0	2	4	2	1	3	2	0	1	0	15	4.58	2.82
MV Traffic - Occupant	0	0	0	0	1	5	6	4	2	1	4	5	3	0	31	9.14	7.56
MV Traffic - Other, Unspecified	0	0	0	0	0	0	1	0	1	1	1	3	0	0	7	1.50	0.77
MV Traffic - Pedalcyclist	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.53
MV Traffic - Pedestrian	0	0	0	0	0	0	3	3	0	2	1	0	0	0	9	3.04	2.83
Machinery	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.15	0.10
Natural, Environmental	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	0.28	0.30
Other Specified & Classifiable	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.92
Other Specified & NEC	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2	0.58	0.62
Overexertion	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
Pedalcyclist, Other	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.20	0.12
Pedestrian, Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.24
Poisoning	0	0	0	0	1	6	24	23	18	14	3	1	0	0	90	31.62	25.95
Struck By, Against	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2	0.76	0.16
Suffocation	2	0	0	0	3	1	2	6	2	1	2	1	3	0	23	7.68	5.74
Transport, Other	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.20	0.47
Unspecified	0	0	0	0	0	0	0	0	0	1	1	2	4	0	8	1.21	1.58
Total	2	1	0	1	9	17	51	46	39	47	43	67	87	0	410	103.07	77.36

Health Outcomes

2.1.3 FDOH Profile of Fatal Injuries, 2017

Unintentional Fatal Injuries, By Mechanism and Age Group - Lake County, Florida 2017																	
Mechanism	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown	Total Count	County Age Adj Rate	Florida Age Adj Rate
Cut, Pierce	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.03
Drowning, Submersion	0	0	0	0	1	0	1	0	1	0	1	2	0	0	6	1.56	2.05
Fall	0	0	0	0	0	0	0	1	1	5	14	43	71	0	135	20.42	10.11
Fire, Flame	0	0	0	0	0	0	0	0	0	1	1	1	0	0	3	0.49	0.48
Firearm	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.11
Hot Object, Substance	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.03
MV Traffic - Motorcyclist	0	0	0	0	0	2	4	2	1	3	2	0	1	0	15	4.58	2.82
MV Traffic - Occupant	0	0	0	0	1	5	6	4	2	1	4	5	3	0	31	9.14	7.56
MV Traffic - Other, Unspecified	0	0	0	0	0	0	1	0	1	1	1	3	0	0	7	1.50	0.77
MV Traffic - Pedalcyclist	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.53
MV Traffic - Pedestrian	0	0	0	0	0	0	3	3	0	2	1	0	0	0	9	3.04	2.83
Machinery	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.15	0.10
Natural, Environmental	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	0.28	0.30
Other Specified & Classifiable	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.60
Other Specified & NEC	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.20	0.30
Overexertion	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
Pedalcyclist, Other	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.20	0.12
Pedestrian, Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.24
Poisoning	0	0	0	0	1	5	22	21	13	10	1	0	0	0	73	26.71	23.54
Struck By, Against	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2	0.76	0.14
Suffocation	2	0	0	0	0	0	0	0	0	1	2	0	2	0	7	1.61	2.00
Transport, Other	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.20	0.39
Unspecified	0	0	0	0	0	0	0	0	0	0	1	2	2	0	5	0.73	0.98
Total	2	0	0	0	3	12	39	31	19	27	29	57	80	0	299	71.56	56.03

Suicides, By Mechanism and Age Group - Lake County, Florida 2017																	
Mechanism	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown	Total Count	County Age Adj Rate	Florida Age Adj Rate
Cut, Pierce	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0.32	0.26
Drowning, Submersion	0	0	0	0	0	0	0	1	0	0	1	1	0	0	3	0.75	0.16
Fall	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0.15	0.28
Fire, Flame	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.04
Firearm	0	0	0	1	2	1	2	3	11	12	11	6	3	0	52	12.50	7.31
Hot Object, Substance	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
MV Traffic - Motorcyclist	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
MV Traffic - Occupant	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
MV Traffic - Other, Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
MV Traffic - Pedalcyclist	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
MV Traffic - Pedestrian	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
Machinery	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
Natural, Environmental	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
Other Specified & Classifiable	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.26
Other Specified & NEC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.06
Overexertion	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
Pedalcyclist, Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
Pedestrian, Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
Poisoning	0	0	0	0	0	0	2	2	5	4	1	1	0	0	15	4.36	2.05
Struck By, Against	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
Suffocation	0	0	0	0	2	1	2	6	2	0	0	1	1	0	15	5.66	3.58
Transport, Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.05
Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.03
Total	0	0	0	1	4	2	6	12	19	16	13	10	4	0	87	23.75	14.07

2.1.3 FDOH Profile of Fatal Injuries, 2017

Homicides, By Mechanism and Age Group - Lake County, Florida 2017																	
Mechanism	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown	Total Count	County Age Adj Rate	Florida Age Adj Rate
Cut, Pierce	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0.20	0.53
Drowning, Submersion	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0.41	0.02
Fall	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
Fire, Flame	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.05
Firearm	0	0	0	0	1	2	4	3	1	1	0	0	1	0	13	4.77	4.95
Hot Object, Substance	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
MV Traffic - Motorcyclist	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
MV Traffic - Occupant	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
MV Traffic - Other, Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
MV Traffic - Pedalcyclist	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
MV Traffic - Pedestrian	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
Machinery	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
Natural, Environmental	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
Other Specified & Classifiable	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.05
Other Specified & NEC	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0.38	0.25
Overexertion	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
Pedalcyclist, Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
Pedestrian, Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.00
Poisoning	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.01
Struck By, Against	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.03
Suffocation	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0.41	0.14
Transport, Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00	0.03
Unspecified	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2	0.34	0.41
Total	0	1	0	0	2	2	5	3	1	3	0	0	2	0	19	6.50	6.47

Data Notes:

Data Source: Florida Department of Health, Bureau of Vital Statistics.

Notes: Rates are per 100,000. Rates based on total counts less than 20 may be unstable; use with caution.

MV - Motor Vehicle, NEC - Not Elsewhere Classifiable.

[Case Definitions](#)

These deaths are reported by the decedent's county of residence.

2.2.1 FDOH Birth Data Comparison, 2015 2017



Department of Health State of Florida

Bureau of Community Health Assessment
Division of Public Health Statistics and Performance Management

County Birth Data Comparison - 2017

Indicators	Measure	State Count	State Rate	Lake Count	Lake Rate
Female Population 15-44					
Count					
Total Females 15-44		11,181,645		155,818	
White		8,130,310		123,841	
Black		2,313,279		22,234	
Other		738,056		9,743	
Hispanic		3,213,021		30,478	
Non-Hispanic		7,968,624		125,340	
Births					
Total Births	Per 1,000 Total Population	672,870	11.1	9,717	9.9
White	Per 1,000 White Population	479,283	10.2	7,662	9.3
Black	Per 1,000 Black Population	148,315	14.5	1,418	13.6
Other	Per 1,000 Other Population	41,513	12.6	619	12.9
Hispanic	Per 1,000 Hispanic Population	196,023	13.2	1,926	13.8
Non-Hispanic	Per 1,000 Non-Hispanic Population	472,790	10.3	7,762	9.3
Births by Mother's Age					
Births to Mothers 10-14	Per 1,000 Females 10-14	352	0.2	4	0.1
Births to Mothers 15-17	Per 1,000 Females 15-17	8,522	8.2	139	8.6
Births to Mothers 15-19	Per 1,000 Females 15-19	33,851	19.7	610	24.1
Births to Mothers 15-44	Per 1,000 Females 15-44	670,887	60	9,697	62.2
Births to Mothers 36 and Over	Per 1,000 females > 35	89,611	4.9	1,030	3.2
Prenatal Care					
% of Births With Known Prenatal Care Status					
Births with Adequate Prenatal Care (Kotelchuck index)		420,332	70.5	5,331	61.3
Births With 1st Trimester Prenatal Care		472,569	78.3	7,170	80.7
Births With 2nd Trimester Prenatal Care		93,628	15.5	1,206	13.6
Births With 3rd Trimester Prenatal Care		25,096	4.2	353	4
Births With 3rd Trimester or No Prenatal Care		37,037	6.1	512	5.8
Maternal and Family Characteristics					
Total births to unwed mothers	Percent of births	317,295	47.2	4,613	47.5
Births among unwed mothers ages 15-44	Percent of births 15-44	316,508	47.2	4,605	47.5
Repeat births to mothers ages 15-19	Percent of births 15-19	5,299	15.7	89	14.6
Birth with Inter-Pregnancy Interval < 18 months	Percent of births	131,072	34.7	2,137	35.7
Births with father acknowledged on birth certificate	Percent of births	588,323	87.4	8,454	87
Births to mothers >18 without high school education	Percent of births > 18	71,414	10.9	1,022	10.9
Births to mothers born in other countries	Percent of births	216,994	32.2	1,630	16.8
Persons Eligible for WIC	Estimated WIC Eligible Persons	1,988,506		28,471	
Percentage Served by WIC	% of Estimated WIC Eligible Persons Served	1,433,284	72.1	21,179	74.4
Live Births to Mothers who Smoked during Pregnancy	Percent of Total Births	35,058	5.2	791	8.1
Mothers who Initiate Breastfeeding	Percent of Total Births	576,764	85.7	8,086	83.2
Low Birth Weight					
Preterm with Low Birth Weight	Percent of preterm with low birth weight	40,407	6	588	6.1
Total Live Births Under 2500 Grams	Percent of Total Births	58,727	8.7	850	8.7
White	Percent of White Births	34,503	7.2	561	7.3
Black	Percent of Black Births	20,207	13.6	230	16.2
Other	Percent of Other Births	3,623	8.7	57	9.2
Hispanic	Percent of Hispanic Births	14,271	7.3	137	7.1
Non-Hispanic	Percent of Non-Hispanic Births	44,012	9.3	707	9.1
Total Live Births Under 1500 Grams	Percent of Total Births	10,460	1.6	149	1.5
White	Percent of White Births	5,454	1.1	89	1.2
Black	Percent of Black Births	4,385	3	53	3.7

*select report for Lake County

2.2.1 FDOH Birth Data Comparison, 2015 2017

Other	Percent of Other Births	507	1.2	7	1.1
Hispanic	Percent of Hispanic Births	2,404	1.2	23	1.2
Non-Hispanic	Percent of Non-Hispanic Births	7,944	1.7	125	1.6
Preterm Births and Elective Deliveries					
Total Preterm Births (<37 weeks gestation)	Percent of Total Births	68,044	10.1	999	10.3
White	Percent of White Births	43,361	9	704	9.2
Black	Percent of Black Births	20,425	13.8	233	16.4
Other	Percent of Other Births	3,807	9.2	62	10
Hispanic	Percent of Hispanic Births	17,803	9.1	168	8.7
Non-Hispanic	Percent of Non-Hispanic Births	49,763	10.5	826	10.6
Births 37-38 Weeks Gestation with an Elective Delivery	% of Births 37-38 Weeks With elective delivery	43,563	33.1	676	39.1
Maternal and Fetal Deaths					
Maternal Deaths	Per 100,000 Live Births	123	18.3	0	0
Total Fetal Deaths	Per 1,000 live births and fetal deaths	4,642	6.9	69	7.1
White	Per 1,000 live births and fetal deaths	2,482	5.2	45	5.8
Black	Per 1,000 live births and fetal deaths	1,859	12.4	19	13.2
Other	Per 1,000 live births and fetal deaths	260	6.2	5	8
Hispanic	Per 1,000 live births and fetal deaths	1,061	5.4	10	5.2
Non-Hispanic	Per 1,000 live births and fetal deaths	3,404	7.1	58	7.4
Infant Deaths					
Total Infant Deaths	Per 1,000 Live Births	4,135	6.1	66	6.8
White	Per 1,000 White Live Births	2,101	4.4	40	5.2
Black	Per 1,000 Black Live Births	1,669	11.3	20	14.1
Other	Per 1,000 Other Live Births	341	8.2	6	9.7
Hispanic	Per 1,000 Hispanic Live Births	1,012	5.2	13	6.7
Non-Hispanic	Per 1,000 Non-Hispanic Live Births	2,997	6.3	52	6.7
Total Neonatal Infant Deaths	Per 1,000 Live Births	2,813	4.2	43	4.4
White	Per 1,000 White Live Births	1,441	3	27	3.5
Black	Per 1,000 Black Live Births	1,125	7.6	13	9.2
Other	Per 1,000 Other Live Births	227	5.5	3	4.8
Hispanic	Per 1,000 Hispanic Live Births	728	3.7	6	3.1
Non-Hispanic	Per 1,000 Non-Hispanic Live Births	1,985	4.2	36	4.6
Total Postneonatal Infant Deaths	Per 1,000 Live Births	1,322	2	23	2.4
White	Per 1,000 White Live Births	660	1.4	13	1.7
Black	Per 1,000 Black Live Births	544	3.7	7	4.9
Other	Per 1,000 Other Live Births	114	2.7	3	4.8
Hispanic	Per 1,000 Hispanic Live Births	284	1.4	7	3.6
Non-Hispanic	Per 1,000 Non-Hispanic Live Births	1,012	2.1	16	2.1
Leading Causes of Infant Death					
		Per 1,000 Live Births			
Total Congenital & Chromosomal Anomaly Infant deaths		796	1.2	9	0.9
White		482	1	5	0.7
Black		253	1.7	2	1.4
Other		59	1.4	2	3.2
Hispanic		237	1.2	1	0.5
Non-Hispanic		538	1.1	8	1
Total Disorders Related to Short Gestation And Low Birth Weight Infant Deaths		661	1	13	1.3
White		295	0.6	7	0.9
Black		301	2	4	2.8
Other		54	1.3	2	3.2
Hispanic		167	0.9	1	0.5
Non-Hispanic		459	1	11	1.4
Total Newborn Affected by Maternal Complications Of Pregnancy Infant Deaths		314	0.5	6	0.6
White		146	0.3	3	0.4
Black		138	0.9	3	2.1
Other		26	0.6	0	0
Hispanic		83	0.4	1	0.5
Non-Hispanic		222	0.5	5	0.6

2.2.1 FDOH Birth Data Comparison, 2015 2017

Total Unintentional Injury Infant Deaths		340	0.5	8	0.8
White		176	0.4	4	0.5
Black		138	0.9	3	2.1
Other		25	0.6	1	1.6
Hispanic		59	0.3	2	1
Non-Hispanic		274	0.6	6	0.8
Total Sudden Infant Death Syndrome (SIDS)		185	0.3	0	0
White		87	0.2	0	0
Black		79	0.5	0	0
Other		18	0.4	0	0
Hispanic		30	0.2	0	0
Non-Hispanic		147	0.3	0	0
Total Newborn Affected by Complications Of Placenta, Cord, and Membranes Infant Deaths		172	0.3	4	0.4
White		74	0.2	2	0.3
Black		74	0.5	2	1.4
Other		24	0.6	0	0
Hispanic		39	0.2	1	0.5
Non-Hispanic		127	0.3	3	0.4
Other Selected Causes of Infant Mortality	Per 1,000 Live Births				
Total Sudden Unexpected Infant Death (SUID)		649	1	14	1.4
White		329	0.7	8	1
Black		269	1.8	5	3.5
Other		48	1.2	1	1.6
Hispanic		114	0.6	3	1.6
Non-Hispanic		515	1.1	11	1.4

Data Note(s)

Data for 1999 and subsequent years are not fully comparable to data from 1998 and prior years, due to changes in coding of causes of deaths resulting from the switch from the nin

Data Source: Florida Department of Health, Bureau of Vital Statistics.

2.2.2 FDOH Birth Defects Profile, 2010-2014



Department of Health State of Florida
Bureau of Community Health Assessment
Division of Public Health Statistics and Performance Management

Birth Defects Profile, Lake County, Florida

Indicator	Year(s)	County Count	County Rate* (95% CI)	State Count	State Rate* (95% CI)
Cardiovascular Conditions					
Critical Congenital Heart Defects	2010-2014	33	21.6 (14.2-29.0)	2,173	20.4 (19.5-21.2)
Aortic valve stenosis	2010-2014	<5	N/A	137	1.3 (1.1-1.5)
Atrial septal defect	2010-2014	120	78.6 (64.5-92.6)	12,739	119.4 (117.3-121.4)
Atrioventricular septal defect (Endocardial cushion defect)	2010-2014	11	7.2 (3.6-12.9)	442	4.1 (3.8-4.5)
Coarctation of aorta	2010-2014	8	5.2 (2.3-10.3)	762	7.1 (6.6-7.7)
Common truncus (Truncus arteriosus)	2010-2014	<5	N/A	76	0.7 (0.6-0.9)
Double outlet right ventricle	2010-2014	6	3.9 (1.4-8.6)	252	2.4 (2.1-2.7)
Ebstein anomaly	2010-2014	<5	N/A	71	0.7 (0.5-0.8)
Hypoplastic left heart syndrome	2010-2014	<5	N/A	343	3.2 (2.9-3.6)
Interrupted aortic arch	2010-2014	<5	N/A	55	0.5 (0.4-0.7)
Pulmonary valve atresia and stenosis	2010-2014	18	11.8 (7.0-18.6)	1,035	9.7 (9.1-10.3)
Single ventricle	2010-2014	<5	N/A	149	1.4 (1.2-1.6)
Tetralogy of Fallot	2010-2014	7	4.6 (1.8-9.4)	525	4.9 (4.5-5.3)
Total anomalous pulmonary venous return	2010-2014	<5	N/A	97	0.9 (0.7-1.1)
Transposition of the great arteries (TGA)	2010-2014	7	4.6 (1.8-9.4)	254	2.4 (2.1-2.7)
Tricuspid valve atresia and stenosis	2010-2014	<5	N/A	108	1.0 (0.8-1.2)
Ventricular septal defect	2010-2014	107	70.1 (56.8-83.3)	6,863	64.3 (62.8-65.8)
Central Nervous System Conditions					
Anencephalus	2010-2014	<5	N/A	85	0.8 (0.6-1.0)
Encephalocele	2010-2014	5	3.3 (1.1-7.6)	78	0.7 (0.6-0.9)
Holoprosencephaly	2010-2014	8	5.2 (2.3-10.3)	490	4.6 (4.2-5.0)
Spina bifida without anencephalus	2010-2014	9	5.9 (2.7-11.2)	296	2.8 (2.5-3.1)
Chromosomal Conditions					
Deletion 22q11.2	2010-2014	<5	N/A	32	0.3 (0.2-0.4)
Trisomy 13	2010-2014	<5	N/A	107	1.0 (0.8-1.2)
Trisomy 18	2010-2014	<5	N/A	226	2.1 (1.8-2.4)
Trisomy 21 (Down syndrome)	2010-2014	34	22.3 (14.8-29.7)	1,443	13.5 (12.8-14.2)
Turner syndrome	2010-2014	<5	N/A	81	1.6 (1.2-1.9)
Ear and Eye Conditions					
Anophthalmia/microphthalmia	2010-2014	<5	N/A	116	1.1 (0.9-1.3)
Anotia/microtia	2010-2014	<5	N/A	93	0.9 (0.7-1.1)
Congenital cataract	2010-2014	<5	N/A	145	1.4 (1.1-1.6)
Gastrointestinal Conditions					
Biliary atresia	2010-2014	<5	N/A	91	0.9 (0.7-1.0)
Esophageal atresia/tracheoesophageal fistula	2010-2014	<5	N/A	258	2.4 (2.1-2.7)

*select report for Lake County

2.2.2 FDOH Birth Defects Profile, 2010-2014

Indicator	Year(s)	County Count	County Rate* (95% CI)	State Count	State Rate* (95% CI)
Rectal and large intestinal atresia/stenosis	2010-2014	12	7.9 (4.1-13.7)	443	4.2 (3.8-4.5)
Small intestinal atresia/stenosis	2010-2014	8	5.2 (2.3-10.3)	523	4.9 (4.5-5.3)
Genitourinary Conditions					
Bladder exstrophy	2010-2014	<5	N/A	21	0.2 (0.1-0.3)
Cloacal exstrophy	2010-2014	13	8.5 (4.5-14.6)	692	6.5 (6.0-7.0)
Congenital posterior urethral valves	2010-2014	<5	N/A	149	1.4 (1.2-1.6)
Hypospadias	2010-2014	57	72.4 (53.6-91.2)	4,032	73.8 (71.5-76.1)
Renal agenesis/hypoplasia	2010-2014	7	4.6 (1.8-9.4)	592	5.6 (5.1-6.0)
Musculoskeletal Conditions					
Limb deficiencies (reduction defects)	2010-2014	15	9.8 (5.5-16.2)	403	3.8 (3.4-4.1)
Clubfoot	2010-2014	25	16.4 (10.6-24.2)	1,438	13.5 (12.8-14.2)
Craniosynostosis	2010-2014	<5	N/A	<5	N/A
Diaphragmatic hernia	2010-2014	<5	N/A	334	3.1 (2.8-3.5)
Gastroschisis	2010-2014	6	3.9 (1.4-8.6)	499	4.7 (4.3-5.1)
Omphalocele	2010-2014	<5	N/A	246	2.3 (2.0-2.6)
Orofacial Conditions					
Choanal atresia	2010-2014	<5	N/A	207	1.9 (1.7-2.2)
Cleft lip with cleft palate	2010-2014	10	6.6 (3.1-12.0)	531	5.0 (4.6-5.4)
Cleft lip alone	2010-2014	<5	N/A	241	2.3 (2.0-2.5)
Cleft palate alone	2010-2014	11	7.2 (3.6-12.9)	549	5.1 (4.7-5.6)
Total Birth Defects	2010-2014	393	257.3 (231.9-282.8)	27,490	257.6 (254.6-260.6)

Data Note(s):

Florida Birth Defects Registry: 2009-2013 birth defects data have been revised as of September 26, 2016.

Results have been suppressed when the estimated case count is between 0 and 4.

*Rate = Number of cases per 10,000 live births.

95% CI = The rate is accompanied by the 95% confidence interval.

99% CI = The rate is accompanied by the 99% confidence interval.

Beginning with the 2010-2014 data, the rate of each birth defect or birth defect grouping is provided along with 95% confidence intervals. As suggested by the National Birth Defects Prevention Network's Guidelines for Conducting Birth Defects Surveillance, for small numbers of cases (which we have defined as 30 or fewer), the Poisson distribution was used to generate 95% confidence intervals. When the case count was greater than thirty, we calculated 95% confidence intervals using the normal approximation.



Florida Environmental Public Health Tracking

Community Reproductive Outcomes Profile Report, Lake

Measure	Year(s)	Lake County	Florida
Birth Prematurity			
Percent of preterm live births	2016	15.40	12.95
Percent of very preterm live births	2016	1.87	2.10
Infant Mortality			
Crude rate of infant deaths per 1000 live births	2016	4.9	6.0
Crude rate of neonatal deaths per 1000 live births	2016	2.1	4.1
Crude rate of postneonatal deaths per 1000 live births	2016	2.8	2.0
Crude rate of perinatal deaths per 1000 live births	2016	1.5	3.3
Low Birth Weight			
Percent of very low birth weight (less than 1500 grams) among live births	2016	1.41	1.53
Percent of low birth weight (less than 2500 grams) live births	2016	8.81	8.72
Sex Ratio			
Ratio of male to female births	2016	*	*

The data on this report was compiled and presented by the Florida Department of Health, Environmental Public Health Tracking program. More information about this and other data sets can be found at www.FloridaTracking.com

Effective October 1, 2015, hospital record data transitioned to a new coding system called the International Classification of Diseases, 10th Revision, Clinical Modification (ICD-10-CM). Differences between counts and rates in years prior to 2015 compared with 2015 and subsequent years could be a result of this coding change and not an actual difference in the number of events.



©2008-2018, Florida Department of Health

*This web portal was supported by Cooperative Agreement Number 6NUE1EH001349 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors (FL Tracking Team) and do not necessarily represent the official views of the Centers for Disease Control and Prevention.

2.2.4 Florida's Infant Mortality and Low Birth Weight, 2016 Update

2016 Actual Infant Mortality and Low Birth Weight Rates Compared to Expected Rates

	2016 Births	2016 Expected ¹ Infant Deaths	2016 Actual Infant Deaths	2016 Expected Infant Mortality Rate Per 1000 Births	2016 Actual Infant Mortality Rate Per 1000 Births	2016 Expected ¹ LBW Births	2016 Actual LBW Births	2016 Expected LBW Percent	2016 Actual LBW Percent
Lake	3,268	19	16	5.72	4.90	269	291	8.22%	8.90%
Florida ³	225,001	1,380	1,380	6.13	6.13	19,659	19,660	8.74%	8.74%

¹ The expected number is calculated with adjusting for the maternal race, marital status and education characteristics of the births in each county

² LBW = Low Birth Weight, defined as birth weight below 2500 grams.

³ Total excludes 17 births with county unknown

Lake County Rates, Actual Versus Expected Statistical Significance Summary

	2012	2013	2014	2015	2016
Infant Mortality Rates Actual Versus Expected Statistical Significance ¹ Lake County Summary			H	H	
Low Birth Weight ² Percentage Actual Versus Expected Statistical Significance ¹ Lake County Summary				H	


¹ H indicates the actual rate was statistically significantly higher than the expected rate for the county

L indicates the actual rate was statistically significantly lower than the expected rate for the county after adjusting for the race, marital status and education characteristics of the births in each county.


The significance level used is .05

² Low Birth Weight is defined as birth weight below 2500 grams.

Actual County Infant Mortality Rates per 1,000 Live Births Compared with Expected Infant Mortality Rates per 1,000 Live Births: Florida 2015



Actual County Low Birth Weight Percentage Compared with Expected Low Birth Weight Percentage: Florida 2016





2.3.1 FDOH Reportable and Infectious Diseases, 2015-2017



Reportable and Infectious Diseases, Lake County, Florida 2015-17				
County				State
Diseases	Data Year	Number of Cases	3-Yr Rate Per 100,000	3-Yr Rate Per 100,000
Sexually Transmitted Diseases (STD)				
<u>Early Syphilis Cases</u>	2014-16	71	7.4	21.8
<u>Infectious Syphilis Cases</u>	2014-16	49	5.1	10.4
<u>Gonorrhea Cases</u>	2014-16	624	65.3	122.2
<u>Chlamydia Cases</u>	2014-16	3,202	335.0	449.6
<u>Total Gonorrhea, Chlamydia & Infectious Syphilis</u>	2014-16	3,875	405.4	582.2
Vaccine Preventable Disease				
<u>Diphtheria</u>	2014-16	0		
<u>Haemophilus influenzae in children <5</u>	2014-16	1	2.1	3.1
<u>Hepatitis B, acute</u>	2014-16	23	2.4	2.7
<u>Hepatitis B, acute in people <19</u>	2014-16	0		
<u>Hepatitis B, chronic</u>	2014-16	129	13.5	24.6
<u>Measles (rubeola)</u>	2014-16	0		
<u>Measles in children <5</u>	2014-16	0		
<u>Meningococcal disease</u>	2014-16	0	0.0	0.2
<u>Meningococcal disease in people <24</u>	2014-16	0		
<u>Mumps</u>	2014-16	0		
<u>Pertussis</u>	2014-16	13	1.4	2.3
<u>Poliomyelitis</u>	2014-16	0		
<u>Rubella</u>	2014-16	0		
<u>Streptococcus pneumoniae in children <6</u>	2014-16	2	3.4	6.4
<u>Tetanus</u>	2014-16	0		
<u>Varicella (Chickenpox)</u>	2014-16	14	1.5	3.4
AIDS and Other Diseases				
<u>AIDS Cases</u>	2014-16	58	6.1	10.7
<u>Tuberculosis Cases</u>	2015-17	10	1.0	2.9
Enteric, Food and Waterborne Diseases				
<u>Campylobacteriosis</u>	2014-16	113	11.8	14.8
<u>Cryptosporidiosis</u>	2014-16	73	7.6	5.6
<u>Cyclosporiasis</u>	2014-16	0	0.0	0.2
<u>Giardiasis, acute</u>	2014-16	71	7.4	5.6
<u>Hepatitis A</u>	2014-16	4	0.4	0.6
<u>Legionellosis</u>	2014-16	15	1.6	1.5
<u>Listeriosis</u>	2014-16	4	0.4	0.2
<u>Salmonellosis</u>	2014-16	352	36.8	29.4
<u>Shiga toxin-producing Escherichia coli (STEC) infection</u>	2014-16	4	0.4	0.6
<u>Shigellosis</u>	2014-16	81	8.5	8.2
<u>Vibriosis (excluding cholera)</u>	2014-16	7	0.7	0.9

Data Source: Division of Disease Control, Florida Department Of Health.

2.3.1 FDOH Reportable and Infectious Diseases, 2015-2017



2.3.1 FDOH Reportable and Infectious Diseases, 2015-2017



*select report for Lake County

2.3.2 FDOH Communicable Diseases Frequency Report, 2017

2017 Florida Department of Health Reportable And Infectious Diseases	Region Reported			Region Acquired of Reports in Lake County				Diagnosis	
	Florida	Lake County	Lake % of FL	Florida	USA	Outside USA	Unknown	CONFIRMED	PROBABLE
Disease Totals	56,459	986	1.8%						
Anaplasmosis	9								
Arsenic Poisoning	13								
Babesiosis	9								
Botulism, Infant	1								
Brucellosis	11								
Campylobacteriosis	4,257	146	3.4%	118	2	5	21	18	128
Carbon Monoxide Poisoning	571	8	1.4%	7			1	6	2
Chikungunya Fever	4								
Cholera (Vibrio cholerae Type O1)	1								
Ciguatera Fish Poisoning	27								
Creutzfeldt-Jakob Disease (CJD)	32	2	6.3%	1			1		2
Cryptosporidiosis	533	25	4.7%	21	1		3	9	16
Cyclosporiasis	112	3	2.7%	2			1	3	
Dengue Fever	26								
Eastern Equine Encephalitis	1								
Ehrlichiosis	15	1	6.7%	1				1	
Giardiasis, Acute	968	25	2.6%	22	2		1	18	7
Haemophilus influenzae Invasive Disease	286	8	2.8%				8	8	
Hansen's Disease (Leprosy)	10								
Hemolytic Uremic Syndrome (HUS)	9								
Hepatitis A	270	3	1.1%	2			1	3	
Hepatitis B, Acute	819	12	1.5%	10		1	1	9	3
Hepatitis B, Chronic	4,814	55	1.1%	9			46	26	29
Hepatitis B, Perinatal	1								
Hepatitis B, Pregnant Women	459	1	0.2%	1				1	
Hepatitis C, Acute	420	11	2.6%	9			2	10	1
Hepatitis C, Chronic (Including Perinatal)	26,234	412	1.6%	84			328	295	117
Hepatitis D	2								
Hepatitis E	8								
Lead Poisoning	2,136	33	1.5%	7			26	33	
Legionellosis	426	4	0.9%	3			1	4	
Leptospirosis	3								
Listeriosis	54								
Lyme Disease	205	3	1.5%		3			3	
Malaria	58								
Measles (Rubeola)	3								
Meningitis, Bacterial or Mycotic	110								
Meningococcal Disease	21								
Mercury Poisoning	44								
Mumps	69								
Neurotoxic Shellfish Poisoning	2								
Pertussis	356	6	1.7%	4	2			6	
Pesticide-Related Illness and Injury, Acute	20								
Q Fever (Coxiella burnetii)	2								
Rabies, Human	1								
Rabies, Possible Exposure	3,465	66	1.9%	65			1	66	
Ricin Toxin Poisoning									
Rocky Mountain Spotted Fever and Spotted Fever Rickettsiosis	23								
Rubella									
Salmonellosis	6,495	120	1.9%	102	4	1	13	100	20
Shiga Toxin-Producing Escherichia coli (STEC) Infection	173	5	2.9%	5				4	1
Shigellosis	1,293	16	1.2%	12	1	2	1	6	10
Staphylococcus aureus Infection, Intermediate Resistance to Vancomycin (VISA)	5								
Streptococcus pneumoniae Invasive Disease	623	10	1.6%	2			8	9	1
Tetanus	2								
Typhoid Fever (Salmonella Serotype Typhi)	19								
Varicella (Chickenpox)	652	9	1.4%	9				9	6
Vibriosis (Excluding Cholera)	271	2	0.7%	2				2	2
West Nile Virus Disease	6								

2.4.1 FDOH Chronic Disease Profile, 2017




















County Chronic Disease Profile, Lake County, Florida - 2017

Indicator	Measure	Year(s)	County Number	County	County Quartile 1=most favorable 4=least favorable	State	U.S. Healthy People 2020 Goal
Socio-Demographics							
Total Population	Count	2017	333,598			20,555,728	
Population under 18 Years Old	Count	2017	65,023			4,131,232	
Population 18-64 Years Old	Count	2017	180,363			12,350,641	
Population 65+ Years Old	Count	2017	88,212			4,073,855	
Population - White	Count	2017	280,697			15,944,707	
Population - Black	Count	2017	36,091			3,470,100	
Population - Other	Count	2017	16,810			1,140,921	
Population - Hispanic	Count	2017	49,205			5,135,854	
Population - Non-Hispanic	Count	2017	284,393			15,419,874	
Individuals below poverty level	Percent	2012-16	42,342	13.5%	1	16.1%	
Civilian labor force which is unemployed	Percent	2012-16	11,249	8.2%	2	8.4%	
Population 5+ that speak English less than very well	Percent	2012-16	12,531	4.2%	3	11.7%	
Individuals 25 or older with a high school diploma	Percent	2012-16		33.5%	3	29.2%	
Adults who have a personal doctor	Percent	2016		75.6%	3	72%	
Adults with health insurance coverage	Percent	2012-16		86.7%	1	83.6%	
Cardiovascular Disease							
Coronary Heart Disease							
Adults who have ever been told they had angina or coronary heart disease	Percent	2016		5.9%	2	4.7%	
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2015-17	1,936	105.4	3	95.2	100.8
Hospitalizations: Age-adjusted hospitalization rate per 100,000 total population	Per 100,000 Total Population	2014-16	6,866	439.5	4	297.3	
Heart Attack							
Adults who have ever been told they had a heart attack	Percent	2016		8%	3	5.2%	
Deaths from heart attack (Acute Myocardial Infarction)	Per 100,000 Total Population	2015-17	493	27.1	2	24.2	
Hospitalizations: Age-adjusted hospitalization rate per 100,000 from AMI	Per 100,000 Total Population	2014-16	3,277	208.6	3	166.4	

*select report for Lake County

2.4.1 FDOH Chronic Disease Profile, 2017

Indicator	Measure	Year(s)	County Number	County	County Quartile 1=most favorable 4=least favorable	State	U.S. Healthy People 2020 Goal
Heart Failure							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2015-17	232	12.2	 2	12.1	
Hospitalizations: Age-adjusted congestive heart failure hospitalization rate per 100,000 total population	Per 100,000 Total Population	2014-16	5,025	300.5	 3	228.2	
Stroke							
Adults who have ever been told they had a stroke	Percent	2016		5%	 2	3.5%	
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2015-17	571	31.4	 1	38.7	33.8
Hospitalizations: Age-adjusted hospitalization rate per 100,000 total population	Per 100,000 Total Population	2014-16	4,491	276.6	 3	241.0	
Cancer							
Breast Cancer							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Females	2015-17	175		 3		20.6
Incidence (new cases): Age-adjusted incidence rate per 100,000 total population ¹	Per 100,000 Females	2013-15	928		 4		
Women 40 years of age and older who received a mammogram in the past year	Percent	2016		60.4%	 3	60.8%	
Cervical Cancer							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Females	2015-17	15		 2		2.2
Incidence (new cases): Age-adjusted incidence rate per 100,000 total population ¹	Per 100,000 Females	2013-15	41		 3		
Women 18 years of age and older who received a Pap test in the past year	Percent	2016		40.9%	 3	48.4%	93%
Colorectal Cancer							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2015-17	264	15.4	 3	13.5	14.5
Incidence (new cases): Age-adjusted incidence rate per 100,000 total population ¹	Per 100,000 Total Population	2013-15	615	40.3	 3	36.6	
Adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years	Percent	2016		51.5%	 4	53.9%	
Adults 50 years of age and older who received a stool blood test in the past year	Percent	2016		15%	 2	16%	
Lung Cancer							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2015-17	801	45.3	 2	38.6	45.5
Incidence (new cases): Age-adjusted incidence rate per 100,000 total population ¹	Per 100,000 Total Population	2013-15	1,170	70.6	 3	58.9	

*select report for Lake County

2.4.1 FDOH Chronic Disease Profile, 2017

Indicator	Measure	Year(s)	County Number	County	County Quartile 1=most favorable 4=least favorable	State	U.S. Healthy People 2020 Goal
Melanoma							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2015-17	41	2.6		2.4	2.4
Incidence (new cases): Age-adjusted incidence rate per 100,000 total population ¹	Per 100,000 Total Population	2013-15	480	31.8		24.0	
Prostate Cancer							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Males	2015-17	145				21.2
Incidence (new cases): Age-adjusted incidence rate per 100,000 total population ¹	Per 100,000 Males	2013-15	684				
Men 50 years of age and older who received a PSA test in the past two years	Percent	2016		55.5%		54.9%	
Diabetes							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2015-17	389	22.8		20.0	65.8
Hospitalizations: Age-adjusted hospitalization rate per 100,000 total population ⁴	Per 100,000 Total Population	2014-16	39,565	2,673.8		2,338.7	
Hospitalizations: Age-adjusted hospitalization rate for amputation of a lower extremity due to diabetes ⁴	Per 100,000 Total Population	2012-14	389	30.1		28.2	
Adults who have ever been told they had diabetes	Percent	2016		12.5%		11.8%	
Respiratory Diseases							
Asthma							
Adults who currently have asthma	Percent	2016		5%		6.7%	
Hospitalizations: Age-adjusted hospitalization rate per 100,000 total population ⁴	Per 100,000 Total Population	2014-16	9,540	854.6		835.8	
Adults who have ever been told they had asthma	Percent	2016		9.2%		11%	
Chronic Lower Respiratory Diseases (CLRD)							
Deaths: Age-adjusted death rate per 100,000 total population	Per 100,000 Total Population	2015-17	802	42.7		39.6	50.1
Hospitalizations: Age-adjusted hospitalization rate per 100,000 total population	Per 100,000 Total Population	2014-16	5,449	387.3		347.4	
Chronic Disease Risk and Protective Factors							
Adults who are sedentary	Percent	2016		29.3%		29.8%	
Adults who are inactive or insufficiently active	Percent	2016		58.4%		56.7%	
Adults who meet aerobic recommendations	Percent	2016		44.5%		44.8%	
Adults who meet muscle strengthening recommendations	Percent	2016		34.3%		38.2%	
Adults who are overweight	Percent	2016		32.2%		35.8%	
Adults who are obese	Percent	2016		32.6%		27.4%	30.6%
Adults who are at a healthy weight	Percent	2016		32.5%		34.5%	
Adults who are current smokers	Percent	2016		19.2%		15.5%	12%

2.4.1 FDOH Chronic Disease Profile, 2017

Data Note(s)

¹Cancer incidence counts are not displayed when less than 10 cases have occurred in three years.

²County Quartiles

Most favorable situation 1 (Lightest color on maps)	Average 2 or 3	Least favorable situation 4 (Darkest color on maps)
--	--------------------------	--

Quartiles in this report allow you to compare your county's data with other counties.

Calculation of quartiles require several steps to create the final results.

First, the county values are sorted from most favorable to least favorable.

Second, a rank is assigned based on the value for each county in relation to the preceding county. If a county has the same value as the preceding county, then the same rank is assigned.

Third, the ranking is divided into 4 groups. The number of counties in each group depends on how many counties had the same rank.

³Healthy People 2020 goals are single-year rates per 100,000 population (or percentages) at the national level. Goals are not available for all indicators.

⁴Includes primary and contributing diagnoses.

Data Sources

Deaths - Florida Department of Health, Bureau of Vital Statistics

Behavioral Risk Factor Surveillance System (BRFSS) - Florida Department of Health, Bureau of Community Health Promotion

Hospitalizations - Florida Agency for Health Care Administration (AHCA)

Cancer Incidence - University of Miami (FL) Medical School, Florida Cancer Data System

2.4.2 FDOH Healthiest Weight Profile, 2017





















Department of Health State of Florida
Bureau of Community Health Assessment
Division of Public Health Statistics and Performance Management

Healthiest Weight Profile, Lake County, Florida - 2017

Indicator	Year(s)	Rate Type	County Count	County Rate	County Quartile	State Count	State Rate
					1=most favorable 4=least favorable		
Socio-Demographic Characteristics							
Total population ¹	2017	Count	333,598			20,555,728	
Population under 18 Years Old ¹	2017	Percent of Total Population	65,023	19.5		4,131,232	20.1
Population 18-64 Years Old ¹	2017	Percent of Total Population	180,363	54.1		12,350,641	60.1
Population 65+ Years Old ¹	2017	Percent of Total Population	88,212	26.4		4,073,855	19.8
Population - White ¹	2017	Percent of Total Population	280,697	84.1		15,944,707	77.6
Population - Black ¹	2017	Percent of Total Population	36,091	10.8		3,470,100	16.9
Population - Other ¹	2017	Percent of Total Population	16,810	5.0		1,140,921	5.6
Population - Hispanic ¹	2017	Percent of Total Population	49,205	14.7		5,135,854	25.0
Population - Non-Hispanic ¹	2017	Percent of Total Population	284,393	85.3		15,419,874	75.0
Percentage of individuals below poverty level ²	2016 5-yr est	Percent	42,342	13.5	1	3,139,258	16.1
Percentage of civilian labor force which is unemployed ²	2016 5-yr est	Percent	11,249	8.2	2	802,016	8.4
Population 5+ that speak English less than very well ²	2016 5-yr est	Percent	12,531	4.2	3	2,199,976	11.7
Civilian non-institutionalized population with health insurance ²	2016 5-yr est	Percent		86.7	1		83.6
Adults reporting a personal doctor or health care provider ³	2016	Percent		75.6	3		72.0
Weight, Activity, and Eating Habits among Adults							
Adults who are at a healthy weight ³	2016	Percent		32.5	2		34.5
Adults who are underweight ³	2016	Percent		2.6	3		2.3
Adults who are overweight or obese ³	2016	Percent		64.8	2		63.2
Adults who are overweight ³	2016	Percent		32.2	1		35.8
Adults who are obese ³	2016	Percent		32.6	3		27.4
Adults who meet aerobic recommendations ³	2016	Percent		44.5	3		44.8
Adults who meet muscle strengthening recommendations ³	2016	Percent		34.3	3		38.2
Adults who are sedentary ³	2016	Percent		29.3	2		29.8

*select report for Lake County

2.4.2 FDOH Healthiest Weight Profile, 2017

Indicator	Year(s)	Rate Type	County Count	County Rate	County Quartile	State Count	State Rate
					1=most favorable 4=least favorable		
Adults who are inactive or insufficiently active ³	2016	Percent		58.4			56.7
Adults who consume at least 5 servings of fruits and vegetables a day ³	2013	Percent		17.4			18.3
Weight, Activity, and Eating Habits among Children and Teens							
Middle and high school students who are at a healthy weight ⁴	2014	Percent		70.3			67.6
Middle and high school students who are underweight ⁴	2014	Percent		3.4			4.2
Middle and high school students who are overweight or obese ⁴	2014	Percent		26.2			28.2
Middle and high school students who are overweight ⁴	2014	Percent		14.8			15.8
Middle and high school students who are obese ⁴	2014	Percent		11.4			12.4
Behavioral Health and Body Image							
Average number of unhealthy mental days in the past 30 days ³	2016	Percent		3.9			3.6
Adults whose poor physical or mental health kept them from doing usual activities on 14 or more of the past 30 days (Among adults who have had at least one day of poor mental or physical health) ³	2016	Percent		18.8			18.6
Maternal Weight and Breastfeeding among Mothers							
Live births to mothers who are at a healthy weight (BMI 18.5-24.9) at time pregnancy occurred ⁵	2017	Percent of Live Births	1,302	39.9		93,083	41.6
Live births to mothers who are overweight (BMI 25.0-29.9) at time pregnancy occurred ⁵	2017	Percent of Live Births	817	25.9		55,459	26.5
Live births to mothers who are obese (BMI >=30) at time pregnancy occurred ⁵	2017	Percent of Live Births	909	28.8		52,407	25.0
Live births to mothers who initiate breastfeeding ⁵	2017	Percent of Live Births	2,747	84.1		192,199	86.0
Live births to mothers who are underweight (BMI < 18.5) at time pregnancy occurred ⁵	2017	Percent of Live Births	130	4.1		8,262	3.9
Built Environment							
Population that live within a 1/2 mile of healthy food source ⁷	2016	Percent		21.9			30.9
Population that live within a 1/2 mile of a fast food restaurant ⁷	2016	Percent		24.8			33.9
Population that live within a ten minute walk (1/2 mile) of an off-street trail system ⁷	2016	Percent		25.4			18.2
Workers who used car, truck, or van - drove alone ²	2016 5-yr est	Percent	99,595	81.1		6,874,620	79.5
Workers who used taxicab, motorcycle, bicycle, or other means to work ²	2016 5-yr est	Percent	1,663	1.4		191,437	2.2
Workers who walk to work ²	2016 5-yr est	Percent	1,071	0.9		127,822	1.5

2.4.2 FDOH Healthiest Weight Profile, 2017

Data Note(s):

Where rates are based on a sample, no number (count) is available.

Blanks are shown if there is no count or rate available for the indicator.

Data Source(s):

¹Florida Legislature's Office of Economic and Demographic Research (EDR)

²U.S. Census Bureau, 2012 5-year estimate

³Behavioral Risk Factor Surveillance System (BRFSS)

⁴Florida Youth Tobacco Survey (FYTS)

⁵Florida State Office of Vital Statistics

⁶Pregnancy Risk Assessment Monitoring System (PRAMS)

⁷Florida Environmental Public Health Tracking

Quartiles:

Most favorable situation 1 (Lightest color on maps)	Average 2 or 3	Least favorable situation 4 (Darkest color on maps)
--	--------------------------	--

Calculation of quartiles require several steps to create the final results.

First, the county values are sorted from most favorable to least favorable.

Second, a rank is assigned based on the value for each county in relation to the preceding county. If a county has the same value as the preceding county, then the same rank is assigned.

Third, the ranking is divided into 4 groups. The number of counties in each group depends on how many counties had the same rank.

2.4.3 FDOH Oral Health Profile, 2017



Oral Health Profile, Lake County, Florida - 2017

Indicator	Measure	Year(s)	County Number	County	State
Adults who could not see a dentist in the past year because of cost	Percent	2007		13.4%	19.2%
Adults who had a permanent tooth removed because of tooth decay or gum disease	Percent	2016		52.7%	47.3%
Adults who had their teeth cleaned in the past year	Percent	2010		64.3%	60.9%
Adults who visited a dentist or a dental clinic in the past year	Percent	2016		57.2%	63%
Birth defect: Cleft lip alone	Rate Per 100,000	2010-2014	<5		2.3
Birth defect: Cleft lip with cleft palate	Rate Per 100,000	2010-2014	10	6.5	5.0
Birth defect: Cleft palate alone	Rate Per 100,000	2010-2014	11	7.2	5.1
Deaths from oral cancer	Rate Per 100,000	2017	19	5.7	4.0
Emergency room visits due to dental conditions age 5 and over	Rate Per 100,000	2017	2,531	799.1	689.9
Oral cancer incidence	Rate Per 100,000	2015	85	17.0	13.3
Population receiving optimally fluoridated water	Percent	2017	74,983	20%	77.3%
Preventable ER Visits Under 65 from Dental Conditions	Rate Per 100,000	2017	2,501	1,019.2	818.7
Preventable hospitalizations under 65 from dental conditions	Rate Per 100,000	2017	24	9.8	12.0
Total licensed florida dental hygienists	Rate Per 100,000	2016	191	58.6	60.4
Total licensed florida dentists	Rate Per 100,000	2016	130	39.9	57.5

Data Note(s)

[AHCA Data Visualization Tool](#)

This website is maintained by the Florida Agency for Health Care Administration (AHCA). The Dental Services Profile provides demographic data of Medicaid dental clients as well as summary information on managed care plans. Data are available at the county or regional level.

[Oral Health Florida Data Scorecard](#)

The state oral health coalition, Oral Health Florida, provides annual estimates of key oral health indicators as identified in their "Florida's Roadmap for Oral Health" strategic plan.

[Public Health Dental Program Website](#)

One of the primary functions of the Department of Health's Public Health Dental Program is data collection and analysis. This website contains various surveillance reports on the oral health status of specific populations as well as summaries of the bi-annual dentist and dental hygienist workforce surveys.

2.5.1 FDOH Non-Fatal Injury Emergency Department Visits



Non-Fatal Injury ED Visits By Intent - Lake County, Florida 2017

Intent	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown	Total Count	County Age Adj Rate	Florida Age Adj Rate
Assault	<5	8	5	19	70	100	133	93	64	35	7	<5	<5	<5	538	204.23	317.64
Not E-Coded	65	658	593	810	786	745	1,518	1,220	1,221	1,140	993	848	595	<5	11,192	3,575.96	795.05
Other (Legal Intervention/War)	<5	<5	<5	<5	<5	7	<5	10	5	<5	<5	<5	<5	<5	31	11.94	10.21
Self-Harm	<5	<5	<5	25	52	41	44	29	49	18	8	<5	<5	<5	272	99.20	63.94
Undetermined	<5	5	<5	<5	<5	5	29	11	11	<5	<5	<5	<5	<5	76	28.27	22.33
Unintentional	178	1,314	1,102	1,164	1,337	1,322	2,629	2,200	2,133	1,863	1,724	1,717	1,140	<5	19,824	6,308.56	8,535.21
TOTAL	244	1,985	1,704	2,021	2,250	2,220	4,357	3,563	3,483	3,061	2,733	2,567	1,744	<5	31,933	10,228.15	9,744.38

Data Source: Florida Agency for Health Care Administration.

Case Definition:

ICD-9-CM: Emergency department (ED) visits with a principal diagnosis of injury ICD-9-CM 800-909.2, 909.4, 909.9, 910-994.9, 995.5-995.59, 995.80-995.85 OR any valid external cause of injury code ICD-9-CM E800-E869, E880-E929, E950-E999. E-codes selected from [Matrix of E-code Groupings](#).

ICD-10-CM: Principal Diagnosis with all S codes, T36-T50 with a 6th character of 1, 2, 3, or 4 (Exceptions: T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9 with 5th character of 1, 2, 3, or 4), T51-T65, T66-T77, T79 or any valid external cause of injury code V00-V99, W00-X58, X71-X83, X92-Y09, Y21-Y33, Y35-Y38, T14.91, T15-T19, T36-T50 with a 6th character of 1, 2, 3, or 4 (Exceptions: T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9 with 5th character of 1, 2, 3, or 4), T51-T65, T71, T73, T74, T76, T75.0, T75.2, T75.3. Cases with 7th character S (Sequelae) are excluded. External cause of injury selected from [ICD-10-CM External Cause Matrices](#).

Data Notes: Rates are per 100,000. Rates based on total counts less than 20 may be unstable; use with caution, MVT - Motor Vehicle Traffic, NEC - Not Elsewhere Classifiable

To keep abreast of medical knowledge, the International Classification of Diseases (ICD) is revised periodically. Large increases or decreases in ED are typically indicative of such changes. Effective October 1, 2015, the ICD 9th Revision Clinical Modification (ICD-9-CM) transitioned to ICD 10th Revision Clinical Modification (ICD-10-CM). Hospitalization data before October 2015 use ICD-9-CM; starting in October 2015, hospitalization data use ICD-10-CM. Consequently increases or decreases starting in 2015 may not be due to changes in disease trends but due to changes in coding. Results may be subject to change due to anticipated modifications to the [proposed injury surveillance definitions](#).

ED from Veteran Affairs (VA) and other federal hospitals, rehabilitation centers, and psychiatric hospitals are excluded based on the [2014 CDC State Injury Indicator Instructions](#), page 8.

Data may contain multiple visits for the same person/injury event due to hospital transfers, readmissions, and follow-up visits. Therefore, the data reflects the number of ED and emergency department visits and not the number of people injured. Data for specific mechanisms of injury may be underestimated due to incomplete reporting of the external cause of injury as an ICD-9-CM E Code. Uncoded ED and emergency department visits are labeled "Not E Coded."

¹Counts on this row are not included in the row and column totals to avoid counting the same ED more than once. This category represents the total from the five Motor Vehicle Traffic categories: motorcyclists, occupant, other-unspecified, pedalcyclist, pedestrian.

Results have been suppressed when the estimated ED count is between 0 and 4.

These emergency department visits are reported by the patient's county of residence.

The 2015 report is forthcoming due to the transition from ICD-9-CM to ICD-10-CM in October 2015.

2.5.1 FDOH Non-Fatal Injury Emergency Department Visits



Non-Fatal Injury ED Visits By Mechanism - Lake County, Florida 2017

Mechanism	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown	Total Count	County Age Adj Rate	Florida Age Adj Rate
Bites and Stings	7	129	107	79	54	63	138	115	128	83	63	23	9	<5	998	352.63	443.10
Bites and Stings-Nonvenomous	5	104	85	61	41	51	107	85	103	54	38	10	<5	<5	748	270.25	373.88
Bites and Stings-Venomous	<5	25	22	18	13	12	31	30	25	29	25	13	5	<5	250	82.38	69.22
Cut/Pierce	<5	53	55	62	109	138	252	174	147	117	99	59	8	<5	1,276	439.02	600.56
Drowning/Submersion	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	1.27	2.78
Fall	103	522	381	331	216	189	416	407	556	653	858	1,072	918	<5	6,622	1,767.28	2,482.60
Fire/Flame	<5	5	<5	<5	<5	<5	8	<5	<5	12	<5	<5	<5	<5	45	15.22	21.43
Firearm	<5	<5	<5	<5	<5	11	17	<5	<5	<5	<5	<5	<5	<5	39	14.39	15.88
Hot Object/Substance	<5	24	10	7	20	16	27	19	26	11	18	6	<5	<5	185	64.42	87.42
Machinery	<5	<5	<5	<5	<5	<5	17	15	8	10	9	5	<5	<5	73	23.00	28.42
Motor Vehicle Traffic ¹	8	39	92	93	282	359	574	468	421	304	170	111	22	<5	2,944	1,024.04	1,244.41
MVT-Motorcyclist	<5	<5	<5	<5	<5	22	21	21	13	6	<5	<5	<5	<5	111	38.98	51.96
MVT-Occupant	7	33	70	69	241	300	489	390	345	236	142	91	15	<5	2,429	848.63	937.49
MVT-Other/Unspecified	<5	5	15	14	24	32	54	47	39	43	18	16	5	<5	313	105.35	180.70
MVT-Pedalcyclist	<5	<5	<5	7	9	<5	6	6	7	5	<5	<5	<5	<5	47	16.96	46.92
MVT-Pedestrian	<5	<5	<5	<5	6	<5	<5	<5	9	7	<5	<5	<5	<5	44	14.13	27.35
Motor Vehicle Non-Traffic	<5	<5	5	7	20	16	31	16	28	11	8	<5	<5	<5	150	52.49	39.02
Natural/Environmental, Other	<5	6	5	9	13	<5	20	14	16	19	21	12	<5	<5	142	43.24	49.61
Not E-Coded	65	658	593	810	786	745	1,518	1,220	1,221	1,140	993	848	595	<5	11,192	3,575.96	795.05
Other Specified, Child/Adult Abuse	<5	8	<5	<5	8	7	9	7	<5	<5	<5	<5	<5	<5	46	18.43	20.62
Other Specified, Foreign Body	15	145	74	37	34	26	85	63	57	60	38	33	10	<5	677	236.60	203.37
Other Specified, Classifiable	<5	32	26	34	25	24	47	41	32	31	14	7	5	<5	320	114.22	169.15
Other Specified, Not Elsewhere Classified	<5	<5	<5	<5	7	14	19	17	11	9	<5	<5	<5	<5	85	31.24	28.53
Overexertion	<5	15	22	74	83	63	165	147	129	81	60	43	9	<5	893	307.86	645.92
Pedalcyclist, Other	<5	9	23	25	20	5	15	13	25	16	10	<5	<5	<5	164	57.48	67.92
Pedestrian, Other	<5	<5	<5	<5	5	<5	5	5	<5	<5	<5	<5	<5	<5	45	14.54	17.43
Poisoning	<5	63	15	31	80	96	187	140	108	64	35	31	14	<5	868	311.12	241.67
Drug	<5	45	10	25	72	79	160	117	92	48	26	25	12	<5	713	256.92	187.59
Non-Drug	<5	18	5	6	8	17	27	23	16	16	9	6	<5	<5	155	54.20	54.07
Struck By Against	14	162	213	295	310	247	414	312	253	192	140	131	52	<5	2,735	965.08	1,277.25
Suffocation	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	18	4.38	2.35
Transport (Land/Other)	<5	5	9	17	28	16	27	22	15	7	5	5	6	<5	162	59.03	57.03
Other Land Transport	<5	5	9	16	20	15	26	20	13	6	<5	<5	5	<5	142	52.28	44.80
Other Transport	<5	<5	<5	<5	8	<5	<5	<5	<5	<5	<5	<5	<5	<5	20	6.75	12.23
Unspecified	15	104	63	100	139	170	365	342	290	232	184	165	82	<5	2,251	735.22	1,202.85
TOTAL	244	1,985	1,704	2,021	2,250	2,220	4,357	3,563	3,483	3,061	2,733	2,567	1,744	<5	31,933	10,228.15	9,744.38

Data Source: Florida Agency for Health Care Administration.

Case Definition:

ICD-9-CM: Emergency department (ED) visits with a principal diagnosis of injury ICD-9-CM 800-909.2, 909.4, 909.9, 910-994.9, 995.5-995.59, 995.80-995.85 OR any valid external cause of injury code ICD-9-CM E800-E869, E880-E929, E950-E999. E-codes selected from [Matrix of E-code Groupings](#).

ICD-10-CM: Principal Diagnosis with all S codes, T36-T50 with a 6th character of 1, 2, 3, or 4 (Exceptions: T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9 with 5th character of 1, 2, 3, or 4), T51-T65, T66-T77, T79 or any valid external cause of injury code V00-V99, W00-X58, X71-X83, X92-Y09, Y21-Y33, Y35-Y38, T14.91, T15-T19, T36-T50 with a 6th character of 1, 2, 3, or 4 (Exceptions: T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9 with 5th character of 1, 2, 3, or 4), T51-T65, T71, T73, T74, T76, T75.0, T75.2, T75.3. Cases with 7th character S (Sequelae) are excluded. External cause of injury selected from [ICD-10-CM External Cause Matrices](#).

Data Notes: Rates are per 100,000. Rates based on total counts less than 20 may be unstable; use with caution, MVT - Motor Vehicle Traffic, NEC - Not Elsewhere Classifiable

To keep abreast of medical knowledge, the International Classification of Diseases (ICD) is revised periodically. Large increases or decreases in ED are typically indicative of such changes. Effective October 1, 2015, the ICD 9th Revision Clinical Modification (ICD-9-CM) transitioned to ICD 10th Revision Clinical Modification (ICD-10-CM). Hospitalization data before October 2015 use ICD-9-CM; starting in October 2015, hospitalization data use ICD-10-CM. Consequently increases or decreases starting in 2015 may not be due to changes in disease trends but due to changes in coding. Results may be subject to change due to anticipated modifications to the [proposed injury surveillance definitions](#).

ED from Veteran Affairs (VA) and other federal hospitals, rehabilitation centers, and psychiatric hospitals are excluded based on the [2014 CDC State Injury Indicator Instructions](#), page 8.

Data may contain multiple visits for the same person/injury event due to hospital transfers, readmissions, and follow-up visits. Therefore, the data reflects the number of ED and emergency department visits and not the number of people injured. Data for specific mechanisms of injury may be underestimated due to incomplete reporting of the external cause of injury as an ICD-9-CM E Code. Uncoded ED and emergency department visits are labeled "Not E Coded."

¹Counts on this row are not included in the row and column totals to avoid counting the same ED more than once. This category represents the total from the five Motor Vehicle Traffic categories: motorcyclists, occupant, other-unspecified, pedalcyclist, pedestrian.

Results have been suppressed when the estimated ED count is between 0 and 4.

These emergency department visits are reported by the patient's county of residence.

2.5.1 FDOH Non-Fatal Injury Emergency Department Visits



Unintentional Non-Fatal Injury ED Visits By Mechanism - Lake County, Florida 2017

Mechanism	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown	Total Count	County Age Adj Rate	Florida Age Adj Rate
Bites and Stings	7	129	107	79	54	62	138	114	128	83	63	23	9	<5	996	351.77	441.14
Bites and Stings-Nonvenomous	5	104	85	61	41	51	107	85	103	54	38	10	<5	<5	748	270.25	373.88
Bites and Stings-Venomous	<5	25	22	18	13	11	31	29	25	29	25	13	5	<5	248	81.52	67.26
Cut/Pierce	<5	52	53	57	100	118	222	163	136	113	98	59	8	<5	1,182	403.13	563.26
Drowning/Submersion	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.86	2.64
Fall	103	522	381	330	215	189	415	407	556	653	858	1,072	918	<5	6,619	1,766.09	2,481.36
Fire/Flame	<5	<5	<5	<5	<5	<5	8	<5	<5	12	<5	<5	<5	<5	42	14.09	21.07
Firearm	<5	<5	<5	<5	<5	6	12	<5	<5	<5	<5	<5	<5	<5	28	10.00	10.29
Hot Object/Substance	<5	24	10	5	20	16	26	19	26	11	18	6	<5	<5	182	63.24	85.74
Machinery	<5	<5	<5	<5	<5	<5	17	15	8	10	9	5	<5	<5	73	23.00	28.42
Motor Vehicle Traffic ¹	8	39	92	93	282	359	574	468	421	304	170	111	22	<5	2,944	1,024.04	1,243.53
MVT-Motorcyclist	<5	<5	<5	<5	<5	22	21	21	13	6	<5	<5	<5	<5	111	38.98	51.96
MVT-Occupant	7	33	70	69	241	300	489	390	345	236	142	91	15	<5	2,429	848.63	937.31
MVT-Other/Unspecified	<5	5	15	14	24	32	54	47	39	43	18	16	5	<5	313	105.35	180.35
MVT-Pedalcyclist	<5	<5	<5	7	9	<5	6	6	7	5	<5	<5	<5	<5	47	16.96	46.92
MVT-Pedestrian	<5	<5	<5	<5	6	<5	<5	<5	9	7	<5	<5	<5	<5	44	14.13	27.00
Motor Vehicle Non-Traffic	<5	<5	5	7	20	16	31	16	28	11	8	<5	<5	<5	150	52.49	39.02
Natural/Environmental, Other	<5	6	5	9	13	<5	20	14	16	19	21	12	<5	<5	142	43.24	49.61
Not E-Coded	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Specified, Child/Adult Abuse	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Specified, Foreign Body	15	145	74	37	34	26	85	63	57	60	38	33	10	<5	677	236.60	203.37
Other Specified, Classifiable	<5	31	26	34	25	23	46	40	32	31	14	7	<5	<5	314	112.28	166.28
Other Specified, Not Elsewhere Classified	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Overexertion	<5	15	22	74	83	63	165	147	129	81	60	43	9	<5	893	307.86	645.92
Pedalcyclist, Other	<5	9	23	25	20	5	15	13	25	16	10	<5	<5	<5	164	57.48	67.92
Pedestrian, Other	<5	<5	<5	<5	5	<5	5	5	<5	<5	<5	<5	<5	<5	45	14.54	17.43
Poisoning	<5	63	15	16	37	72	150	110	69	52	30	29	11	<5	658	233.83	200.18
Drug	<5	45	10	10	30	56	124	88	54	37	21	24	9	<5	510	181.96	149.90
Non-Drug	<5	18	5	6	7	16	26	22	15	15	9	5	<5	<5	148	51.88	50.28
Struck By Against	14	162	211	277	262	176	316	251	203	170	135	131	50	<5	2,358	822.23	1,047.97
Suffocation	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	16	3.65	1.99
Transport (Land/Other)	<5	5	9	17	28	16	27	22	15	7	5	5	6	<5	162	59.03	57.01
Other Land Transport	<5	5	9	16	20	15	26	20	13	6	<5	<5	5	<5	142	52.28	44.79
Other Transport	<5	<5	<5	<5	8	<5	<5	<5	<5	<5	<5	<5	<5	<5	20	6.75	12.22
Unspecified	15	104	62	99	128	161	356	328	275	221	181	165	82	<5	2,177	709.09	1,161.05
TOTAL	178	1,314	1,102	1,164	1,337	1,322	2,629	2,200	2,133	1,863	1,724	1,717	1,140	<5	19,824	6,308.56	8,535.21

Data Source: Florida Agency for Health Care Administration.

Case Definition:

ICD-9-CM: Emergency department (ED) visits with a principal diagnosis of injury ICD-9-CM 800-909.2, 909.4, 909.9, 910-994.9, 995.5-995.59, 995.80-995.85 OR any valid external cause of injury code ICD-9-CM E800-E869, E880-E929, E950-E999. E-codes selected from [Matrix of E-code Groupings](#).

ICD-10-CM: Principal Diagnosis with all S codes, T36-T50 with a 6th character of 1, 2, 3, or 4 (Exceptions: T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9 with 5th character of 1, 2, 3, or 4), T51-T65, T66-T77, T79 or any valid external cause of injury code V00-V99, W00-X58, X71-X83, X92-Y09, Y21-Y33, Y35-Y38, T14.91, T15-T19, T36-T50 with a 6th character of 1, 2, 3, or 4 (Exceptions: T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9 with 5th character of 1, 2, 3, or 4), T51-T65, T71, T73, T74, T76, T75.0, T75.2, T75.3. Cases with 7th character S (Sequelae) are excluded. External cause of injury selected from [ICD-10-CM External Cause Matrices](#).

Data Notes: Rates are per 100,000. Rates based on total counts less than 20 may be unstable; use with caution, MVT - Motor Vehicle Traffic, NEC - Not Elsewhere Classifiable

To keep abreast of medical knowledge, the International Classification of Diseases (ICD) is revised periodically. Large increases or decreases in ED are typically indicative of such changes. Effective October 1, 2015, the ICD 9th Revision Clinical Modification (ICD-9-CM) transitioned to ICD 10th Revision Clinical Modification (ICD-10-CM). Hospitalization data before October 2015 use ICD-9-CM; starting in October 2015, hospitalization data use ICD-10-CM. Consequently increases or decreases starting in 2015 may not be due to changes in disease trends but due to changes in coding. Results may be subject to change due to anticipated modifications to the [proposed injury surveillance definitions](#).

ED from Veteran Affairs (VA) and other federal hospitals, rehabilitation centers, and psychiatric hospitals are excluded based on the [2014 CDC State Injury Indicator Instructions](#), page 8.

Data may contain multiple visits for the same person/injury event due to hospital transfers, readmissions, and follow-up visits. Therefore, the data reflects the number of ED and emergency department visits and not the number of people injured. Data for specific mechanisms of injury may be underestimated due to incomplete reporting of the external cause of injury as an ICD-9-CM E Code. Uncoded ED and emergency department visits are labeled "Not E Coded."

¹Counts on this row are not included in the row and column totals to avoid counting the same ED more than once. This category represents the total from the five Motor Vehicle Traffic categories: motorcyclists, occupant, other-unspecified, pedalcyclist, pedestrian.

Results have been suppressed when the estimated ED count is between 0 and 4.

These emergency department visits are reported by the patient's county of residence.

2.5.1 FDOH Non-Fatal Injury Emergency Department Visits



Non-Fatal Self-Harm Injury ED Visits By Mechanism - Lake County, Florida 2017

Mechanism	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown	Total Count	County Age Adj Rate	Florida Age Adj Rate
Bites and Stings	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.03
Bites and Stings-Nonvenomous	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Bites and Stings-Venomous	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.03
Cut/Pierce	<5	<5	<5	5	8	13	14	<5	6	<5	<5	<5	<5	<5	51	19.80	17.00
Drowning/Submersion	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.05
Fall	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.38	0.20
Fire/Flame	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.13
Firearm	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.41	0.16
Hot Object/Substance	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.79	0.53
Machinery	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Motor Vehicle Traffic ¹	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.31
MVT-Motorcyclist	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
MVT-Occupant	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.05
MVT-Other/Unspecified	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.25
MVT-Pedalcyclist	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
MVT-Pedestrian	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Motor Vehicle Non-Traffic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Natural/Environmental, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Not E-Coded	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Specified, Child/Adult Abuse	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Specified, Foreign Body	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Specified, Classifiable	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.29	0.10
Other Specified, Not Elsewhere Classified	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	1.58	4.39
Overexertion	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Pedalcyclist, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Pedestrian, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Poisoning	<5	<5	<5	15	40	22	25	24	33	12	5	<5	<5	<5	179	65.70	34.46
Drug	<5	<5	<5	15	39	21	24	24	33	11	5	<5	<5	<5	175	64.31	32.90
Non-Drug	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	1.39	1.56
Struck By Against	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	1.46	0.57
Suffocation	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.73	0.26
Transport (Land/Other)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.01
Other Land Transport	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.01
Other Transport	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Unspecified	<5	<5	<5	<5	<5	<5	<5	<5	7	5	<5	<5	<5	<5	26	8.07	5.73
TOTAL	<5	<5	<5	25	52	41	44	29	49	18	8	<5	<5	<5	272	99.20	63.94

Data Source: Florida Agency for Health Care Administration.

Case Definition:

ICD-9-CM: Emergency department (ED) visits with a principal diagnosis of injury ICD-9-CM 800-909.2, 909.4, 909.9, 910-994.9, 995.5-995.59, 995.80-995.85 OR any valid external cause of injury code ICD-9-CM E800-E869, E880-E929, E950-E999. E-codes selected from [Matrix of E-code Groupings](#).

ICD-10-CM: Principal Diagnosis with all S codes, T36-T50 with a 6th character of 1, 2, 3, or 4 (Exceptions: T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9 with 5th character of 1, 2, 3, or 4), T51-T65, T66-T77, T79 or any valid external cause of injury code V00-V99, W00-X58, X71-X83, X92-Y09, Y21-Y33, Y35-Y38, T14.91, T15-T19, T36-T50 with a 6th character of 1, 2, 3, or 4 (Exceptions: T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9 with 5th character of 1, 2, 3, or 4), T51-T65, T71, T73, T74, T76, T75.0, T75.2, T75.3. Cases with 7th character S (Sequelae) are excluded. External cause of injury selected from [ICD-10-CM External Cause Matrices](#).

Data Notes: Rates are per 100,000. Rates based on total counts less than 20 may be unstable; use with caution, MVT - Motor Vehicle Traffic, NEC - Not Elsewhere Classifiable

To keep abreast of medical knowledge, the International Classification of Diseases (ICD) is revised periodically. Large increases or decreases in ED are typically indicative of such changes. Effective October 1, 2015, the ICD 9th Revision Clinical Modification (ICD-9-CM) transitioned to ICD 10th Revision Clinical Modification (ICD-10-CM). Hospitalization data before October 2015 use ICD-9-CM; starting in October 2015, hospitalization data use ICD-10-CM. Consequently increases or decreases starting in 2015 may not be due to changes in disease trends but due to changes in coding. Results may be subject to change due to anticipated modifications to the [proposed injury surveillance definitions](#).

ED from Veteran Affairs (VA) and other federal hospitals, rehabilitation centers, and psychiatric hospitals are excluded based on the [2014 CDC State Injury Indicator Instructions](#), page 8.

Data may contain multiple visits for the same person/injury event due to hospital transfers, readmissions, and follow-up visits. Therefore, the data reflects the number of ED and emergency department visits and not the number of people injured. Data for specific mechanisms of injury may be underestimated due to incomplete reporting of the external cause of injury as an ICD-9-CM E Code. Uncoded ED and emergency department visits are labeled "Not E Coded."

¹Counts on this row are not included in the row and column totals to avoid counting the same ED more than once. This category represents the total from the five Motor Vehicle Traffic categories: motorcyclists, occupant, other-unspecified, pedalcyclist, pedestrian.

Results have been suppressed when the estimated ED count is between 0 and 4.

These emergency department visits are reported by the patient's county of residence.

2.5.1 FDOH Non-Fatal Injury Emergency Department Visits



Non-Fatal Assault Injury ED Visits By Mechanism - Lake County, Florida 2017

Mechanism	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown	Total Count	County Age Adj Rate	Florida Age Adj Rate
Bites and Stings	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.09
Bites and Stings-Nonvenomous	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Bites and Stings-Venomous	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.09
Cut/Pierce	<5	<5	<5	<5	<5	7	7	<5	<5	<5	<5	<5	<5	<5	22	8.45	15.46
Drowning/Submersion	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.02
Fall	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.25
Fire/Flame	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.13
Firearm	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	2.84	4.53
Hot Object/Substance	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.19
Machinery	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Motor Vehicle Traffic ¹	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.47
MVT-Motorcyclist	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
MVT-Occupant	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.12
MVT-Other/Unspecified	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
MVT-Pedalcyclist	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
MVT-Pedestrian	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.35
Motor Vehicle Non-Traffic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Natural/Environmental, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Not E-Coded	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Specified, Child/Adult Abuse	<5	8	<5	<5	8	7	9	7	<5	<5	<5	<5	<5	<5	46	18.43	20.62
Other Specified, Foreign Body	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Specified, Classifiable	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	1.24	2.32
Other Specified, Not Elsewhere Classified	<5	<5	<5	<5	5	7	14	11	7	8	<5	<5	<5	<5	57	20.52	16.05
Overexertion	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Pedalcyclist, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Pedestrian, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Poisoning	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.73	0.78
Drug	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.73	0.34
Non-Drug	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.44
Struck By Against	<5	<5	<5	16	47	68	94	61	44	20	5	<5	<5	<5	358	136.18	221.88
Suffocation	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.06
Transport (Land/Other)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Land Transport	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Transport	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Unspecified	<5	<5	<5	<5	8	6	6	9	8	6	<5	<5	<5	<5	43	15.83	34.79
TOTAL	<5	8	5	19	70	100	133	93	64	35	7	<5	<5	<5	538	204.23	317.64

Data Source: Florida Agency for Health Care Administration.

Case Definition:

ICD-9-CM: Emergency department (ED) visits with a principal diagnosis of injury ICD-9-CM 800-909.2, 909.4, 909.9, 910-994.9, 995.5-995.59, 995.80-995.85 OR any valid external cause of injury code ICD-9-CM E800-E869, E880-E929, E950-E999. E-codes selected from [Matrix of E-code Groupings](#).

ICD-10-CM: Principal Diagnosis with all S codes, T36-T50 with a 6th character of 1, 2, 3, or 4 (Exceptions: T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9 with 5th character of 1, 2, 3, or 4), T51-T65, T66-T77, T79 or any valid external cause of injury code V00-V99, W00-X58, X71-X83, X92-Y09, Y21-Y33, Y35-Y38, T14.91, T15-T19, T36-T50 with a 6th character of 1, 2, 3, or 4 (Exceptions: T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9 with 5th character of 1, 2, 3, or 4), T51-T65, T71, T73, T74, T76, T75.0, T75.2, T75.3. Cases with 7th character S (Sequelae) are excluded. External cause of injury selected from [ICD-10-CM External Cause Matrices](#).

Data Notes: Rates are per 100,000. Rates based on total counts less than 20 may be unstable; use with caution, MVT - Motor Vehicle Traffic, NEC - Not Elsewhere Classifiable

To keep abreast of medical knowledge, the International Classification of Diseases (ICD) is revised periodically. Large increases or decreases in ED are typically indicative of such changes. Effective October 1, 2015, the ICD 9th Revision Clinical Modification (ICD-9-CM) transitioned to ICD 10th Revision Clinical Modification (ICD-10-CM). Hospitalization data before October 2015 use ICD-9-CM; starting in October 2015, hospitalization data use ICD-10-CM. Consequently increases or decreases starting in 2015 may not be due to changes in disease trends but due to changes in coding. Results may be subject to change due to anticipated modifications to the [proposed injury surveillance definitions](#).

ED from Veteran Affairs (VA) and other federal hospitals, rehabilitation centers, and psychiatric hospitals are excluded based on the [2014 CDC State Injury Indicator Instructions](#), page 8.

Data may contain multiple visits for the same person/injury event due to hospital transfers, readmissions, and follow-up visits. Therefore, the data reflects the number of ED and emergency department visits and not the number of people injured. Data for specific mechanisms of injury may be underestimated due to incomplete reporting of the external cause of injury as an ICD-9-CM E Code. Uncoded ED and emergency department visits are labeled "Not E Coded."

¹Counts on this row are not included in the row and column totals to avoid counting the same ED more than once. This category represents the total from the five Motor Vehicle Traffic categories: motorcyclists, occupant, other-unspecified, pedalcyclist, pedestrian.

Results have been suppressed when the estimated ED count is between 0 and 4.

These emergency department visits are reported by the patient's county of residence.

2.5.2 FDOH Non-Fatal Injury Hospitalizations



Non-Fatal Injury Hospitalizations By Intent - Lake County, Florida 2017																	
Intent	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown	Total Count	County Age Adj Rate	Florida Age Adj Rate
Assault	<5	<5	<5	<5	<5	6	12	7	10	11	<5	<5	<5	<5	52	17.48	23.63
Not E-Coded	<5	<5	<5	<5	<5	<5	8	15	17	30	34	36	31	<5	185	41.52	39.88
Other (Legal Intervention/War)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.38	0.29
Self-Harm	<5	<5	<5	<5	27	18	28	35	42	23	6	5	<5	<5	190	65.93	43.83
Undetermined	<5	<5	<5	<5	<5	5	<5	<5	<5	5	<5	<5	<5	<5	19	5.15	3.95
Unintentional	<5	19	15	18	46	74	163	151	185	293	433	651	565	<5	2,617	559.38	481.55
TOTAL	<5	23	15	24	79	107	214	208	256	362	476	695	601	<5	3,064	689.84	593.13

Data Source: Florida Agency for Health Care Administration.

Case Definition:

ICD-9-CM: Hospitalizations with a principal diagnosis of injury ICD-9-CM 800-909.2, 909.4, 909.9, 910-994.9, 995.5-995.59, 995.80-995.85 and E-codes selected from [Matrix of E-code Groupings](#).

ICD-10-CM: Principal Diagnosis with all S Codes, T36-T50 with a 6th character of 1, 2, 3, or 4 (Exceptions: T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9 with 5th character of 1, 2, 3, or 4), T51-T65, T66-T77, T79. Cases with 7th character S (Sequelae) are excluded. External cause of injury selected from [ICD-10-CM External Cause Matrices](#).

Data Notes: Rates are per 100,000. Rates based on total counts less than 20 may be unstable; use with caution, MVT - Motor Vehicle Traffic, NEC - Not Elsewhere Classifiable

To keep abreast of medical knowledge, the International Classification of Diseases (ICD) is revised periodically. Large increases or decreases in hospitalizations are typically indicative of such changes. Effective October 1, 2015, the ICD 9th Revision Clinical Modification (ICD-9-CM) transitioned to ICD 10th Revision Clinical Modification (ICD-10-CM). Hospitalization data before October 2015 use ICD-9-CM; starting in October 2015, hospitalization data use ICD-10-CM. Consequently increases or decreases starting in 2015 may not be due to changes in disease trends but due to changes in coding. Results may be subject to change due to anticipated modifications to the [proposed injury surveillance definitions](#).

Hospitalizations from Veteran Affairs (VA) and other federal hospitals, rehabilitation centers, and psychiatric hospitals are excluded based on the [2014 CDC State Injury Indicator Instructions](#), page 6.

Data may contain multiple hospitalizations or visits for the same person/injury event due to hospital transfers, readmissions, and follow-up visits. Therefore, the data reflects the number of hospitalizations and emergency department visits and not the number of people injured. Data for specific mechanisms of injury may be underestimated due to incomplete reporting of the external cause of injury as an ICD-9-CM E Code. Uncoded hospitalizations and emergency department visits are labeled "Not E Coded."

¹Counts on this row are not included in the row and column totals in order to avoid counting the same hospitalizations more than once. This category represents the total from the five Motor Vehicle Traffic categories.

Results have been suppressed when the estimated hospitalizations count is between 0 and 4.

These hospitalizations are reported by the patient's county of residence.

The 2015 report is forthcoming due to the transition from ICD-9-CM to ICD-10-CM in October 2015.

2.5.2 FDOH Non-Fatal Injury Hospitalizations



Non-Fatal Injury Hospitalizations By Mechanism - Lake County, Florida 2017

Mechanism	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown	Total Count	County Age Adj Rate	Florida Age Adj Rate
Bites and Stings	<5	<5	<5	<5	<5	<5	<5	6	5	5	6	<5	<5	<5	33	10.28	5.50
Bites and Stings-Nonvenomous	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	24	7.26	3.58
Bites and Stings-Venomous	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	9	3.03	1.92
Cut/Pierce	<5	<5	<5	<5	<5	6	12	9	<5	6	<5	<5	<5	<5	42	14.85	12.72
Drowning/Submersion	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.80
Fall	<5	<5	6	7	8	14	18	30	64	159	317	567	517	<5	1,713	293.28	249.13
Fire/Flame	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	9	2.75	2.85
Firearm	<5	<5	<5	<5	<5	5	8	<5	<5	<5	<5	<5	<5	<5	24	9.16	10.42
Hot Object/Substance	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	13	3.53	5.38
Machinery	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	13	4.12	3.44
Motor Vehicle Traffic ¹	<5	<5	<5	<5	22	28	50	46	52	39	46	22	10	<5	322	98.69	83.21
MVT-Motorcyclist	<5	<5	<5	<5	<5	10	10	11	13	10	10	<5	<5	<5	70	22.33	18.31
MVT-Occupant	<5	<5	<5	<5	13	10	26	21	17	18	19	14	9	<5	151	45.48	38.02
MVT-Other/Unspecified	<5	<5	<5	<5	<5	7	11	10	13	9	15	7	<5	<5	76	22.32	14.36
MVT-Pedalcyclist	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	9	2.86	4.73
MVT-Pedestrian	<5	<5	<5	<5	<5	<5	<5	<5	7	<5	<5	<5	<5	<5	16	5.70	7.78
Motor Vehicle Non-Traffic	<5	<5	<5	<5	<5	<5	<5	<5	6	6	5	<5	<5	<5	24	6.11	5.51
Natural/Environmental, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	10	2.57	1.78
Not E-Coded	<5	<5	<5	<5	<5	<5	8	15	17	30	34	36	31	<5	185	41.52	39.88
Other Specified, Child/Adult Abuse	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.58	1.94
Other Specified, Foreign Body	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	5	<5	27	6.76	6.92
Other Specified, Classifiable	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	<5	<5	<5	<5	15	5.53	3.98
Other Specified, Not Elsewhere Classified	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	<5	16	4.37	2.47
Overexertion	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	19	4.83	3.75
Pedalcyclist, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	15	3.96	4.35
Pedestrian, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.85	2.19
Poisoning	<5	6	<5	<5	31	28	75	63	69	67	25	25	12	<5	405	129.70	102.87
Drug	<5	<5	<5	<5	31	25	72	57	65	63	23	25	10	<5	379	121.15	96.20
Non-Drug	<5	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	<5	<5	<5	26	8.55	6.67
Struck By Against	<5	<5	<5	<5	<5	6	5	10	10	9	9	7	9	<5	73	20.69	20.26
Suffocation	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	1.61	1.45
Transport (Land/Other)	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	5	<5	<5	<5	28	8.34	6.79
Other Land Transport	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	21	5.77	5.19
Other Transport	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	2.57	1.60
Unspecified	<5	<5	<5	<5	<5	<5	6	7	7	10	11	16	9	<5	68	15.76	15.54
TOTAL	<5	23	15	24	79	107	214	208	256	362	476	695	601	<5	3,064	689.84	593.13

Data Source: Florida Agency for Health Care Administration.

Case Definition:

ICD-9-CM: Hospitalizations with a principal diagnosis of injury ICD-9-CM 800-909.2, 909.4, 909.9, 910-994.9, 995.5-995.59, 995.80-995.85 and E-codes selected from [Matrix of E-code Groupings](#).

ICD-10-CM: Principal Diagnosis with all S Codes, T36-T50 with a 6th character of 1, 2, 3, or 4 (Exceptions: T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9 with 5th character of 1, 2, 3, or 4), T51-T65, T66-T77, T79. Cases with 7th character S (Sequelae) are excluded. External cause of injury selected from [ICD-10-CM External Cause Matrices](#).

Data Notes: Rates are per 100,000. Rates based on total counts less than 20 may be unstable; use with caution. MVT - Motor Vehicle Traffic, NEC - Not Elsewhere Classifiable

To keep abreast of medical knowledge, the International Classification of Diseases (ICD) is revised periodically. Large increases or decreases in hospitalizations are typically indicative of such changes. Effective October 1, 2015, the ICD 9th Revision Clinical Modification (ICD-9-CM) transitioned to ICD 10th Revision Clinical Modification (ICD-10-CM). Hospitalization data before October 2015 use ICD-9-CM; starting in October 2015, hospitalization data use ICD-10-CM. Consequently increases or decreases starting in 2015 may not be due to changes in disease trends but due to changes in coding. Results may be subject to change due to anticipated modifications to the [proposed injury surveillance definitions](#).

Hospitalizations from Veteran Affairs (VA) and other federal hospitals, rehabilitation centers, and psychiatric hospitals are excluded based on the [2014 CDC State Injury Indicator Instructions](#), page 6.

Data may contain multiple hospitalizations or visits for the same person/injury event due to hospital transfers, readmissions, and follow-up visits. Therefore, the data reflects the number of hospitalizations and emergency department visits and not the number of people injured. Data for specific mechanisms of injury may be underestimated due to incomplete reporting of the external cause of injury as an ICD-9-CM E Code. Uncoded hospitalizations and emergency department visits are labeled "Not E Coded."

¹Counts on this row are not included in the row and column totals in order to avoid counting the same hospitalizations more than once. This category represents the total from the five Motor Vehicle Traffic categories.

Results have been suppressed when the estimated hospitalizations count is between 0 and 4.

These hospitalizations are reported by the patient's county of residence.

The 2015 report is forthcoming due to the transition from ICD-9-CM to ICD-10-CM in October 2015.

2.5.2 FDOH Non-Fatal Injury Hospitalizations



Unintentional Non-Fatal Injury Hospitalizations By Mechanism - Lake County, Florida 2017																	
Mechanism	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown	Total Count	County Age Adj Rate	Florida Age Adj Rate
Bites and Stings	<5	<5	<5	<5	<5	<5	<5	6	5	5	6	<5	<5	<5	33	10.28	5.45
Bites and Stings-Nonvenomous	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	24	7.26	3.58
Bites and Stings-Venomous	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	9	3.03	1.86
Cut/Pierce	<5	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	<5	<5	<5	25	8.58	6.76
Drowning/Submersion	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.77
Fall	<5	<5	6	7	8	14	18	29	64	159	317	566	517	<5	1,711	292.67	248.75
Fire/Flame	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	9	2.75	2.73
Firearm	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	11	4.38	4.55
Hot Object/Substance	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	13	3.53	4.90
Machinery	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	13	4.12	3.44
Motor Vehicle Traffic ¹	<5	<5	<5	<5	22	28	50	46	51	39	46	22	10	<5	321	98.36	82.87
MVT-Motorcyclist	<5	<5	<5	<5	<5	10	10	11	13	10	10	<5	<5	<5	70	22.33	18.31
MVT-Occupant	<5	<5	<5	<5	13	10	26	21	16	18	19	14	9	<5	150	45.16	37.90
MVT-Other/Unspecified	<5	<5	<5	<5	<5	7	11	10	13	9	15	7	<5	<5	76	22.32	14.22
MVT-Pedalcyclist	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	9	2.86	4.73
MVT-Pedestrian	<5	<5	<5	<5	<5	<5	<5	<5	7	<5	<5	<5	<5	<5	16	5.70	7.70
Motor Vehicle Non-Traffic	<5	<5	<5	<5	<5	<5	<5	<5	6	6	5	<5	<5	<5	24	6.11	5.51
Natural/Environmental, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	10	2.57	1.78
Not E-Coded	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Specified, Child/Adult Abuse	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Specified, Foreign Body	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	5	<5	27	6.76	6.92
Other Specified, Classifiable	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	<5	<5	<5	<5	15	5.53	3.83
Other Specified, Not Elsewhere Classified	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Overexertion	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	19	4.83	3.75
Pedalcyclist, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	15	3.96	4.35
Pedestrian, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.85	2.19
Poisoning	<5	6	<5	<5	<5	9	52	32	30	42	18	21	7	<5	223	67.56	60.89
Drug	<5	<5	<5	<5	<5	8	50	28	27	39	17	21	6	<5	206	61.91	55.93
Non-Drug	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	17	5.64	4.96
Struck By Against	<5	<5	<5	<5	<5	<5	<5	6	5	6	8	7	9	<5	54	14.15	11.39
Suffocation	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	1.01	1.23
Transport (Land/Other)	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	5	<5	<5	<5	28	8.34	6.76
Other Land Transport	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	<5	<5	<5	21	5.77	5.15
Other Transport	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	2.57	1.60
Unspecified	<5	<5	<5	<5	<5	<5	<5	6	<5	9	11	16	9	<5	60	13.06	12.75
TOTAL	<5	19	15	18	46	74	163	151	185	293	433	651	565	<5	2,617	559.38	481.55

Data Source: Florida Agency for Health Care Administration.

Case Definition:

ICD-9-CM: Hospitalizations with a principal diagnosis of injury ICD-9-CM 800-909.2, 909.4, 909.9, 910-994.9, 995.5-995.59, 995.80-995.85 and E-codes selected from [Matrix of E-code Groupings](#).

ICD-10-CM: Principal Diagnosis with all S Codes, T36-T50 with a 6th character of 1, 2, 3, or 4 (Exceptions: T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9 with 5th character of 1, 2, 3, or 4), T51-T65, T66-T77, T79. Cases with 7th character S (Sequelae) are excluded. External cause of injury selected from [ICD-10-CM External Cause Matrices](#).

Data Notes: Rates are per 100,000. Rates based on total counts less than 20 may be unstable; use with caution. MVT - Motor Vehicle Traffic, NEC - Not Elsewhere Classifiable

To keep abreast of medical knowledge, the International Classification of Diseases (ICD) is revised periodically. Large increases or decreases in hospitalizations are typically indicative of such changes. Effective October 1, 2015, the ICD 9th Revision Clinical Modification (ICD-9-CM) transitioned to ICD 10th Revision Clinical Modification (ICD-10-CM). Hospitalization data before October 2015 use ICD-9-CM; starting in October 2015, hospitalization data use ICD-10-CM. Consequently increases or decreases starting in 2015 may not be due to changes in disease trends but due to changes in coding. Results may be subject to change due to anticipated modifications to the [proposed injury surveillance definitions](#).

Hospitalizations from Veteran Affairs (VA) and other federal hospitals, rehabilitation centers, and psychiatric hospitals are excluded based on the [2014 CDC State Injury Indicator Instructions](#), page 6.

Data may contain multiple hospitalizations or visits for the same person/injury event due to hospital transfers, readmissions, and follow-up visits. Therefore, the data reflects the number of hospitalizations and emergency department visits and not the number of people injured. Data for specific mechanisms of injury may be underestimated due to incomplete reporting of the external cause of injury as an ICD-9-CM E Code. Uncoded hospitalizations and emergency department visits are labeled "Not E Coded."

¹Counts on this row are not included in the row and column totals in order to avoid counting the same hospitalizations more than once. This category represents the total from the five Motor Vehicle Traffic categories.

Results have been suppressed when the estimated hospitalizations count is between 0 and 4.

These hospitalizations are reported by the patient's county of residence.

The 2015 report is forthcoming due to the transition from ICD-9-CM to ICD-10-CM in October 2015.

2.5.2 FDOH Non-Fatal Injury Hospitalizations



Non-Fatal Self-Harm Injury Hospitalizations By Mechanism - Lake County, Florida 2017																	
Mechanism	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown	Total Count	County Age Adj Rate	Florida Age Adj Rate
Bites and Stings	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Bites and Stings-Nonvenomous	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Bites and Stings-Venomous	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Cut/Pierce	<5	<5	<5	<5	<5	<5	6	<5	<5	<5	<5	<5	<5	<5	9	3.53	2.28
Drowning/Submersion	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.02
Fall	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.61	0.26
Fire/Flame	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.06
Firearm	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.65	0.50
Hot Object/Substance	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.28
Machinery	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Motor Vehicle Traffic ¹	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.32	0.17
MVT-Motorcyclist	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
MVT-Occupant	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.32	0.08
MVT-Other/Unspecified	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.10
MVT-Pedalcyclist	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
MVT-Pedestrian	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Motor Vehicle Non-Traffic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Natural/Environmental, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Not E-Coded	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Specified, Child/Adult Abuse	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Specified, Foreign Body	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Specified, Classifiable	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.03
Other Specified, Not Elsewhere Classified	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.79	0.50
Overexertion	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Pedalcyclist, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Pedestrian, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Poisoning	<5	<5	<5	<5	27	17	21	31	37	23	6	<5	<5	<5	171	59.10	39.04
Drug	<5	<5	<5	<5	27	15	20	29	36	22	5	<5	<5	<5	162	56.19	37.59
Non-Drug	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	9	2.90	1.45
Struck By Against	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.05
Suffocation	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.61	0.22
Transport (Land/Other)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.03
Other Land Transport	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.03
Other Transport	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Unspecified	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.32	0.40
TOTAL	<5	<5	<5	<5	27	18	28	35	42	23	6	5	<5	<5	190	65.93	43.83

Data Source: Florida Agency for Health Care Administration.

Case Definition:

ICD-9-CM: Hospitalizations with a principal diagnosis of injury ICD-9-CM 800-909.2, 909.4, 909.9, 910-994.9, 995.5-995.59, 995.80-995.85 and E-codes selected from [Matrix of E-code Groupings](#).

ICD-10-CM: Principal Diagnosis with all S Codes, T36-T50 with a 6th character of 1, 2, 3, or 4 (Exceptions: T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9 with 5th character of 1, 2, 3, or 4), T51-T65, T66-T77, T79. Cases with 7th character S (Sequelae) are excluded. External cause of injury selected from [ICD-10-CM External Cause Matrices](#).

Data Notes: Rates are per 100,000. Rates based on total counts less than 20 may be unstable; use with caution. MVT - Motor Vehicle Traffic, NEC - Not Elsewhere Classifiable

To keep abreast of medical knowledge, the International Classification of Diseases (ICD) is revised periodically. Large increases or decreases in hospitalizations are typically indicative of such changes. Effective October 1, 2015, the ICD 9th Revision Clinical Modification (ICD-9-CM) transitioned to ICD 10th Revision Clinical Modification (ICD-10-CM). Hospitalization data before October 2015 use ICD-9-CM; starting in October 2015, hospitalization data use ICD-10-CM. Consequently increases or decreases starting in 2015 may not be due to changes in disease trends but due to changes in coding. Results may be subject to change due to anticipated modifications to the [proposed injury surveillance definitions](#).

Hospitalizations from Veteran Affairs (VA) and other federal hospitals, rehabilitation centers, and psychiatric hospitals are excluded based on the [2014 CDC State Injury Indicator Instructions](#), page 6.

Data may contain multiple hospitalizations or visits for the same person/injury event due to hospital transfers, readmissions, and follow-up visits. Therefore, the data reflects the number of hospitalizations and emergency department visits and not the number of people injured. Data for specific mechanisms of injury may be underestimated due to incomplete reporting of the external cause of injury as an ICD-9-CM E Code. Uncoded hospitalizations and emergency department visits are labeled "Not E Coded."

¹Counts on this row are not included in the row and column totals in order to avoid counting the same hospitalizations more than once. This category represents the total from the five Motor Vehicle Traffic categories.

Results have been suppressed when the estimated hospitalizations count is between 0 and 4.

These hospitalizations are reported by the patient's county of residence.

The 2015 report is forthcoming due to the transition from ICD-9-CM to ICD-10-CM in October 2015.

2.5.2 FDOH Non-Fatal Injury Hospitalizations



Non-Fatal Assault Injury Hospitalizations By Mechanism - Lake County, Florida 2017

Mechanism	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Unknown	Total Count	County Age Adj Rate	Florida Age Adj Rate
Bites and Stings	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Bites and Stings-Nonvenomous	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Bites and Stings-Venomous	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Cut/Pierce	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	5	1.74	3.49
Drowning/Submersion	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Fall	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.06
Fire/Flame	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.04
Firearm	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	9	3.34	5.01
Hot Object/Substance	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.11
Machinery	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Motor Vehicle Traffic ¹	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.12
MVT-Motorcyclist	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
MVT-Occupant	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.04
MVT-Other/Unspecified	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
MVT-Pedalcyclist	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
MVT-Pedestrian	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.08
Motor Vehicle Non-Traffic	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Natural/Environmental, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Not E-Coded	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Specified, Child/Adult Abuse	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.58	1.94
Other Specified, Foreign Body	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Specified, Classifiable	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.09
Other Specified, Not Elsewhere Classified	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	10	2.89	1.56
Overexertion	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Pedalcyclist, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Pedestrian, Other	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Poisoning	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.16
Drug	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.12
Non-Drug	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.04
Struck By Against	<5	<5	<5	<5	<5	<5	<5	<5	5	<5	<5	<5	<5	<5	19	6.54	8.68
Suffocation	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Transport (Land/Other)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Land Transport	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Other Transport	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.00	0.00
Unspecified	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	7	2.39	2.36
TOTAL	<5	<5	<5	<5	<5	6	12	7	10	11	<5	<5	<5	<5	52	17.48	23.63

Data Source: Florida Agency for Health Care Administration.

Case Definition:

ICD-9-CM: Hospitalizations with a principal diagnosis of injury ICD-9-CM 800-909.2, 909.4, 909.9, 910-994.9, 995.5-995.59, 995.80-995.85 and E-codes selected from [Matrix of E-code Groupings](#).

ICD-10-CM: Principal Diagnosis with all S Codes, T36-T50 with a 6th character of 1, 2, 3, or 4 (Exceptions: T36.9, T37.9, T39.9, T41.4, T42.7, T43.9, T45.9, T47.9, and T49.9 with 5th character of 1, 2, 3, or 4), T51-T65, T66-T77, T79. Cases with 7th character S (Sequelae) are excluded. External cause of injury selected from [ICD-10-CM External Cause Matrices](#).

Data Notes: Rates are per 100,000. Rates based on total counts less than 20 may be unstable; use with caution. MVT - Motor Vehicle Traffic, NEC - Not Elsewhere Classifiable

To keep abreast of medical knowledge, the International Classification of Diseases (ICD) is revised periodically. Large increases or decreases in hospitalizations are typically indicative of such changes. Effective October 1, 2015, the ICD 9th Revision Clinical Modification (ICD-9-CM) transitioned to ICD 10th Revision Clinical Modification (ICD-10-CM). Hospitalization data before October 2015 use ICD-9-CM; starting in October 2015, hospitalization data use ICD-10-CM. Consequently increases or decreases starting in 2015 may not be due to changes in disease trends but due to changes in coding. Results may be subject to change due to anticipated modifications to the [proposed injury surveillance definitions](#).

Hospitalizations from Veteran Affairs (VA) and other federal hospitals, rehabilitation centers, and psychiatric hospitals are excluded based on the [2014 CDC State Injury Indicator Instructions](#), page 6.

Data may contain multiple hospitalizations or visits for the same person/injury event due to hospital transfers, readmissions, and follow-up visits. Therefore, the data reflects the number of hospitalizations and emergency department visits and not the number of people injured. Data for specific mechanisms of injury may be underestimated due to incomplete reporting of the external cause of injury as an ICD-9-CM E Code. Uncoded hospitalizations and emergency department visits are labeled "Not E Coded."

¹Counts on this row are not included in the row and column totals in order to avoid counting the same hospitalizations more than once. This category represents the total from the five Motor Vehicle Traffic categories.

Results have been suppressed when the estimated hospitalizations count is between 0 and 4.

These hospitalizations are reported by the patient's county of residence.

The 2015 report is forthcoming due to the transition from ICD-9-CM to ICD-10-CM in October 2015.

3.1.1 US Census Bureau, American FactFinder: Educational Attainment, 2017



AMERICAN
FactFinder



MISSOURI

KENTUCKY

VIRGINIA

NORTH CAROLINA

S1501

EDUCATIONAL ATTAINMENT
2017 American Community Survey 1-Year Estimates

Note: This is a modified view of the original table.

Although the American Community Survey (ACS) produces population, demographic and housing unit estimates, it is the Census Bureau's Population Estimates Program that produces and disseminates the official estimates of the population for the nation, states, counties, cities, and towns and estimates of housing units for states and counties.

Supporting documentation on code lists, subject definitions, data accuracy, and statistical testing can be found on the American Community Survey website in the [Technical Documentation](#) section. Sample size and data quality measures (including coverage rates, allocation rates, and response rates) can be found on the American Community Survey website in the [Methodology](#) section.

Subject	Lake County, Florida				Florida	United States
	Total		Percent		Percent	Percent
	Estimate	Margin of Error	Estimate	Margin of Error	Estimate	Estimate
Population 18 to 24 years	25,295	+/-1,853	(X)	(X)	(X)	(X)
Less than high school graduate	3,518	+/-1,264	13.9%	+/-5.3	15.2%	12.7%
High school graduate (includes equivalency)	11,122	+/-2,800	44.0%	+/-9.2	31.1%	31.7%
Some college or associate's degree	9,253	+/-1,880	36.6%	+/-7.9	44.5%	44.6%
Bachelor's degree or higher	1,402	+/-834	5.5%	+/-3.3	9.2%	10.9%
Population 25 years and over	253,696	+/-1,855	(X)	(X)	(X)	(X)
Less than 9th grade	7,693	+/-2,055	3.0%	+/-0.8	4.7%	5.1%
9th to 12th grade, no diploma	20,458	+/-3,393	8.1%	+/-1.3	6.9%	6.9%
High school graduate (includes equivalency)	81,927	+/-5,374	32.3%	+/-2.1	28.8%	27.1%
Some college, no degree	52,909	+/-4,975	20.9%	+/-1.9	19.9%	20.4%
Associate's degree	28,347	+/-3,858	11.2%	+/-1.5	10.0%	8.5%
Bachelor's degree	38,936	+/-3,367	15.3%	+/-1.3	18.9%	19.7%
Graduate or professional degree	23,426	+/-3,350	9.2%	+/-1.3	10.8%	12.3%
Percent high school graduate or higher	(X)	(X)	88.9%	+/-1.7	88.4%	88.0%
Percent bachelor's degree or higher	(X)	(X)	24.6%	+/-1.7	29.7%	32.0%
Population 25 to 34 years	33,826	+/-2,337	(X)	(X)	(X)	(X)
High school graduate or higher	30,827	+/-2,440	91.1%	+/-2.8	90.4%	90.9%
Bachelor's degree or higher	8,448	+/-1,903	25.0%	+/-5.6	30.0%	35.6%
Population 35 to 44 years	38,873	+/-2,195	(X)	(X)	(X)	(X)
High school graduate or higher	32,628	+/-2,778	83.9%	+/-5.8	89.1%	88.4%
Bachelor's degree or higher	11,074	+/-2,157	28.5%	+/-4.9	32.5%	35.9%
Population 45 to 64 years	89,260	+/-2,052	(X)	(X)	(X)	(X)
High school graduate or higher	80,234	+/-2,747	89.9%	+/-2.4	89.1%	88.3%
Bachelor's degree or higher	22,151	+/-2,509	24.8%	+/-2.7	29.0%	30.8%
Population 65 years and over	91,737	+/-597	(X)	(X)	(X)	(X)
High school graduate or higher	81,856	+/-1,946	89.2%	+/-2.0	85.7%	84.4%
Bachelor's degree or higher	20,689	+/-2,742	22.6%	+/-3.0	28.5%	27.6%
RACE AND HISPANIC OR LATINO ORIGIN BY EDUCATIONAL ATTAINMENT						
White alone	215,088	+/-3,164	(X)	(X)	(X)	(X)
High school graduate or higher	194,960	+/-4,718	90.6%	+/-1.7	89.7%	89.9%
Bachelor's degree or higher	54,378	+/-4,021	25.3%	+/-1.9	31.2%	33.4%
White alone, not Hispanic or Latino	191,304	+/-937	(X)	(X)	(X)	(X)
High school graduate or higher	176,231	+/-2,786	92.1%	+/-1.3	92.9%	92.9%
Bachelor's degree or higher	49,564	+/-4,119	25.9%	+/-2.2	33.3%	35.8%
Black alone	22,849	+/-1,687	(X)	(X)	(X)	(X)
High school graduate or higher	18,330	+/-2,513	80.2%	+/-7.5	83.7%	85.9%

Health Factors

3.1.1 US Census Bureau, American FactFinder: Educational Attainment, 2017

Subject	Lake County, Florida				Florida	United States
	Total		Percent		Percent	Percent
	Estimate	Margin of Error	Estimate	Margin of Error	Estimate	Estimate
Bachelor's degree or higher	3,606	+/-1,350	15.8%	+/-5.6	18.8%	21.4%
American Indian or Alaska Native alone	N	N	(X)	(X)	(X)	(X)
High school graduate or higher	N	N	N	N	80.1%	80.2%
Bachelor's degree or higher	N	N	N	N	20.8%	14.7%
Asian alone	5,670	+/-571	(X)	(X)	(X)	(X)
High school graduate or higher	5,078	+/-761	89.6%	+/-8.2	86.6%	86.9%
Bachelor's degree or higher	2,985	+/-768	52.6%	+/-12.4	50.8%	53.8%
Native Hawaiian and Other Pacific Islander alone	N	N	(X)	(X)	(X)	(X)
High school graduate or higher	N	N	N	N	90.6%	87.6%
Bachelor's degree or higher	N	N	N	N	26.7%	17.7%
Some other race alone	N	N	(X)	(X)	(X)	(X)
High school graduate or higher	N	N	N	N	77.3%	62.7%
Bachelor's degree or higher	N	N	N	N	19.0%	11.7%
Two or more races	N	N	(X)	(X)	(X)	(X)
High school graduate or higher	N	N	N	N	86.5%	88.8%
Bachelor's degree or higher	N	N	N	N	32.1%	31.7%
Hispanic or Latino Origin	31,091	+/-1,503	(X)	(X)	(X)	(X)
High school graduate or higher	23,535	+/-3,216	75.7%	+/-9.2	80.1%	68.7%
Bachelor's degree or higher	5,628	+/-1,846	18.1%	+/-5.8	24.1%	16.0%
POVERTY RATE FOR THE POPULATION 25 YEARS AND OVER FOR WHOM POVERTY STATUS IS DETERMINED BY EDUCATIONAL ATTAINMENT LEVEL						
Less than high school graduate	(X)	(X)	16.5%	+/-5.6	24.7%	24.7%
High school graduate (includes equivalency)	(X)	(X)	11.1%	+/-2.3	14.8%	13.7%
Some college or associate's degree	(X)	(X)	10.5%	+/-2.5	9.8%	9.5%
Bachelor's degree or higher	(X)	(X)	6.8%	+/-2.8	5.8%	4.3%
MEDIAN EARNINGS IN THE PAST 12 MONTHS (IN 2017 INFLATION-ADJUSTED DOLLARS)						
Population 25 years and over with earnings	32,871	+/-2,777	(X)	(X)	(X)	(X)
Less than high school graduate	27,890	+/-2,670	(X)	(X)	(X)	(X)
High school graduate (includes equivalency)	29,000	+/-2,715	(X)	(X)	(X)	(X)
Some college or associate's degree	30,612	+/-2,261	(X)	(X)	(X)	(X)
Bachelor's degree	42,828	+/-6,469	(X)	(X)	(X)	(X)
Graduate or professional degree	51,642	+/-7,796	(X)	(X)	(X)	(X)

Source: U.S. Census Bureau, 2017 American Community Survey 1-Year Estimates

Explanation of Symbols:

- An '***' entry in the margin of error column indicates that either no sample observations or too few sample observations were available to compute a standard error and thus the margin of error. A statistical test is not appropriate.
- An '-' entry in the estimate column indicates that either no sample observations or too few sample observations were available to compute an estimate, or a ratio of medians cannot be calculated because one or both of the median estimates falls in the lowest interval or upper interval of an open-ended distribution.
- An '-' following a median estimate means the median falls in the lowest interval of an open-ended distribution.
- An '+' following a median estimate means the median falls in the upper interval of an open-ended distribution.
- An '****' entry in the margin of error column indicates that the median falls in the lowest interval or upper interval of an open-ended distribution. A statistical test is not appropriate.
- An '*****' entry in the margin of error column indicates that the estimate is controlled. A statistical test for sampling variability is not appropriate.
- An 'N' entry in the estimate and margin of error columns indicates that data for this geographic area cannot be displayed because the number of sample cases is too small.
- An '(X)' means that the estimate is not applicable or not available.

Data are based on a sample and are subject to sampling variability. The degree of uncertainty for an estimate arising from sampling variability is represented through the use of a margin of error. The value shown here is the 90 percent margin of error. The margin of error can be interpreted roughly as providing a 90 percent probability that the interval defined by the estimate minus the margin of error and the estimate plus the margin of error (the lower and upper confidence bounds) contains the true value. In addition to sampling variability, the ACS estimates are subject to nonsampling error (for a discussion of nonsampling variability, see [Accuracy of the Data](#)). The effect of nonsampling error is not represented in these tables.

While the 2017 American Community Survey (ACS) data generally reflect the July 2015 Office of Management and Budget (OMB) delineations of metropolitan and micropolitan statistical areas, in certain instances the names, codes, and boundaries of the principal cities shown in ACS tables may differ from the OMB delineations due to differences in the effective dates of the geographic entities.

Estimates of urban and rural populations, housing units, and characteristics reflect boundaries of urban areas defined based on Census 2010 data. As a result, data for urban and rural areas from the ACS do not necessarily reflect the results of ongoing urbanization.

3.1.2 US Census Bureau, American FactFinder: Income, 2017



S1901 | **INCOME IN THE PAST 12 MONTHS (IN 2017 INFLATION-ADJUSTED DOLLARS)**
2017 American Community Survey 1-Year Estimates

Note: This is a modified view of the original table.

Although the American Community Survey (ACS) produces population, demographic and housing unit estimates, it is the Census Bureau's Population Estimates Program that produces and disseminates the official estimates of the population for the nation, states, counties, cities, and towns and estimates of housing units for states and counties.

Supporting documentation on code lists, subject definitions, data accuracy, and statistical testing can be found on the American Community Survey website in the [Technical Documentation](#) section. Sample size and data quality measures (including coverage rates, allocation rates, and response rates) can be found on the American Community Survey website in the [Methodology](#) section.

Subject	Households				Families				Married-couple families			Nonfamily households				
	Lake County, Florida		Florida	United States	Lake County, Florida		Florida	United States	Lake County, Florida	Florida	United States	Lake County, Florida	Florida	United States		
	Estimate	Margin of Error	Estimate	Estimate	Estimate	Margin of Error	Estimate	Estimate	Margin of Error	Estimate	Estimate	Margin of Error	Estimate			
Total	136,255	+/-2,937	7,689,964	120,062,818	91,096	+/-3,724	4,943,506	78,631,163	70,491	+/-3,638	3,588,295	57,847,574	45,159	+/-3,799	2,746,458	41,431,655
Less than \$10,000	4.8%	+/-1.2	6.9%	6.5%	3.6%	+/-1.3	4.1%	3.8%	1.4%	+/-0.8	2.1%	1.5%	9.1%	+/-2.2	12.9%	12.6%
\$10,000 to \$14,999	5.7%	+/-1.1	4.7%	4.5%	2.8%	+/-1.1	2.7%	2.5%	1.3%	+/-0.7	1.7%	1.3%	12.6%	+/-2.8	8.7%	8.8%
\$15,000 to \$24,999	11.8%	+/-1.6	10.6%	9.3%	8.2%	+/-1.8	7.8%	6.6%	6.6%	+/-1.9	5.4%	4.1%	19.5%	+/-3.2	16.4%	15.2%
\$25,000 to \$34,999	10.0%	+/-1.5	10.4%	9.1%	10.1%	+/-2.1	9.3%	7.8%	8.5%	+/-2.3	7.4%	5.9%	10.9%	+/-2.4	13.0%	12.2%
\$35,000 to \$49,999	16.3%	+/-2.4	14.6%	12.7%	15.3%	+/-2.9	14.4%	11.9%	14.1%	+/-2.8	12.9%	10.3%	18.1%	+/-3.5	15.4%	14.4%
\$50,000 to \$74,999	20.0%	+/-2.5	18.4%	17.6%	21.1%	+/-3.0	19.3%	18.1%	21.9%	+/-3.4	19.5%	18.0%	17.5%	+/-2.9	16.1%	16.2%
\$75,000 to \$99,999	12.6%	+/-1.7	12.0%	12.5%	16.4%	+/-2.5	14.1%	14.3%	18.6%	+/-2.9	15.8%	15.9%	3.7%	+/-1.5	7.5%	8.4%
\$100,000 to \$149,999	12.0%	+/-1.6	12.2%	14.6%	13.8%	+/-2.0	15.2%	17.9%	16.6%	+/-2.6	18.4%	21.4%	6.1%	+/-2.1	5.8%	7.3%
\$150,000 to \$199,999	4.0%	+/-1.1	4.8%	6.3%	5.0%	+/-1.3	6.1%	8.0%	6.3%	+/-1.6	7.9%	10.1%	1.9%	+/-1.4	2.0%	2.4%
\$200,000 or more	2.7%	+/-0.8	5.4%	6.9%	3.8%	+/-1.1	7.0%	9.0%	4.6%	+/-1.4	9.0%	11.6%	0.6%	+/-0.5	2.2%	2.5%
Median income (dollars)	51,383	+/-2,892	52,594	60,336	62,040	+/-3,820	64,003	73,891	70,757	+/-2,921	76,248	88,315	32,769	+/-3,402	33,962	35,980
Mean income (dollars)	65,443	+/-2,757	76,053	84,525	74,769	+/-3,325	88,588	99,114	N	N	102,434	115,053	42,947	+/-3,196	50,102	53,066
PERCENT ALLOCATED																
Household income in the past 12 months	35.7%	(X)	37.9%	35.3%	(X)	(X)	(X)	(X)	(X)	(X)	(X)	(X)	(X)	(X)	(X)	(X)
Family income in the past 12 months	(X)	(X)	(X)	(X)	35.3%	(X)	38.7%	36.0%	(X)	(X)	(X)	(X)	(X)	(X)	(X)	(X)
Nonfamily income in the past 12 months	(X)	(X)	(X)	(X)	(X)	(X)	(X)	(X)	(X)	(X)	(X)	(X)	34.7%	(X)	35.0%	32.3%

Source: U.S. Census Bureau, 2017 American Community Survey 1-Year Estimates

Explanation of Symbols:

An "***" entry in the margin of error column indicates that either no sample observations or too few sample observations were available to compute a standard error and thus the margin of error. A statistical test is not appropriate.

An "-" entry in the estimate column indicates that either no sample observations or too few sample observations were available to compute an estimate, or a ratio of medians cannot be calculated because one or both of the median estimates falls in the lowest interval or upper interval of an open-ended distribution.

An "l" following a median estimate means the median falls in the lowest interval of an open-ended distribution.

An "u" following a median estimate means the median falls in the upper interval of an open-ended distribution.

An "****" entry in the margin of error column indicates that the median falls in the lowest interval or upper interval of an open-ended distribution. A statistical test is not appropriate.

An "*****" entry in the margin of error column indicates that the estimate is controlled. A statistical test for sampling variability is not appropriate.

An "N" entry in the estimate and margin of error columns indicates that data for this geographic area cannot be displayed because the number of sample cases is too small.

An "(X)" means that the estimate is not applicable or not available.

Data are based on a sample and are subject to sampling variability. The degree of uncertainty for an estimate arising from sampling variability is represented through the use of a margin of error. The value shown here is the 90 percent margin of error. The margin of error can be interpreted roughly as providing a 90 percent probability that the interval defined by the estimate minus the margin of error and the estimate plus the margin of error (the lower and upper confidence bounds) contains the true value. In addition to sampling variability, the ACS estimates are subject to nonsampling error (for a discussion of nonsampling variability, see [Accuracy of the Data](#)). The effect of nonsampling error is not represented in these tables.

When information is missing or inconsistent, the Census Bureau logically assigns an acceptable value using the response to a related question or questions. If a logical assignment is not possible, data are filled using a statistical process called allocation, which uses a similar individual or household to provide a donor value. The "Allocated" section is the number of respondents who received an allocated value for a particular subject.

While the 2017 American Community Survey (ACS) data generally reflect the July 2015 Office of Management and Budget (OMB) delineations of metropolitan and micropolitan statistical areas, in certain instances the names, codes, and boundaries of the principal cities shown in ACS tables may differ from the OMB delineations due to differences in the effective dates of the geographic entities.

Estimates of urban and rural populations, housing units, and characteristics reflect boundaries of urban areas defined based on Census 2010 data. As a result, data for urban and rural areas from the ACS do not necessarily reflect the results of ongoing urbanization.


ALICE IN LAKE COUNTY

Population: 325,875 | **Number of Households:** 126,519
Median Household Income: \$50,305 (state average: \$49,426)
Florida Underemployment Rate for 2015: 11.5%
Households Below ALICE Threshold: 51,456 (41%)

How many households are struggling?

ALICE is an acronym for **A**sset **L**imited, **I**ncome **C**onstrained, **E**mployed – households that earn more than the Federal Poverty Level, but less than the basic cost of living for the county (the ALICE Threshold, or AT). Combined, the number of poverty and ALICE households equals the total population struggling to afford basic needs. The percentage of households below the ALICE Threshold changes over time (left axis, blue bars) as does the total number of households (right axis, dotted yellow line). The Great Recession, from 2007 to 2010, caused hardship for many families. Conditions started to improve in 2010 and 2012 for some, but not for all.

Households by Income, 2007 to 2015



What does it cost to afford the basic necessities?

The bare-minimum Household Survival Budget does not include any savings, leaving a household vulnerable to unexpected expenses. ALICE households typically earn above the Federal Poverty Level of \$11,770 for a single adult and \$24,250 for a family of four, but less than the Household Survival Budget.


Household Survival Budget, Lake County		
	SINGLE ADULT	2 ADULTS, 1 INFANT, 1 PRESCHOOLER
Monthly Costs		
Housing	\$707	\$997
Child Care	\$-	\$953
Food	\$165	\$547
Transportation	\$322	\$644
Health Care	\$165	\$634
Miscellaneous	\$157	\$407
Taxes	\$212	\$294
Monthly Total	\$1,728	\$4,476
ANNUAL TOTAL	\$20,736	\$53,712
POVERTY ANNUAL TOTAL	\$11,770	\$24,250

Sources: 2015 Point-in-Time Data: American Community Survey. ALICE Demographics: American Community Survey; the ALICE Threshold. Budget: U.S. Department of Housing and Urban Development (HUD); U.S. Department of Agriculture (USDA); Bureau of Labor Statistics (BLS); Internal Revenue Service (IRS); Florida Department of Education, Office of Early Learning.

How many families with children are struggling?

Children add significant expense to a family budget, so it is not surprising that many families with children live below the ALICE Threshold. Though more Lake County families are headed by married parents, a greater percent of single parent families have income below the AT (left axis, blue bar). Total number of families in each category are reflected by dotted yellow bars (right axis).


Families with Children by Income, 2015



What assets do households have?

Ownership of assets can contribute to stability of households. Yet few families in Lake County own liquid assets, such as a savings account, 401(k) plan, or rental income, that are readily available to cover emergency expenses. Vehicles, the most common asset, depreciate over time. Homeownership, the next most common asset, can build wealth, but is not a liquid asset.

Assets, All Households, 2015



Lake County, 2015		
Town	Total HH	% ALICE & Poverty
Astatula	541	50%
Astor CDP	649	68%
Clermont	11,007	38%
Clermont CCD	29,373	35%
Eustis	7,150	57%
Eustis CCD	11,514	49%
Fruitland Park	1,479	49%
Fruitland Park-Lady Lake CCD	13,046	46%
Groveland	3,345	39%
Groveland-Mascotte CCD	9,484	39%
Howey-in-the-Hills	527	24%
Howey-in-the-Hills-Okahumpka CCD	8,293	36%
Lady Lake	6,936	50%
Lake Kathryn CDP	297	81%
Lake Mack-Forest Hills CDP	300	71%
Leesburg	8,311	61%
Leesburg CCD	9,216	58%
Leesburg East CCD	9,803	49%
Mascotte	1,488	49%
Minneola	3,290	44%
Montverde	520	28%
Mount Dora	5,747	41%
Mount Dora CCD	10,185	39%
Mount Plymouth CDP	1,577	24%
Silver Lake CDP	689	37%
Sorrento CDP	215	74%
Tavares	6,232	52%
Tavares CCD	9,227	49%
Umatilla	1,399	49%
Umatilla CCD	9,110	50%
Yalaha CDP	539	19%

Note: Municipal-level data on this page is for Places and County Subdivisions, which include Census Designated Places (CDP), and Census County Divisions (CCD), relatively permanent statistical areas delineated cooperatively by the Census Bureau and state and local government authorities. These are overlapping geographies so totals will not match county-level data. Municipal-level data often relies on 5-year averages and is not available for the smallest towns that do not report income.



3.1.4 FDLE Annual Crime Report, 2017 CRIME IN FLORIDA ABSTRACT

Lake County

Florida Department of
Law Enforcement

January - December 2017

The statistics presented in this release are an indication of crime and criminal activities known to, and reported by, law enforcement agencies for 2017. This report reflects data residing in the UCR database as of 3/22/2018.

Crime Volume and Rate

MEASURE	2016	2017	Percent Change
Total Index Crime	7,500	8,122	8.3
Total Violent Crime	969	1,124	16.0
Total Property Crime	6,531	6,998	7.2
Total Crime Rate	2,314.9	2,448.4	5.8
Violent Crime Rate	299.1	338.8	13.3
Property Crime Rate	2,015.8	2,109.6	4.7

Offense Totals

INDEX OFFENSES	2016	2017	Percent Change
Murder	6	19	216.7
Firearm	5	13	160.0
Knife/Cutting Instr.	0	1	
Hands/Fists/Feet	1	0	-100.0
Other	0	5	
Rape	105	129	22.9
Firearm	0	1	
Knife/Cutting Instr.	1	0	-100.0
Hands/Fists/Feet	86	112	30.2
Other	18	16	-11.1
Robbery	122	209	71.3
Firearm	62	136	119.4
Knife/Cutting Instr.	12	10	-16.7
Hands/Fists/Feet	39	52	33.3
Other	9	11	22.2
Aggravated Assault	736	767	4.2
Firearm	164	207	26.2
Knife/Cutting Instr.	138	135	-2.2
Hands/Fists/Feet	106	87	-17.9
Other	328	338	3.0
Burglary	1,606	1,599	-0.4
Forced Entry	858	863	0.6
No Forced Entry	635	636	0.2
Attempted Entry	113	100	-11.5
Larceny	4,499	4,884	8.6
Pocket Picking	2	4	100.0
Purse Snatching	8	9	12.5
Shoplifting	939	973	3.6
From Motor Vehicle	1,086	1,174	8.1
Motor Vehicle Parts	241	264	9.5
Bicycles	138	170	23.2
From Building	545	530	-2.8
From Coin Oper. Dev.	3	13	333.3
All Other	1,537	1,747	13.7
Motor Vehicle Theft	426	515	20.9
TOTAL INDEX OFFENSES	7,500	8,122	8.3

Arrest Totals

ARREST TYPE	2016	2017	Percent Change
Violent Offense Arrests	414	456	10.1
Adult	369	417	13.0
Juvenile	45	39	-13.3
Male	340	377	10.9
Female	74	79	6.8
Property Offense Arrests	1,212	1,417	16.9
Adult	991	1,216	22.7
Juvenile	221	201	-9.0
Male	785	911	16.1
Female	427	506	18.5
Part II Offense Arrests	7,144	7,594	6.3
Adult	6,788	7,259	6.9
Juvenile	356	335	-5.9
Male	5,211	5,516	5.9
Female	1,933	2,078	7.5
TOTAL ARRESTS	8,770	9,467	7.9

Domestic Violence by Offense Type

PRIMARY OFFENSE	2016	2017	Percent Change
Murder	2	4	100.0
Manslaughter	1	0	-100.0
Rape	26	32	23.1
Fondling	18	14	-22.2
Aggravated Assault	212	225	6.1
Aggravated Stalking	7	8	14.3
Simple Assault	1,369	1,390	1.5
Threat/Intimidation	20	25	25.0
Simple Stalking	8	7	-12.5
TOTAL OFFENSES	1,663	1,705	2.5

Property Information Values

PROPERTY TYPE	STOLEN VALUE	RECOVERED VALUE
Currency, Note, Etc.	761,592	15,466
Jewelry, Precious Metals	1,766,080	125,776
Clothing & Furs	179,284	31,216
Motor Vehicles	5,568,698	3,743,208
Office Equipment	968,369	573,766
TVs, Radios, Stereos	377,805	29,312
Firearms	242,575	31,935
Household Goods	257,548	11,392
Consumable Goods	265,475	11,484
Livestock	350	0
Miscellaneous	4,861,623	1,238,837
TOTAL VALUES	15,249,399	5,812,392

SOURCE: Florida Department of Law Enforcement. Florida Uniform Crime Report, 2017 [Computer program]. Tallahassee, FL: FDLE, Florida Statistical Analysis Center.

CRIME IN FLORIDA ABSTRACT

Lake County

January - December 2017

Crime Trends

Year	Index Total Crimes	% Change	Violent Crime	% Change	Property Crime	% Change	Population	% Change	Crime Rate	% Change
2013	7,700	-6.3	886	-2.6	6,814	-6.8	303,317	1.2	2,538.6	-7.5
2014	7,915	2.8	895	1.0	7,020	3.0	309,736	2.1	2,555.4	0.7
2015	8,481	7.2	993	10.9	7,488	6.7	316,569	2.2	2,679.0	4.8
2016	7,500	-11.6	969	-2.4	6,531	-12.8	323,985	2.3	2,314.9	-13.6
2017	8,122	8.3	1,124	16.0	6,998	7.2	331,724	2.4	2,448.4	5.8

Domestic Violence

by Offense Type to Victim's Relationship to Offender

OFFENSES	RELATIONSHIP VICTIM TO OFFENDER								Arrests
	Total	Spouse	Parent	Child	Sibling	Other Family	Cohabitant	Other	
Murder	4	1	0	1	0	0	2	0	3
Manslaughter	0	0	0	0	0	0	0	0	0
Rape	32	3	1	8	8	8	4	0	14
Fondling	14	0	1	3	4	4	2	0	4
Aggravated Assault	225	33	24	20	22	18	91	17	159
Aggravated Stalking	8	4	0	0	0	0	1	3	4
Simple Assault	1,390	320	158	103	106	83	536	84	695
Threat/Intimidation	25	4	6	2	4	2	5	2	6
Simple Stalking	7	4	0	0	0	1	2	0	3
TOTAL OFFENSES	1,705	369	190	137	144	116	643	106	888

ARSON			
STRUCTURE	TOTAL INHABITED	TOTAL ABANDONED	ATTEMPTED
Single Occupied Residence	7	1	1
Other Residence	0	0	0
Storage	0	0	0
Industrial/Manufacturing	0	0	0
Commercial	0	0	0
Community/Public	0	0	0
All Other Structures	1	0	1
Motor Vehicles	0	12	0
Other Mobile	1	0	0
Other	0	1	1
TOTAL	9	14	3

VEHICLE RECOVERY	
	Number
Stolen Locally and Recovered Locally	251
Stolen Locally and Recovered by Other Jurisdictions	181
Stolen Other Jurisdictions and Recovered Locally	181
TOTAL	613

SOURCE: Florida Department of Law Enforcement. Florida Uniform Crime Report, 2017 [Computer program]. Tallahassee, FL: FDLE, Florida Statistical Analysis Center.

**2016 Florida BRFSS Data Report
Table of Contents**

Health Status	
Arthritis	1
Asthma	2
Cancer Prevalence	4
Cardiovascular Disease	6
Chronic Obstructive Pulmonary Disease	10
Depression	11
Diabetes	12
Disability	15
Kidney Disease	17
Overweight and Obesity	18
Vision Impairment	22
Health-Related Behaviors	
Alcohol Consumption	23
Marijuana Use	24
Tobacco Use and Exposure	25
Physical Activity and Nutrition	32
Health-Related Prevention	
Cancer Screening/Breast	36
Cancer Screening/Cervical	37
Cancer Screening/Colorectal	39
HIV/AIDS Screening	42
Immunization	44
Injury Prevention	47
Oral Health	48
Health-Related Quality of Life	50
Health Care Access and Coverage	60
Glossary	Appendix I
Healthy People 2020 Objectives	Appendix II

For full report visit <http://www.flhealthcharts.com/charts/Brfss.aspx>

3.2.1 FDOH Behavioral Risk Factor Surveillance System Data, 2016

2016 Behavioral Risk Factor Surveillance System Indicators

Health Status		Lake	Florida
Arthritis	Percentage of adults who have been told they have some form of Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	36.7%	24.8%
Asthma	Percentage of adults who currently have asthma	5.0%	6.7%
Cancer Prevalence	Percentage of adults who have been told they have had skin cancer	9.2%	9.1%
	Percentage of adults who have had any other type of cancer except skin cancer	8.0%	7.5%
Cardiovascular Disease	Percentage of adults who have ever had a heart attack	8.0%	5.2%
	Percentage of adults who have ever had a heart attack, angina, or coronary heart disease, or stroke	13.3%	9.8%
	Percentage of adults who have ever had a stroke	5.0%	3.5%
	Percentage of adults who have ever had angina or coronary heart disease	5.9%	4.7%
COPD	Percentage of adults who have chronic obstructive pulmonary disease, emphysema or chronic bronchitis	8.6%	7.1%
Depression	Percentage of adults who have a depressive disorder	15.4%	14.2%
Diabetes	Average age at which diabetes was diagnosed	49.7%	48.2%
	Percentage of adults with diagnosed diabetes	12.5%	11.8%
	Percentage of adults with pre-diabetes	12.1%	9.4%
Disability	Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems (Among adults who have had at least one day of poor mental or physical health)	23.6%	21.2%
	Percentage of adults who use special equipment because of a health problem	15.6%	9.9%
Kidney Disease	Percentage of adults who have kidney disease	3.8%	3.2%
Overweight & Obesity	Percentage of adults who are obese	32.6%	27.4%
	Percentage of adults who are overweight	32.2%	35.8%
	Percentage of adults who are overweight or obese	64.8%	63.2%
	Percentage of adults who have a healthy weight (BMI from 18.5 to 24.9)	32.5%	34.5%
Vision Impairment	Percentage of adults who are blind or have serious difficulty seeing, even when wearing glasses	7.3%	5.8%
Health-Related Behavior		Lake	Florida
Alcohol Consumption	Percentage of adults who engage in heavy or binge drinking	15.8%	17.5%
Marijuana Use	Percentage of adults who used marijuana or hashish during the past 30 days	7.0%	7.4%
Tobacco Use & Exposure	Percentage of adult current smokers who tried to quit smoking at least once in the past year	62.1%	62.1%
	Percentage of adults who are current e-cigarette users	4.3%	4.7%
	Percentage of adults who are current smokers	19.2%	15.5%
	Percentage of adults who are former e-cigarette users	15.2%	15.5%
	Percentage of adults who are former smokers	33.0%	26.5%
	Percentage of adults who have never smoked	47.7%	58.0%
	Percentage of adults who have never used e-cigarettes	80.4%	79.8%
Physical Activity & Nutrition	Percentage of adults who are inactive or insufficiently active	58.4%	56.7%
	Percentage of adults who are sedentary	29.3%	29.8%
	Percentage of adults who meet aerobic recommendations	44.5%	44.8%
	Percentage of adults who meet muscle strengthening recommendations	34.3%	38.2%

3.2.1 FDOH Behavioral Risk Factor Surveillance System Data, 2016

Health-Related Prevention		Lake	Florida
Cancer Screening/ Breast	Percentage of women 40 years of age and older who received a mammogram in the past year	60.4%	60.8%
	Percentage of women aged 50 to 74 who had a mammogram in the past 2 years	76.8%	81.7%
Cancer Screening/ Cervical	Percentage of women 18 years of age and older who received a HPV test in the past five years	32.8%	36.7%
	Percentage of women 18 years of age and older who received a Pap test in the past year	40.9%	48.4%
	Percentage of women aged 21 to 65 who had a Pap test in the past 3 years	73.5%	78.8%
	Percentage of women who have had a hysterectomy	34.7%	22.7%
Cancer Screening/ Colorectal	Percentage of adults 50 years of age and older who have ever had a blood stool test	44.5%	36.0%
	Percentage of adults 50 years of age and older who have ever had a sigmoidoscopy or colonoscopy	71.9%	69.2%
	Percentage of adults 50 years of age and older who received a blood stool test in the past year	15.0%	16.0%
	Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years	51.5%	53.9%
	Percentage of adults aged 50 to 75 who had colorectal screening based on the most recent clinical guidelines	70.8%	67.3%
Cancer Screening/ Prostate	Percentage of men 50 years of age and older who have ever had a PSA test	70.3%	67.5%
	Percentage of men 50 years of age and older who received a PSA test in the past two years	55.5%	54.9%
HIV/AIDS Screening	Percentage of adults less than 65 years old who had an HIV test in the past 12 months	13.8%	19.7%
	Percentage of adults less than 65 years old who have ever been tested for HIV	48.4%	55.3%
	Percentage of adults who had ever been tested for HIV	36.0%	46.9%
Immunization	Percentage of adults 65 years of age and older who have ever received a pneumonia vaccination	75.2%	65.6%
	Percentage of adults 65 years of age and older who received a flu shot in the past year	64.7%	57.6%
	Percentage of adults who have ever received a pneumonia vaccination	43.4%	34.6%
	Percentage of adults who have received a tetanus shot since 2005	53.5%	52.9%
	Percentage of adults who received a flu shot in the past year	40.3%	35.0%
Injury Prevention	Percentage of adults 45 years of age and older who had a fall-related injury in the past 12 months	9.2%	9.9%
	Percentage of adults who always or nearly always use a seatbelt when riding in a car	98.6%	95.0%
Oral Health	Percentage of adults who had a permanent tooth removed because of tooth decay or gum disease	52.7%	47.3%
	Percentage of adults who have seen a dentist in the past year	57.2%	63.0%

Health-Related Quality of Life		Lake	Florida
Health-Related Quality of Life	Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days (Among adults who have had at least one day of poor mental or physical health)	5.3%	5.7%
	Average number of unhealthy mental days in the past 30 days	3.9%	3.6%
	Average number of unhealthy physical days in the past 30 days	4.3%	4.0%
	Percentage of adults who had poor mental health on 14 or more of the past 30 days	12.5%	11.4%
	Percentage of adults who had poor physical health on 14 or more of the past 30 days	15.4%	12.9%
	Percentage of adults who said their overall health was "fair" or "poor"	18.5%	19.5%
	Percentage of adults whose poor physical or mental health kept them from doing usual activities On 14 or more of the past 30 days	18.8%	18.6%
	Percentage of adults with "good" to "excellent" overall health	81.5%	80.5%
	Percentage of adults with good mental health for the past 30 days	87.5%	88.6%
	Percentage of adults with good physical health for the past 30 days	84.6%	87.1%

Health Care Access & Coverage		Lake	Florida
Health Care Access & Coverage	Percentage of adults who could not see a doctor in the past year due to cost	17.1%	16.6%
	Percentage of adults who had a medical checkup in the past year	80.4%	76.5%
	Percentage of adults who have a personal doctor	75.6%	72.0%
	Percentage of adults who have Medicare (Medicare is a coverage plan for people 65 or over and for certain disabled people.)	47.5%	37.9%
	Percentage of adults with any type of health care insurance coverage	83.5%	83.7%



Ambulatory Care Sensitive Conditions Profile - 2017

Ambulatory Care Sensitive Conditions Profile, Lake County, Florida - 2017					
Indicator	Year	County Count	County Rate	County Quartile 1=most favorable 4=least favorable	State Rate
Preventable Hospitalizations Under 65 from All Conditions	2017	3,255	1,326.5	4	1,033.0
Preventable Hospitalizations from Iron Deficiency Anemia Under 5	2017	<5			11.5
Preventable Hospitalizations Under 65 from Angina	2017	27	11.0	3	6.5
Preventable Hospitalizations Under 65 from Asthma	2017	161	65.6	3	71.5
Preventable Hospitalizations Under 65 from Cellulitis	2017	332	135.3	4	99.9
Preventable Hospitalizations Under 65 from Chronic Obstructive Pulmonary Disease (COPD)	2017	599	244.1	3	168.2
Preventable Hospitalizations Under 65 from Congestive Heart Failure	2017	198	80.7	3	73.7
Preventable Hospitalizations from Congenital Syphilis Among Infants Less Than 28 Days Old	2017	<5		1	
Preventable Hospitalizations Under 6 from Convulsions	2017	11	4.5	3	4.5
Preventable Hospitalizations from Convulsions Ages 6 Years or Older	2017	86	35.0	4	26.6
Preventable Hospitalizations Under 65 from Grand Mal & Other Epileptic Conditions	2017	223	90.9	3	81.7
Preventable Hospitalizations Under 65 from Dehydration - volume depletion	2017	240	97.8	4	62.3
Preventable Hospitalizations Under 65 from Dental Conditions	2017	24	9.8	2	12.0
Preventable Hospitalizations Under 65 from Diabetes	2017	514	209.5	3	167.4
Preventable Hospitalizations Under 65 from Severe Ear, Nose, & Throat Infections	2017	63	25.7	4	19.5
Preventable Hospitalizations Under 1 from Failure to Thrive	2017	8	248.3		95.0
Preventable Hospitalizations Under 65 from Hypertension	2017	27	11.0	4	7.0
Preventable Hospitalizations Under 65 from Gastroenteritis	2017	164	66.8	4	48.3
Preventable Hospitalizations Under 65 from Hypoglycemia	2017	<5			1.4
Preventable Hospitalizations Under 65 from Kidney/Urinary Infection	2017	74	30.2	3	29.8
Preventable Hospitalizations Under 65 from Nutritional Deficiencies	2017	226	92.1	4	55.0
Preventable Hospitalizations Under 65 from Bacterial Pneumonia	2017	323	131.6	4	103.9

3.3.1 FDOH Ambulatory Care Sensitive Conditions Profile, 2016

Indicator	Year	County Count	County Rate	County Quartile 1=most favorable 4=least favorable	State Rate
Preventable Hospitalizations Under 65 from Skin Grafts with Cellulitis	2017	15	6.1	2	8.0
Preventable Hospitalizations Under 65 from Pelvic Inflammatory Disease	2017	13	10.4	2	12.1
Preventable Hospitalizations Under 65 from Non-Pulmonary Tuberculosis	2017	<5			0.3
Preventable Hospitalizations Under 65 from Pulmonary Tuberculosis	2017	<5			1.2
Preventable Hospitalizations Under 65 from Vaccine Preventable Conditions	2017	<5			0.5

Data Note(s)

Data Source: Florida Agency for Health Care Administration (AHCA). Ambulatory Care Sensitive Conditions Codes: http://www.flhealthcharts.com/ChartsReports/_SupportFiles/ACS_Conditions.pdf

To keep abreast of medical knowledge, the International Classification of Diseases (ICD) is revised periodically. Large increases or decreases in hospitalizations are typically indicative of such changes. Effective October 1, 2015, the ICD 9th Revision Clinical Modification (ICD-9-CM) transitioned to ICD 10th Revision Clinical Modification (ICD-10-CM). Hospitalization data before October 2015 use ICD-9-CM; starting in October 2015, hospitalization data use ICD-10-CM. Consequently increases or decreases starting in 2015 may not be due to changes in disease trends but due to changes in coding.

Population: The population data for 2001-2010, along with rates affected by the population data, has been updated on FLHealthCHARTS. Following a census, it is customary to revise population projections for the intercensal years based on information from the latest census. Revising the population data from what was predicted to actual estimates ensures accurate accounting of the racial, ethnic, and gender distribution of the population. These changes affect the population data and rates calculated for your community.

Some counts and conditions using ICD-9-CM diagnostic codes may differ from those published previously on FLHealthCHARTS. In July 2016, a revised, final version of the diagnostic codes for Ambulatory Care Sensitive Conditions was obtained directly from Dr. John Billings, Director, Health Policy and Management Program, Robert F. Wagner School of Public Service, New York University.

County Quartiles:

Most favorable situation 1 (Lightest color on maps)	Average 2 or 3	Least favorable situation 4 (Darkest color on maps)
--	--------------------------	--

Quartiles in this report allow you to compare your county's data with other counties. Calculation of quartiles require several steps to create the final results. First, the county values are sorted from most favorable to least favorable. Second, a rank is assigned based on the value for each county in relation to the preceding county. If a county has the same value as the preceding county, then the same rank is assigned. Third, the ranking is divided into 4 groups. The number of counties in each group depends on how many counties had the same rank.

Data are suppressed in instances in which a county has between 1 and 4 reported hospitalizations for a particular time period. Rates are suppressed in these instances as well.



Florida
Environmental Public Health Tracking

Community Environmental Health Profile Report, Lake

Measure	Year(s)	Lake County	Florida
Asthma Emergency Department Visits			
Age-adjusted rate of Asthma Emergency Department Visits per 10,000	2016	44.31	56.92
Asthma Hospitalizations			
Age-adjusted rate of Asthma Hospitalizations per 10,000	2016	6.06	7.51
Birth Prematurity			
Percent of preterm live births	2016	15.40	12.95
Percent of very preterm live births	2016	1.87	2.10
Busy Roadways			
Percent of population living within 500 feet of a busy roadway	2016	5.56	12.14
Number of people living within 500 feet of a busy roadway	2016	16516	2282965
Percent of schools and day care facilities within 500 feet of a busy roadway	2016	15.27	21.23
Community Access			
Number of People living within 1/2 mile of a fast food restaurant	2016	40983	6366236
Percent of the population living within a ten minute walk (1/2 mile) of a park	2016	21.86	43.22
Number of people living within a ten minute walk (1/2 mile) of a park	2016	64947	8125479
Percent of the population living within a ten minute walk (1/2 mile) of an off-street trail system	2016	16.80	18.23
Number of people living within a ten minute walk (1/2 mile) of an off-street trail system	2016	49897	3426553
Percent of the population living within 1/2 mile of a healthy food source	2016	11.56	30.89
Number of people that living within 1/2 mile of a healthy food source	2016	34330	5807027
Percent of the population living within a 1/2 mile of a fast food restaurant	2016	13.80	33.86
Dog Bite Emergency Department Visits			
Crude Rate of Dog Bite emergency department visits per 100,000	2016	70.33	110.48
Dog Bite Hospitalizations			
Number of Dog Bite hospitalizations	2016	29	1212
Fluoridated Water			
Percent of population on public water with optimally fluoridated water supplies	2015	17.6	77.0
Heart Attack Hospitalizations			
Age-adjusted rate of Heart Attack Hospitalizations per 10,000	2016	27.53	21.51
Heat-Related Emergency Department Visits			
Crude Rate of Heat-related emergency department visits during summer months per 100,000	2016	45.87	31.68

3.4.1 FDOH Community Environmental Health Profile Report, 2016

Measure	Year(s)	Lake County	Florida
Heat-Related Hospitalizations			
Crude Rate of Heat-related hospitalizations during summer months per 100,000	2016	7.95	5.42
Housing			
Number of housing units	2013	146181	9094999
Percent of pre-1950 housing units	2013	3.95	4.41
Percent of housing units built between 1950 and 1979	2013	23.05	35.18
Percent of housing units that are vacant	2013	18.42	19.73
Percent of occupied housing units that use wood, fuel oil, kerosene, coal, or coke as heating fuel	2013	0.55	0.40
Percent of housing units that lack complete plumbing facilities	2013	0.29	0.25
Infant Mortality			
Crude rate of infant deaths per 1000 live births	2016	4.9	6.0
Low Birth Weight			
Percent of low birth weight (less than 2500 grams) live births	2016	8.81	8.72
Ozone			
Number of days with maximum 8-hour average ozone concentration over the National Ambient Air Quality Standard (Monitor + Modeled)	2012	0	
Particulate Matter (PM 2.5)			
Percent of days with PM2.5 levels over the National Ambient Air Quality Standard (Monitor + Modeled)	2012	0.0	
Poverty			
Percent of persons for which poverty can be determined	2013	*	99.53
Percent of persons living in poverty for which poverty can be determined	2013	13.86	16.54
Radon Screening			
Number of Housing units tested for radon	2015	3	10074
Housing units tested for radon, rate per 100,000	2013	4.79	116.12

The data on this report was compiled and presented by the Florida Department of Health, Environmental Public Health Tracking program. More information about this and other data sets can be found at www.FloridaTracking.com

Effective October 1, 2015, hospital record data transitioned to a new coding system called the International Classification of Diseases, 10th Revision, Clinical Modification (ICD-10-CM). Differences between counts and rates in years prior to 2015 compared with 2015 and subsequent years could be a result of this coding change and not an actual difference in the number of events.



©2008-2018, Florida Department of Health

*This web portal was supported by Cooperative Agreement Number 6NUE1EH001349 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors (FL Tracking Team) and do not necessarily represent the official views of the Centers for Disease Control and Prevention.

3.4.2 FDOH Drinking Water Chemical Limits, 2016

Florida Department of Health Environmental Health
Bureau of Environmental Health, Water Programs
Maximum Contaminant Levels and Health Advisory Levels

Last Update 8/4/2016

HAL = Health Advisory Level

MCL = Maximum Contaminant Level

SMCL = Secondary Maximum Contaminant Level

ug/L = micrograms per Liter or parts per billion

mg/L = milligrams per Liter or parts per million

MFL = million fibers per liter

Chemical Name		Units	MCL/HAL
1,1,1,2-TETRACHLOROETHANE	1	ug/L	HAL
ALPHA-BHC	0.04	ug/L	HAL
CHLORPROPHAM	1400	ug/L	HAL
GLYPHOSATE	700	ug/L	MCL
PENTACHLOROPHENOL	1	ug/L	MCL
1,1,1-TRICHLOROETHANE	200	ug/L	MCL
1,1,2,2-TETRACHLOROETHANE	1	ug/L	HAL
1,1,2-TRICHLOROETHANE	5	ug/L	MCL
1,1-DICHLOROETHANE	70	ug/L	HAL
1,1-DICHLOROETHYLENE	7	ug/L	MCL
1,2,3-TRICHLOROBENZENE	70	ug/L	HAL
1,2,3-TRICHLOROPROPANE	40	ug/L	HAL
1,2,4-TRICHLOROBENZENE	70	ug/L	MCL
1,2,4-TRIMETHYLBENZENE	35	ug/L	HAL
1,2-DICHLOROETHANE	3	ug/L	MCL
1,2-DICHLOROPROPANE	5	ug/L	MCL
1,3,5-TRIMETHYLBENZENE	35	ug/L	HAL
1,4-DIOXANE	0.35	ug/L	HAL
1-CHLOROBUTANE	2800	ug/L	HAL
2,3,7,8 TCDD (DIOXIN)	0.00003	ug/L	MCL
2,4,5-T	70	ug/L	HAL
2,4,5-TP (SILVEX)	50	ug/L	MCL
2,4-D	70	ug/L	MCL
2,4-DB	56	ug/L	HAL
2,4-DINITROTOLUENE	0.05	ug/L	HAL
2,6-DINITROTOLUENE	0.05	ug/L	HAL
2-BUTANONE	4200	ug/L	HAL
2-HEXANONE	280	ug/L	HAL
4,4'-DDD	0.1	ug/L	HAL
4,4'-DDE	0.1	ug/L	HAL
4,4'-DDT	0.1	ug/L	HAL
4-NITROPHENOL	56	ug/L	HAL

3.4.2 FDOH Drinking Water Chemical Limits, 2016

Chemical Name		Units	MCL/HAL
ACENAPHTHYLENE	210	ug/L	HAL
ACIFLUORFEN	1	ug/L	HAL
ALACHLOR	2	ug/L	MCL
ALDICARB (SUM OF ALL ALDICARBS)	7	ug/L	HAL
ALDICARB SULFONE (SUM OF ALDICARBS)	7	ug/L	HAL
ALDRIN	0.002	ug/L	HAL
ALLYL CHLORIDE	35	ug/L	HAL
ALPHA-CHLORDANE	2	ug/L	MCL
ALUMINUM	200	ug/L	SMCL
AMETRYN	63	ug/L	HAL
ANTHRACENE	2100	ug/L	HAL
ANTIMONY	6	ug/L	MCL
ARSENIC	10	ug/L	MCL
ASBESTOS	7	MFL	MCL
ATRAZINE	3	ug/L	MCL
BARIUM	2000	ug/L	MCL
BENTAZON	210	ug/L	HAL
BENZENE	1	ug/L	MCL
BENZO(A)ANTHRACENE	0.2	ug/L	HAL
BENZO(A)PYRENE	0.2	ug/L	MCL
BENZO(B)FLUORANTHENE	0.2	ug/L	HAL
BENZO(G,H,I)PERYLENE	210	ug/L	HAL
BENZO(K)FLUORANTHENE	0.5	ug/L	HAL
BERYLLIUM	4	ug/L	MCL
BETA-BHC	0.02	ug/L	HAL
BORON	600	ug/L	HAL
BROMACIL	90	ug/L	HAL
BROMOBENZENE	4000	ug/L	HAL
BROMOCHLOROMETHANE	91	ug/L	HAL
BROMODICHLOROMETHANE	80	ug/L	MCL
BROMOFORM	80	ug/L	MCL
BROMOMETHANE	9.8	ug/L	HAL
BUTACHLOR	259	ug/L	HAL
BUTYL BENZYL PHTHALATE	140	ug/L	HAL
BUTYLATE	350	ug/L	HAL
C/T-1,3-DICHLOROPROPENE	0.4	ug/L	HAL
C-1,2-DICHLOROETHYLENE	70	ug/L	MCL
C-1,3-DICHLOROPROPYLENE	0.4	ug/L	HAL
CADMIUM	5	ug/L	MCL
CARBARYL	700	ug/L	HAL
CARBOFURAN	40	ug/L	MCL
CARBON DISULFIDE	350	ug/L	HAL
CARBON TETRACHLORIDE	3	ug/L	MCL
CHLORAMBEN	110	ug/L	HAL
CHLORDANE	2	ug/L	MCL

3.4.2 FDOH Drinking Water Chemical Limits, 2016

Chemical Name		Units	MCL/HAL
CHLORIDE	250000	ug/L	SMCL
CHLOROBENZILATE	0.1	ug/L	HAL
CHLOROETHANE	12	ug/L	HAL
CHLOROFORM	80	ug/L	MCL
CHLOROMETHANE	2.7	ug/L	HAL
CHLORONEB	91	ug/L	HAL
CHLOROPICRIN	7.3	ug/L	HAL
CHLOROTHALONIL	1.5	ug/L	HAL
CHLORPYRIPHOS (DURSBAN)	21	ug/L	HAL
CHROMIUM	100	ug/L	MCL
CHRYSENE	4.8	ug/L	HAL
CIS-PERMETHRIN	350	ug/L	HAL
COLOR	15	UNITS	SMCL
COPPER	1000	ug/L	SMCL
CYANIDE	200	ug/L	MCL
CYCLOATE	35	ug/L	HAL
DACTHAL (DCPA)	70	ug/L	HAL
DALAPON	200	ug/L	MCL
DELTA-BHC	2.1	ug/L	HAL
DI(2-ETHYLHEXYL)ADIPATE	400	ug/L	MCL
DI(2-ETHYLHEXYL)PHTHALATE	6	ug/L	MCL
DIBENZ(A,H)ANTHRACENE	0.2	ug/L	HAL
DIBROMOCHLOROMETHANE (as sum of THM)	80	ug/L	MCL
DIBROMOCHLOROPROPANE	0.2	ug/L	MCL
DIBROMOMETHANE	70	ug/L	HAL
DICAMBA	210	ug/L	HAL
DICHLORODIFLUOROMETHANE	1000	ug/L	HAL
DICHLOROMETHANE (MECL)	5	ug/L	MCL
DICHLORPROP	35	ug/L	HAL
DICHLORVOS	0.1	ug/L	HAL
DIELDRIN	0.002	ug/L	HAL
DIETHYL PHTHALATE	5600	ug/L	HAL
DIMETHYL PHTHALATE	70000	ug/L	HAL
DI-N-BUTYLPHTHALATE	700	ug/L	HAL
DINOSEB	7	ug/L	MCL
DIPHENAMID	210	ug/L	HAL
DIQUAT	20	ug/L	HAL
ENDOSULFAN I (TOTAL)	42	ug/L	HAL
ENDOSULFAN II (TOTAL)	42	ug/L	HAL
ENDOTHALL	100	ug/L	MCL
ENDRIN	2	ug/L	MCL
EPTC	180	ug/L	HAL
ETHOPROP	0.7	ug/L	HAL
ETHYLBENZENE	30	ug/L	SMCL
ETHYLBENZENE	700	ug/L	MCL

3.4.2 FDOH Drinking Water Chemical Limits, 2016

Chemical Name		Units	MCL/HAL
ETHYLENE DIBROMIDE (EDB)	0.02	ug/L	MCL
ETHYLMETHACRYLATE	630	ug/L	HAL
ETRIDIAZOLE	175	ug/L	HAL
FENARIMOL	455	ug/L	HAL
FLUORENE	500	ug/L	HAL
FLUORIDE	2000	ug/L	SMCL
FLUORIDE	4000	ug/L	MCL
FLURIDONE	560	ug/L	HAL
FOAMING AGENTS	500	ug/L	SMCL
Gamma-CHLORDANE	2	ug/L	MCL
HALOACETIC ACIDS (TOTAL)	60	ug/L	MCL
HEPTACHLOR	0.4	ug/L	MCL
HEPTACHLOR EPOXIDE	0.2	ug/L	MCL
HEXACHLOROBENZENE (HCB)	1	ug/L	MCL
HEXACHLOROBUTADIENE	0.5	ug/L	HAL
HEXACHLOROCYCLOPENTADIENE	50	ug/L	MCL
HEXACHLOROETHANE	1	ug/L	HAL
HEXAZINONE0	230	ug/L	HAL
INDENO(1,2,3-CD)PYRENE	0.2	ug/L	HAL
IRON	300	ug/L	SMCL
ISOPHORONE	37	ug/L	HAL
ISOPROPYL BENZENE (CUMENE)	700	ug/L	HAL
LEAD	15	ug/L	MCL
LINDANE (G-BHC)	0.2	ug/L	MCL
MANGANESE	50	ug/L	SMCL
M-DICHLOROBENZENE	600	ug/L	HAL
MERCURY	2	ug/L	MCL
METHACRYLONITRILE	5	ug/L	HAL
METHIOCARB	35	ug/L	HAL
METHOMYL	180	ug/L	HAL
METHOXYCHLOR	40	ug/L	MCL
METHYL ACRYLATE	210	ug/L	HAL
METHYL BUTYL KETONE (2-HEXANONE)	280	ug/L	HAL
METHYL ETHYL KETONE (2-BUTANONE)	4200	ug/L	HAL
METHYLMETHACRYLATE	25	ug/L	HAL
METHYL-TERT-BUTYL-ETHER	35	ug/L	HAL
METOLACHLOR	110	ug/L	HAL
METRIBUZIN	180	ug/L	HAL
MEVINPHOS	1.8	ug/L	HAL
MOLINATE	14	ug/L	HAL
MOLYBDENUM	100	ug/L	HAL
MONOCHLOROBENZENE	100	ug/L	MCL
NAPHTHALENE	100	ug/L	HAL
NAPROPAMIDE	700	ug/L	HAL
N-BUTYLBENZENE	280	ug/L	HAL

3.4.2 FDOH Drinking Water Chemical Limits, 2016

Chemical Name		Units	MCL/HAL
NICKEL	100	ug/L	MCL
NITRATE	10000	ug/L	MCL
NITRATE & NITRITE (TOTAL)	10000	ug/L	MCL
NITRITE	1000	ug/L	MCL
NORFLURAZON	280	ug/L	HAL
N-PROPYLBENZENE	280	ug/L	HAL
O-CHLOROTOLUENE	100	ug/L	HAL
O-DICHLOROBENZENE	600	ug/L	MCL
OXAMYL	200	ug/L	MCL
PCB-AROCHLOR	0.5	ug/L	MCL
P-CHLOROTOLUENE	100	ug/L	HAL
P-DICHLOROBENZENE	75	ug/L	MCL
PEBULATE	350	ug/L	HAL
PERFLUOROOCCTANE SULFONATE (PFOS)	0.07	ug/L	HAL
PERFLUOROOCCTANOIC ACID (PFOA)	0.07	ug/L	HAL
PFOA & PFOS (TOTAL)	0.07	ug/L	HAL
pH	<6.5 or >8.5	UNITS	SMCL
PHENANTHRENE	210	ug/L	HAL
PICLORAM	500	ug/L	MCL
POLYCHLORINATED BIPHENYLS (PCBs)	0.5	ug/L	MCL
PROMETRYN	28	ug/L	HAL
PRONAMIDE	53	ug/L	HAL
PROPACHLOR	91	ug/L	HAL
PROPAZINE	10	ug/L	HAL
PROPOXUR (BAYGON)	2.8	ug/L	HAL
PYRENE	210	ug/L	HAL
SEC-BUTYLBENZENE	280	ug/L	HAL
SELENIUM	50	ug/L	MCL
SILVER	100	ug/L	SMCL
SIMAZINE	4	ug/L	MCL
SODIUM	160000	ug/L	MCL
STIROFOS	1.5	ug/L	HAL
STYRENE	100	ug/L	MCL
SULFATE	250000	ug/L	MCL
T-1,2-DICHLOROETHYLENE	100	ug/L	MCL
T-1,3-DICHLOROPROPYLENE	0.4	ug/L	HAL
TEBUTHIURON	490	ug/L	HAL
TERBACIL	91	ug/L	HAL
TERBUTRYN	330	ug/L	HAL
TERT-BUTYLBENZENE	280	ug/L	HAL
TETRACHLOROETHYLENE	3	ug/L	MCL
THALLIUM	2	ug/L	MCL
TOLUENE	40	ug/L	SMCL
TOLUENE	1000	ug/L	MCL
TOTAL DISSOLVED SOLIDS	500000	ug/L	SMCL

3.4.2 FDOH Drinking Water Chemical Limits, 2016

Chemical Name		Units	MCL/HAL
TOTAL PCBS	0.5	ug/L	MCL
TOXAPHENE	3	ug/L	MCL
TRANS-PERMETHRIN50 TRIADEMIFON (BAYLETON)	350	ug/L	HAL
TRIBUTYL TIN OXIDE	4.4	ug/L	HAL
TRICHLOROETHYLENE	3	ug/L	MCL
TRICHLOROFLUOROMETHANE	2100	ug/L	HAL
TRIFLURALIN	4.5	ug/L	HAL
VANADIUM	0.049	mg/L	HAL
VERNOLATE	7	ug/L	HAL
VINYL CHLORIDE	1	ug/L	MCL
XYLENES	10000	ug/L	MCL
ZINC	5000	ug/L	SMCL

3.4.3 US Census Bureau, American FactFinder: Housing, 2017



AMERICAN
FactFinder



MISSOURI

KENTUCKY

VIRGINIA

NORTH

DP04

SELECTED HOUSING CHARACTERISTICS
2017 American Community Survey 1-Year Estimates

Note: This is a modified view of the original table.

Although the American Community Survey (ACS) produces population, demographic and housing unit estimates, it is the Census Bureau's Population Estimates Program that produces and disseminates the official estimates of the population for the nation, states, counties, cities, and towns and estimates of housing units for states and counties.

Supporting documentation on code lists, subject definitions, data accuracy, and statistical testing can be found on the American Community Survey website in the [Technical Documentation](#) section. Sample size and data quality measures (including coverage rates, allocation rates, and response rates) can be found on the American Community Survey website in the [Methodology](#) section.

Subject	Lake County, Florida				Florida	United States
	Estimate	Margin of Error	Percent	Percent Margin of Error	Percent	Percent
HOUSING OCCUPANCY						
Total housing units	157,233	+/-383	157,233	(X)	9,441,585	137,407,308
Occupied housing units	136,255	+/-2,937	86.7%	+/-1.9	81.4%	87.4%
Vacant housing units	20,978	+/-2,912	13.3%	+/-1.9	18.6%	12.6%
Homeowner vacancy rate	2.4	+/-0.9	(X)	(X)	(X)	(X)
Rental vacancy rate	6.4	+/-3.6	(X)	(X)	(X)	(X)
UNITS IN STRUCTURE						
Total housing units	157,233	+/-383	157,233	(X)	9,441,585	137,407,308
1-unit, detached	103,762	+/-3,111	66.0%	+/-1.9	54.4%	61.7%
1-unit, attached	3,819	+/-1,012	2.4%	+/-0.6	6.2%	5.9%
2 units	2,089	+/-858	1.3%	+/-0.5	2.1%	3.6%
3 or 4 units	4,949	+/-1,378	3.1%	+/-0.9	4.0%	4.4%
5 to 9 units	2,759	+/-963	1.8%	+/-0.6	4.9%	4.7%
10 to 19 units	5,677	+/-1,649	3.6%	+/-1.0	5.7%	4.4%
20 or more units	5,852	+/-1,579	3.7%	+/-1.0	13.7%	9.2%
Mobile home	27,819	+/-2,537	17.7%	+/-1.6	8.9%	6.2%
Boat, RV, van, etc.	507	+/-377	0.3%	+/-0.2	0.1%	0.1%
YEAR STRUCTURE BUILT						
Total housing units	157,233	+/-383	157,233	(X)	9,441,585	137,407,308
Built 2014 or later	10,207	+/-1,790	6.5%	+/-1.1	3.1%	2.5%
Built 2010 to 2013	5,992	+/-2,024	3.8%	+/-1.3	2.8%	2.8%
Built 2000 to 2009	41,693	+/-2,753	26.5%	+/-1.7	19.0%	13.9%
Built 1990 to 1999	29,578	+/-3,556	18.8%	+/-2.3	16.9%	13.8%
Built 1980 to 1989	26,817	+/-2,748	17.1%	+/-1.8	20.2%	13.4%
Built 1970 to 1979	19,840	+/-2,474	12.6%	+/-1.6	17.7%	15.1%
Built 1960 to 1969	8,634	+/-1,840	5.5%	+/-1.2	9.0%	10.6%
Built 1950 to 1959	7,490	+/-1,627	4.8%	+/-1.0	7.2%	10.3%
Built 1940 to 1949	2,336	+/-1,012	1.5%	+/-0.6	1.9%	4.9%
Built 1939 or earlier	4,646	+/-1,467	3.0%	+/-0.9	2.2%	12.7%
ROOMS						
Total housing units	157,233	+/-383	157,233	(X)	9,441,585	137,407,308
1 room	1,519	+/-1,179	1.0%	+/-0.7	2.0%	2.4%
2 rooms	4,072	+/-1,356	2.6%	+/-0.9	2.5%	2.7%
3 rooms	11,641	+/-2,101	7.4%	+/-1.3	10.0%	9.0%
4 rooms	27,098	+/-3,071	17.2%	+/-1.9	21.2%	16.3%
5 rooms	36,959	+/-3,655	23.5%	+/-2.3	22.8%	19.6%
6 rooms	33,257	+/-3,021	21.2%	+/-1.9	17.9%	17.8%
7 rooms	18,844	+/-2,907	12.0%	+/-1.9	10.6%	12.1%
8 rooms	12,264	+/-1,914	7.8%	+/-1.2	6.6%	8.6%
9 rooms or more	11,579	+/-1,571	7.4%	+/-1.0	6.4%	11.4%
Median rooms	5.4	+/-0.2	(X)	(X)	(X)	(X)
BEDROOMS						
Total housing units	157,233	+/-383	157,233	(X)	9,441,585	137,407,308

3.4.3 US Census Bureau, American FactFinder: Housing, 2017

Subject	Lake County, Florida				Florida	United States
	Estimate	Margin of Error	Percent	Percent Margin of Error	Percent	Percent
No bedroom	1,569	+/-1,220	1.0%	+/-0.8	2.2%	2.6%
1 bedroom	10,283	+/-1,739	6.5%	+/-1.1	10.0%	10.8%
2 bedrooms	54,282	+/-3,462	34.5%	+/-2.2	32.8%	25.9%
3 bedrooms	61,258	+/-3,788	39.0%	+/-2.4	38.4%	39.4%
4 bedrooms	25,787	+/-2,984	16.4%	+/-1.9	13.9%	16.8%
5 or more bedrooms	4,054	+/-1,233	2.6%	+/-0.8	2.7%	4.5%
HOUSING TENURE						
Occupied housing units	136,255	+/-2,937	136,255	(X)	7,689,964	120,062,818
Owner-occupied	99,160	+/-3,114	72.8%	+/-2.0	65.2%	63.9%
Renter-occupied	37,095	+/-3,017	27.2%	+/-2.0	34.8%	36.1%
Average household size of owner-occupied unit	2.46	+/-0.10	(X)	(X)	(X)	(X)
Average household size of renter-occupied unit	2.66	+/-0.21	(X)	(X)	(X)	(X)
YEAR HOUSEHOLDER MOVED INTO UNIT						
Occupied housing units	136,255	+/-2,937	136,255	(X)	7,689,964	120,062,818
Moved in 2015 or later	46,092	+/-3,262	33.8%	+/-2.1	31.9%	28.3%
Moved in 2010 to 2014	33,514	+/-2,898	24.6%	+/-2.2	24.7%	22.4%
Moved in 2000 to 2009	35,894	+/-2,918	26.3%	+/-2.1	23.7%	23.8%
Moved in 1990 to 1999	12,966	+/-1,767	9.5%	+/-1.3	11.5%	12.5%
Moved in 1980 to 1989	5,285	+/-1,311	3.9%	+/-1.0	4.9%	6.2%
Moved in 1979 and earlier	2,504	+/-894	1.8%	+/-0.6	3.2%	6.8%
VEHICLES AVAILABLE						
Occupied housing units	136,255	+/-2,937	136,255	(X)	7,689,964	120,062,818
No vehicles available	7,220	+/-1,441	5.3%	+/-1.1	6.3%	8.6%
1 vehicle available	57,362	+/-3,486	42.1%	+/-2.3	39.7%	32.7%
2 vehicles available	49,916	+/-3,771	36.6%	+/-2.7	38.4%	37.3%
3 or more vehicles available	21,757	+/-2,958	16.0%	+/-2.1	15.5%	21.5%
HOUSE HEATING FUEL						
Occupied housing units	N	N	N	N	7,689,964	120,062,818
Utility gas	N	N	N	N	4.6%	48.0%
Bottled, tank, or LP gas	N	N	N	N	0.8%	4.7%
Electricity	N	N	N	N	92.3%	39.0%
Fuel oil, kerosene, etc.	N	N	N	N	0.1%	4.7%
Coal or coke	N	N	N	N	0.0%	0.1%
Wood	N	N	N	N	0.1%	1.8%
Solar energy	N	N	N	N	0.1%	0.2%
Other fuel	N	N	N	N	0.1%	0.5%
No fuel used	N	N	N	N	1.8%	1.1%
SELECTED CHARACTERISTICS						
Occupied housing units	136,255	+/-2,937	136,255	(X)	7,689,964	120,062,818
Lacking complete plumbing facilities	97	+/-95	0.1%	+/-0.1	0.2%	0.4%
Lacking complete kitchen facilities	1,013	+/-536	0.7%	+/-0.4	0.7%	0.8%
No telephone service available	1,701	+/-677	1.2%	+/-0.5	1.7%	1.5%
OCCUPANTS PER ROOM						
Occupied housing units	136,255	+/-2,937	136,255	(X)	7,689,964	120,062,818
1.00 or less	134,106	+/-3,107	98.4%	+/-0.8	97.0%	96.6%
1.01 to 1.50	1,888	+/-1,031	1.4%	+/-0.8	2.1%	2.3%
1.51 or more	261	+/-203	0.2%	+/-0.1	1.0%	1.1%
VALUE						
Owner-occupied units	99,160	+/-3,114	99,160	(X)	5,010,187	76,684,018
Less than \$50,000	11,283	+/-1,341	11.4%	+/-1.4	7.2%	6.9%
\$50,000 to \$99,999	11,038	+/-1,513	11.1%	+/-1.5	11.1%	12.0%
\$100,000 to \$149,999	11,754	+/-1,818	11.9%	+/-1.8	12.4%	13.3%

3.4.3 US Census Bureau, American FactFinder: Housing, 2017

Subject	Lake County, Florida				Florida	United States
	Estimate	Margin of Error	Percent	Percent Margin of Error	Percent	Percent
\$150,000 to \$199,999	20,408	+/-2,682	20.6%	+/-2.4	15.6%	14.1%
\$200,000 to \$299,999	28,735	+/-3,201	29.0%	+/-3.0	23.4%	19.6%
\$300,000 to \$499,999	11,625	+/-1,620	11.7%	+/-1.6	19.7%	19.3%
\$500,000 to \$999,999	3,741	+/-1,088	3.8%	+/-1.1	7.9%	11.4%
\$1,000,000 or more	576	+/-420	0.6%	+/-0.4	2.5%	3.4%
Median (dollars)	185,200	+/-8,292	(X)	(X)	(X)	(X)
MORTGAGE STATUS						
Owner-occupied units	99,160	+/-3,114	99,160	(X)	5,010,187	76,684,018
Housing units with a mortgage	51,977	+/-2,917	52.4%	+/-2.1	56.9%	62.8%
Housing units without a mortgage	47,183	+/-2,345	47.6%	+/-2.1	43.1%	37.2%
SELECTED MONTHLY OWNER COSTS (SMOC)						
Housing units with a mortgage	51,977	+/-2,917	51,977	(X)	2,850,011	48,168,243
Less than \$500	1,032	+/-503	2.0%	+/-1.0	1.6%	1.5%
\$500 to \$999	13,827	+/-1,977	26.6%	+/-3.9	21.3%	19.6%
\$1,000 to \$1,499	20,075	+/-2,732	38.6%	+/-4.0	31.8%	28.3%
\$1,500 to \$1,999	10,685	+/-2,257	20.6%	+/-4.3	20.9%	20.2%
\$2,000 to \$2,499	3,273	+/-867	6.3%	+/-1.7	11.2%	12.2%
\$2,500 to \$2,999	1,990	+/-924	3.8%	+/-1.8	5.9%	7.3%
\$3,000 or more	1,095	+/-438	2.1%	+/-0.8	7.3%	10.9%
Median (dollars)	1,255	+/-59	(X)	(X)	(X)	(X)
Housing units without a mortgage	47,183	+/-2,345	47,183	(X)	2,160,176	28,515,775
Less than \$250	8,681	+/-1,304	18.4%	+/-2.9	15.0%	13.2%
\$250 to \$399	15,189	+/-2,049	32.2%	+/-4.0	23.6%	24.9%
\$400 to \$599	14,971	+/-2,348	31.7%	+/-4.3	27.6%	28.4%
\$600 to \$799	5,955	+/-1,203	12.6%	+/-2.7	15.6%	15.5%
\$800 to \$999	1,329	+/-537	2.8%	+/-1.1	7.6%	7.8%
\$1,000 or more	1,058	+/-623	2.2%	+/-1.3	10.5%	10.3%
Median (dollars)	397	+/-20	(X)	(X)	(X)	(X)
SELECTED MONTHLY OWNER COSTS AS A PERCENTAGE OF HOUSEHOLD INCOME (SMOCAPI)						
Housing units with a mortgage (excluding units where SMOCAPI cannot be computed)	51,743	+/-2,943	51,743	(X)	2,823,933	47,913,975
Less than 20.0 percent	24,539	+/-2,512	47.4%	+/-4.1	41.1%	46.3%
20.0 to 24.9 percent	8,540	+/-1,859	16.5%	+/-3.4	15.4%	15.7%
25.0 to 29.9 percent	3,830	+/-1,185	7.4%	+/-2.3	10.6%	10.5%
30.0 to 34.9 percent	2,827	+/-1,008	5.5%	+/-1.9	7.4%	6.8%
35.0 percent or more	12,007	+/-2,146	23.2%	+/-4.0	25.5%	20.7%
Not computed	234	+/-257	(X)	(X)	(X)	(X)
Housing unit without a mortgage (excluding units where SMOCAPI cannot be computed)	46,207	+/-2,391	46,207	(X)	2,118,900	28,098,118
Less than 10.0 percent	21,278	+/-2,362	46.0%	+/-4.5	42.6%	45.1%
10.0 to 14.9 percent	9,005	+/-1,415	19.5%	+/-3.1	18.8%	19.4%
15.0 to 19.9 percent	5,589	+/-1,460	12.1%	+/-3.0	11.3%	11.0%
20.0 to 24.9 percent	2,994	+/-955	6.5%	+/-2.1	7.1%	6.7%
25.0 to 29.9 percent	1,767	+/-712	3.8%	+/-1.6	4.5%	4.3%
30.0 to 34.9 percent	1,957	+/-737	4.2%	+/-1.5	3.3%	2.9%
35.0 percent or more	3,617	+/-938	7.8%	+/-2.0	12.5%	10.6%
Not computed	976	+/-481	(X)	(X)	(X)	(X)
GROSS RENT						
Occupied units paying rent	35,397	+/-3,011	35,397	(X)	2,565,527	41,233,966
Less than \$500	2,761	+/-972	7.8%	+/-2.7	5.6%	10.2%
\$500 to \$999	14,426	+/-2,176	40.8%	+/-5.4	32.9%	39.0%
\$1,000 to \$1,499	12,820	+/-2,096	36.2%	+/-5.3	38.6%	29.0%

3.4.3 US Census Bureau, American FactFinder: Housing, 2017

Subject	Lake County, Florida				Florida	United States
	Estimate	Margin of Error	Percent	Percent Margin of Error	Percent	Percent
\$1,500 to \$1,999	4,670	+/-1,521	13.2%	+/-3.9	15.3%	12.8%
\$2,000 to \$2,499	406	+/-269	1.1%	+/-0.8	4.7%	5.0%
\$2,500 to \$2,999	0	+/-226	0.0%	+/-0.6	1.6%	2.1%
\$3,000 or more	314	+/-238	0.9%	+/-0.6	1.3%	2.0%
Median (dollars)	1,015	+/-50	(X)	(X)	(X)	(X)
No rent paid	1,698	+/-810	(X)	(X)	(X)	(X)
GROSS RENT AS A PERCENTAGE OF HOUSEHOLD INCOME (GRAPI)						
Occupied units paying rent (excluding units where GRAPI cannot be computed)	35,019	+/-2,918	35,019	(X)	2,492,817	40,237,512
Less than 15.0 percent	2,785	+/-742	8.0%	+/-2.1	8.9%	13.1%
15.0 to 19.9 percent	4,253	+/-1,241	12.1%	+/-3.3	10.9%	12.9%
20.0 to 24.9 percent	4,488	+/-1,591	12.8%	+/-4.3	12.1%	12.8%
25.0 to 29.9 percent	3,857	+/-1,381	11.0%	+/-3.9	11.7%	11.7%
30.0 to 34.9 percent	3,910	+/-1,176	11.2%	+/-3.3	9.6%	9.1%
35.0 percent or more	15,726	+/-2,323	44.9%	+/-5.4	46.8%	40.4%
Not computed	2,076	+/-835	(X)	(X)	(X)	(X)

Source: U.S. Census Bureau, 2017 American Community Survey 1-Year Estimates

Explanation of Symbols:

- An '***' entry in the margin of error column indicates that either no sample observations or too few sample observations were available to compute a standard error and thus the margin of error. A statistical test is not appropriate.
- An '-' entry in the estimate column indicates that either no sample observations or too few sample observations were available to compute an estimate, or a ratio of medians cannot be calculated because one or both of the median estimates falls in the lowest interval or upper interval of an open-ended distribution.
- An '-' following a median estimate means the median falls in the lowest interval of an open-ended distribution.
- An '+' following a median estimate means the median falls in the upper interval of an open-ended distribution.
- An '****' entry in the margin of error column indicates that the median falls in the lowest interval or upper interval of an open-ended distribution. A statistical test is not appropriate.
- An '*****' entry in the margin of error column indicates that the estimate is controlled. A statistical test for sampling variability is not appropriate.
- An 'N' entry in the estimate and margin of error columns indicates that data for this geographic area cannot be displayed because the number of sample cases is too small.
- An '(X)' means that the estimate is not applicable or not available.

Data are based on a sample and are subject to sampling variability. The degree of uncertainty for an estimate arising from sampling variability is represented through the use of a margin of error. The value shown here is the 90 percent margin of error. The margin of error can be interpreted roughly as providing a 90 percent probability that the interval defined by the estimate minus the margin of error and the estimate plus the margin of error (the lower and upper confidence bounds) contains the true value. In addition to sampling variability, the ACS estimates are subject to nonsampling error (for a discussion of nonsampling variability, see [Accuracy of the Data](#)). The effect of nonsampling error is not represented in these tables.

Households not paying cash rent are excluded from the calculation of median gross rent.

Telephone service data are not available for certain geographic areas due to problems with data collection of this question that occurred in 2015 and 2016. Both ACS 1-year and ACS 5-year files were affected. It may take several years in the ACS 5-year files until the estimates are available for the geographic areas affected.

While the 2017 American Community Survey (ACS) data generally reflect the July 2015 Office of Management and Budget (OMB) delineations of metropolitan and micropolitan statistical areas, in certain instances the names, codes, and boundaries of the principal cities shown in ACS tables may differ from the OMB delineations due to differences in the effective dates of the geographic entities.

Estimates of urban and rural populations, housing units, and characteristics reflect boundaries of urban areas defined based on Census 2010 data. As a result, data for urban and rural areas from the ACS do not necessarily reflect the results of ongoing urbanization.

3.4.4 US Census Bureau, American FactFinder: Commuting Characteristics, 2017



MISSOURI

KENTUCKY

NORTH CAROLINA

S0801

COMMUTING CHARACTERISTICS BY SEX
2017 American Community Survey 1-Year Estimates

Note: This is a modified view of the original table.

Although the American Community Survey (ACS) produces population, demographic and housing unit estimates, it is the Census Bureau's Population Estimates Program that produces and disseminates the official estimates of the population for the nation, states, counties, cities, and towns and estimates of housing units for states and counties.

Supporting documentation on code lists, subject definitions, data accuracy, and statistical testing can be found on the American Community Survey website in the [Technical Documentation](#) section. Sample size and data quality measures (including coverage rates, allocation rates, and response rates) can be found on the American Community Survey website in the [Methodology](#) section.

Subject	Lake County, Florida		Florida	United States
	Total		Total	Total
	Estimate	Margin of Error	Estimate	Estimate
Workers 16 years and over	141,274	+/-4,738	9,355,081	152,802,672
MEANS OF TRANSPORTATION TO WORK				
Car, truck, or van	90.6%	+/-1.6	88.4%	85.3%
Drove alone	80.7%	+/-1.7	79.4%	76.4%
Carpooled	9.9%	+/-1.8	9.1%	8.9%
In 2-person carpool	8.3%	+/-1.8	7.0%	6.7%
In 3-person carpool	0.9%	+/-0.4	1.3%	1.3%
In 4-or-more person carpool	0.6%	+/-0.4	0.8%	0.9%
Workers per car, truck, or van	1.06	+/-0.01	1.06	1.06
Public transportation (excluding taxicab)	0.3%	+/-0.2	1.7%	5.0%
Walked	0.5%	+/-0.4	1.4%	2.7%
Bicycle	0.1%	+/-0.1	0.6%	0.5%
Taxicab, motorcycle, or other means	1.3%	+/-0.6	1.7%	1.3%
Worked at home	7.2%	+/-1.5	6.1%	5.2%
PLACE OF WORK				
Worked in state of residence	99.3%	+/-0.4	98.7%	96.3%
Worked in county of residence	59.5%	+/-3.4	80.8%	72.3%
Worked outside county of residence	39.9%	+/-3.4	17.9%	24.0%
Worked outside state of residence	0.7%	+/-0.4	1.3%	3.7%
Living in a place	61.0%	+/-3.0	78.2%	75.3%
Worked in place of residence	15.4%	+/-2.7	25.4%	31.5%
Worked outside place of residence	45.5%	+/-3.3	52.8%	43.9%
Not living in a place	39.0%	+/-3.0	21.8%	24.7%
Living in 12 selected states	N	N	N	24.7%
Worked in minor civil division of residence	N	N	N	7.6%
Worked outside minor civil division of residence	N	N	N	17.2%
Not living in 12 selected states	N	N	N	75.3%
Workers 16 years and over who did not work at home	131,066	+/-4,786	8,780,575	144,808,353
TIME LEAVING HOME TO GO TO WORK				
12:00 a.m. to 4:59 a.m.	4.8%	+/-1.4	3.8%	4.9%
5:00 a.m. to 5:29 a.m.	3.9%	+/-1.1	3.2%	4.0%
5:30 a.m. to 5:59 a.m.	5.5%	+/-1.8	4.1%	5.0%
6:00 a.m. to 6:29 a.m.	10.0%	+/-1.8	9.1%	9.0%
6:30 a.m. to 6:59 a.m.	10.5%	+/-1.9	9.6%	9.8%
7:00 a.m. to 7:29 a.m.	13.9%	+/-2.0	15.6%	14.7%
7:30 a.m. to 7:59 a.m.	11.0%	+/-1.8	11.0%	12.2%
8:00 a.m. to 8:29 a.m.	12.0%	+/-2.2	12.3%	10.9%
8:30 a.m. to 8:59 a.m.	4.5%	+/-1.1	5.6%	5.4%
9:00 a.m. to 11:59 p.m.	23.8%	+/-2.8	25.6%	24.2%
TRAVEL TIME TO WORK				
Less than 10 minutes	11.4%	+/-1.7	8.7%	12.2%
10 to 14 minutes	10.0%	+/-1.7	11.4%	13.3%
15 to 19 minutes	12.7%	+/-1.8	14.5%	15.1%
20 to 24 minutes	11.3%	+/-1.8	15.8%	14.4%

3.4.4 US Census Bureau, American FactFinder: Commuting Characteristics, 2017

Subject	Lake County, Florida		Florida	United States
	Total		Total	Total
	Estimate	Margin of Error	Estimate	Estimate
25 to 29 minutes	5.7%	+/-1.5	6.8%	6.5%
30 to 34 minutes	12.7%	+/-2.0	16.9%	13.8%
35 to 44 minutes	10.3%	+/-1.8	7.9%	7.0%
45 to 59 minutes	14.4%	+/-2.6	9.6%	8.3%
60 or more minutes	11.5%	+/-2.2	8.4%	9.3%
Mean travel time to work (minutes)	30.5	+/-1.4	27.8	26.9
VEHICLES AVAILABLE				
Workers 16 years and over in households	141,193	+/-4,751	9,304,787	151,339,299
No vehicle available	1.1%	+/-0.6	2.8%	4.2%
1 vehicle available	21.8%	+/-2.7	22.7%	20.3%
2 vehicles available	43.0%	+/-4.2	44.0%	40.5%
3 or more vehicles available	34.1%	+/-4.3	30.5%	34.9%
PERCENT ALLOCATED				
Means of transportation to work	8.8%	(X)	12.4%	9.9%
Private vehicle occupancy	11.0%	(X)	14.3%	11.3%
Place of work	14.4%	(X)	16.3%	13.9%
Time leaving home to go to work	21.5%	(X)	24.7%	20.9%
Travel time to work	17.6%	(X)	19.0%	15.1%
Vehicles available	1.4%	(X)	1.7%	1.1%

Source: U.S. Census Bureau, 2017 American Community Survey 1-Year Estimates

Explanation of Symbols:

An '***' entry in the margin of error column indicates that either no sample observations or too few sample observations were available to compute a standard error and thus the margin of error. A statistical test is not appropriate.

An '-' entry in the estimate column indicates that either no sample observations or too few sample observations were available to compute an estimate, or a ratio of medians cannot be calculated because one or both of the median estimates falls in the lowest interval or upper interval of an open-ended distribution.

An '-' following a median estimate means the median falls in the lowest interval of an open-ended distribution.

An '+' following a median estimate means the median falls in the upper interval of an open-ended distribution.

An '****' entry in the margin of error column indicates that the median falls in the lowest interval or upper interval of an open-ended distribution. A statistical test is not appropriate.

An '*****' entry in the margin of error column indicates that the estimate is controlled. A statistical test for sampling variability is not appropriate.

An 'N' entry in the estimate and margin of error columns indicates that data for this geographic area cannot be displayed because the number of sample cases is too small.

An '(X)' means that the estimate is not applicable or not available.

Data are based on a sample and are subject to sampling variability. The degree of uncertainty for an estimate arising from sampling variability is represented through the use of a margin of error. The value shown here is the 90 percent margin of error. The margin of error can be interpreted roughly as providing a 90 percent probability that the interval defined by the estimate minus the margin of error and the estimate plus the margin of error (the lower and upper confidence bounds) contains the true value. In addition to sampling variability, the ACS estimates are subject to nonsampling error (for a discussion of nonsampling variability, see [Accuracy of the Data](#)). The effect of nonsampling error is not represented in these tables.

The 12 selected states are Connecticut, Maine, Massachusetts, Michigan, Minnesota, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont, and Wisconsin.

Workers include members of the Armed Forces and civilians who were at work last week.

When information is missing or inconsistent, the Census Bureau logically assigns an acceptable value using the response to a related question or questions. If a logical assignment is not possible, data are filled using a statistical process called allocation, which uses a similar individual or household to provide a donor value. The "Allocated" section is the number of respondents who received an allocated value for a particular subject.

While the 2017 American Community Survey (ACS) data generally reflect the July 2015 Office of Management and Budget (OMB) delineations of metropolitan and micropolitan statistical areas, in certain instances the names, codes, and boundaries of the principal cities shown in ACS tables may differ from the OMB delineations due to differences in the effective dates of the geographic entities.

Estimates of urban and rural populations, housing units, and characteristics reflect boundaries of urban areas defined based on Census 2010 data. As a result, data for urban and rural areas from the ACS do not necessarily reflect the results of ongoing urbanization.

Compiled by:

Florida Department of Health in Lake County,
Community Health Improvement Planning Unit

With Special Thanks to:

Jonathan Urriste, *Research Assistant*

*Not sure what the Community Health Improvement
Planning (CHIP) in Lake County, Florida is all about?*

Do you want to learn more?

Visit us at:

<http://lake.floridahealth.gov/programs-and-services/community-health-planning-and-statistics/index.html>